

1969 CADILLAC DATA BOOK




This is the 1969 Cadillac Data Book. Presented within these pages is a detailed description of the magnificent new Cadillac for 1969-the culmination of 67 years' experience in building the universally recognized Standard of the World in motor cars. Once you have familiarized yourself with the contents of this book, you will realize that Cadillac craftsmanship has never been more evident. The 1969 Cadillac, with its dramatic styling. unsurpassed elegance and superb performance, will help make 1969 a pleasurable year for your customers and a productive one for you.

- A COLORS AND EQUIPMENT Names and code numbers of each body style, exterior color and interior trim with recommended color combinations, and a listing of standard and optional equipment and equipment groups.
- B BODY STYLES AND INTERIORS Exterior and interior illustrations of each body style plus details of interior upholstery and trim.
- C OPTIONAL EQUIPMENT Cadillac's array of available conveniences is explained to help each owner individualize his Cadillac for more enjoyable motoring.
- D SPECIAL ORDERS Cadillac provides still further a way to personalize each car to individual desires with its attractive selection of custom interior and/or exterior colors. There is an explanation of each special order option plus general ordering procedures.
- E NEW FEATURES Cadillac's outstanding advancements for 1969 are illustrated and explained.
- F ENGINEERING FEATURES Significant components of the 1969 engine, transmission, chassis and body are illustrated and explained. Engineering features that pertain exclusively to the Eldorado are illustrated and explained separately.
- G SPECIFICATIONS AND MILESTONES Detailed specifications of the 1969 Cadillac followed by a year-by-year "milestones" section pointing up the development of the Cadillac motor car as it won universal recognition as the Standard of the World.
- H PRICES The Manufacturer's Suggested Retail Prices for each Cadillac Body Style, each Group and individual Optional Equipment item and for Special Order colors, upholstery and equipment.

A	C continued '
Accessory Groups	Chauffeur's Compartment B-27a, b Child Safety Seat C-10 Cigarette Lighters A-9 Classic "V" Rear Window E-4 Colors, Exterior A-2, 14 Colors, Exterior, Special Order D-6, 7 Colors, Firemist A-2, D-6 Color-Trim Recommendations A-3, 4, 5 Compression Ratio G-1 Connecting Rods G-2 Console Bucket Seat B-15a Constant Velocity Joints (CV) F-7, G-6 Controlled Differential C-5 Convertible Top Boot B-7a Convertible Tops A-2 Cooling F-4, G-4 Cornering Lights E-1, 2 Crankshaft F-2, G-2 Cruise Control (Electric) C-3 Cruise Control (Vacuum)—Eldorado only .C-3 Cylinder Heads F-3, G-2
Body Insulation         F-14           Body Sealing         F-14           Body Styles         A-1, Section B           Boot, Convertible Top         B-7a           Brake Drums         F-8, 9           Brake Lining         G-8           Brakes, Parking         F-8, 9           Brakes, Power Disc         F-8, 9           Bucket Seats         B-15a, b, C-7           Bucket Seats, Power         C-6           Bumpers         E-1, 2           C           Camshaft         F-3           Carpets         Section B           Chassis Features         F-9, 10, 11           Chassis, Fleetwood Eldorado         F-17	Deck Lid

E	H continued
Eldorado, Exterior. B-14, E-1 Eldorado, Interior. B-15, 15a, b Eldorado, Special Engineering Features. F-15 thru 20 Electric Door Locks. C-10 Electric Remote-Control Trunk Lock. C-9 Energy-Absorbing Steering Column. F-7 Engine Cooling. F-4, G-4 Engine Features. F-1, 2, 3, 4, 5 Engine Lubrication. G-3 Engine Specifications. Section G Equipment, Fleetwood. Special Features. A-12 Equipment, Groups. A-7, 8 Equipment, Information. A-7 Equipment, Optional. A-9, 10, 11 Equipment, Standard. A-9, 10, 11 Exhaust System. F-5, 20, G-3 Exhaust Valves. G-3 Exterior Colors, Last Year's Usage. A-14 Exterior Colors, Past Model. D-7 Exterior Dimensions. A-1, G-1 Exterior Illustrations. Section B	Hood Latches. F-12 Hood Styling. E-1, 2 Horn. G-5 Horn, Rim Blow. E-7 Horn, Trumpet. C-8  I Ignition Key Warning Buzzer E-9 Ignition Switch E-3 Ignition System. G-4, 5 Instrument Panel E-3 Intake Valves. G-3 Interior Upholstery Charts Section B Interior Color Recommendations A-3, 4, 5 Interior Dimensions Section B Interior Styling Terminology D-8 Interiors, Special Order Section D Insulation, Body F-14  K
F	Keys
Factory Installed Accessories       A-8         Fan, Radiator       G-4         Fenders, Front       E-1, 2         Fenders, Rear       E-1, 2         Firemist Colors       A-2, D-6         Footrests       A-12         Four-Barrel Carburetor       F-2         Frame       F-10, 17, G-6         Front End Design       E-1, 2         Front Suspension       F-9 7 G-6         Front Wheel Drive       F-16         Fuel Pump       F-2         Fuel System       G-4         Full-Flow Oil Filter       A-10, G-3	Landau Roof B-28 Leather, Special Order Section D Level Control, Automatic C-4 License Plate Holder E-1, 2 Lights G-5 Lights, Back-Up A-10 Lights, Cornering A-10, E-1, 2 Lights, Courtesy A-10 Lights, Directional A-10 Lights, Headlamp E-1, 2 Lights, Reading A-10 Lights, Parking E-1, 2 Lights, Side Marker A-10, E-1, 2 Lights, Tail and Stop E-1, 2
General Specifications G-1 Generator F-4, G-4 Generator Regulator F-4, G-4 Glass, Side Window E-4 Glass, Soft Ray C-8 Glove Compartment E-5 Grille, Front E-1, 2 Groups, Accessory A-7, 8 Guide-Matic C-9	Lights, Telltale       E-3         Locks, Door, Passenger-Guard       F-11         Locks, Hood       F-12         Lubricants       G-8         Lubrication       G-3         Luggage Compartment       F-12, 19         W         Milestones       G-9 thru 12         Mirrors       E-5
Halo Moulding	New Features

P	S continued
Padded Roof Recommendations       A-2         Parking Brake       F-8, 9, G-8         Parking Lights       E-1, 2         P.C.V. System       F-5         Pistons       F-2, G-2         Pockets, Storage (Brougham)       A-12, B-21a, b         Power Disc Brakes—Front       F-8, 9         Power Seats       C-6         Power Steering       F-8, 20, G-7         Power Windows       A-7, 11         Prices       Section H         Propeller Shaft       F-6, G-6	Standard Equipment
Q	T
Quadrajet CarburetorF-2, G-4 Quadrant, Turbo Hydra-MaticF-6	Terminology, Interior Styling D-8, 9 Tilt and Telescope Steering Wheel C-4 Tires and Wheels
Radiator	Tires, Whitewall
Safety Belt Stowage Receptacle	Valves
Shoulder Belts	Water Pump G-4 Wheelbase A-1, G-1 Wheel Bearings, Rear G-7 Wheel Discs E-2 Wheel Discs, Eldorado E-10 Wheels and Tires C-5, F-7, G-7 Whitewall Tires C-5 Windshield Washer-Wipers E-8



# $rac{COLORS}{AND\ EQUIPMENT}$

Body Styles	λ-1
Color-Trim Recommendations	1-3, 4, 5
Equipment Information	<b>1-7</b>
Factory Installed Options	4-8
Packaged Accessories for Dealer Installation A	
Standard and Optional Equipment	<b>1-9, 10, 11</b>
Upholstery Options	4-6
Usage of Cadillac Colors	۱-14
Vinvl Roof and Convertible Top Recommendations A	

# 1969 CADILLAC BODY STYLES

STYLE NO.	CODE	NAME	WHEELBASE	OVERALL LENGTH		
Calai	S		<b>,</b>			
68247	G	CALAIS COUPE	129.5"	225"		
68249	N	CALAIS HARDTOP SEDAN	129.5"	225"		
DeV	ille					
68367	F	DE VILLE CONVERTIBLE	129.5*	225"		
68347	J	COUPE DE VILLE	129.5"	225"		
68349	8	HARDTOP SEDAN DE VILLE	129.5″ 2			
68369	i.	SEDAN DE VILLE	129.5"	225"		
Fleet	wood					
69347	PA	FLEETWOOD ELDORADO	120"	221"		
6806 <b>9</b>	M	FLEETWOOD SIXTY SPECIAL	133"	228.5"		
68169	p	FLEETWOOD BROUGHAM	133"	228.5"		
6 <b>9</b> 72 <b>3</b>	ia .	FLEETWOOD SEVENTY-FIVE SEDAN	149.8"	245.5"		
69733	S	FLEETWOOD SEVENTY-FIVE LIMOUSINE	149.8"	245.5"		
Com	mercia	al		-		
69890	Z	COMMERCIAL CHASSIS	150"	250. <b>5</b> "		

# EXTERIOR RECOMMENDATIONS

COLOR	BROUGHAM PADDED ROOFS	ELDORADO PADDED ROOFS	DE VILLE VINYL ROOFS	CONVERTIBLE TOPS
10 Sable black	2	2 1	2 1	2 1
12 COTILLION WHITE	2 1 3	2 1 3	2 3 1	1 2 3
PATINA SILVER	2	2 3 1	2 3 1	2 1 3
18 PHANTOM GRAY	2	2 1	2	2 1
ASTRAL BLUE	3 2 1	3 1 2	3 1 2	932
26 ATHENIAN BLUE	2 3	2 3 1	2 3 1	1 3 2
PERSIAN AQUA	2 1	1 2	2 1	1 2
PALMETTO GREEN	2 1	2 1	2 1	1 2
RAMPUR GREEN	2 4	2 4 6 1	2 4 6 1	2 6 1
COLONIAL YELLOW	2 4 1 5	2 4 1 5	2 4 1 5	2 5 1
CAMEO BEIGE	5 6 2	5 6 2	5 2 6	6 5
SHALIMAR GOLD	4 2 1 5	4 2 1 5	4 2 1 5	2 1 5
CORDOVAN	6 5 2	6 5 2 1	6 5 2 1	6 5 1
WISTERIA	1 2	1 2	1 2	1 2
SAN MATEO RED	2 1	1 2	2 1	1 2
EMPIRE MAROON	2 6 1	2 1 6	2 1 6	2 1 6
Firemist Colors at Ex	ktra Chargo	9		
90 SAPPHIRE BLUE	3 2 1	1 3 2	1 2 3	1 3 2
94 CHALICE GOLD	2 4 1 5	2 4 5 1	2 4 1 5	2 1 5
96 Biscay aqua	2 1	1 2	2 1	1 2
97 NUTMEG BROWN	5 6 2	5 6 2	5 6 2	5 6 1 2
99 CHATEAU MAUVE	2 1	2 1	2 1	1 2
/inyl Roofs and Con	vertible To	ps		
1 WHITE	1 WHITE			
2 BLACK 3 DK. BLUE	2 BLACK 3 DK. BU	JE		
4   GOLD	5 CORDO\			

# 1969 CADILLAC COLOR-TRIM RECOMMENDATIONS

	CALAIS S	ENIES	DE VILLE SERIES							
	Coupe G	Hardtop N	Hardtop B Co	upe J Sedan L	Convertible F					
COLOR	CLOTH	VINYL	CLOTH	LEATHER	LEATHER					
10 Sable Black	211 226	251 282	311 326 347	351 388 352 384	351 388 352 384					
12 COTILLION WHITE	211 226 229 244 231	251	311 326 329 347 344 331	351 388 352 366	388 351 366 352					
16 Patina silver	211 226	251	311 326 347	351 388 366 352	351 388 366 352					
1 <b>8</b> Phantom Gray	211 231	251	311 331	351 388 352 3 <b>7</b> 1	351 388 352 371					
<b>24</b> Astral Blue	226 211	251	326 311	366 352 351	366 353 351					
<b>26</b> Athenian Blue	226 211	251	326 311	366 352 351	366 353 388					
<b>28</b> Persian aqua	229 211	251	329 311	351 352	352 351					
30 PALMETTO GHEEN	231 211	251	331 311	371 351 352	371 351 352					
38 Rampur Green	231 244 211	251 282	331 344 311	371 384 351 382 352	371 384 351 382 352					
<b>40</b> COLONIAL YELLOW	211 244 231	251	311 344 346 331	351 384 386 371 352	351 384 386 371 352					
<b>42</b> Cameo Beige	242	2.82	342 346 311	386 382 351	386 382					
4 <b>4</b> Shalimar Gold	244 211 231	251	344 311 346 331	384 351 386 371	384 351 386 371					
46 CORDOVAN	242 244	282	346 342 344 311	386 382 384 351	386 382 384					
47 Wisteria	211	251	347 311	387 352 351	387 352 351					
48 San Mateo Red	211 242	251 282	311 342	352 351 388	354 388 351					
49 EMPIRE MAROON	211 242	282 251	311 342	351 352 382	351 352 382					

## Firemist Colors at Extra Charge

90 Sapphire blue	226	251	326 311	366 352 351	353 366 351
94 CHALICE GOLD	244 211	251	344 311 346	384 386 351 352	384 386 351 352
<b>96</b> Biscay aqua	229 211	251	329 311	351 352	352 351
97 NUTMEG BROWN	242 211	282 251	346 342 311	386 382 351	386 382
9 <b>9</b> Chateau Mauve	211	251	347 311	387 352 351	387 352 351

371 Leather Available on Special Order for Style B. 371, 386, 387 Leather Available on Special Order for Siyle L.

# COLOR-TRIM RECOMMENDATIONS

						FLEE	TWOOD	SERIES					
		Brougham P Sixty Special M								Eldora	ido H		
COLOR		CLOTI	i		LEAT	HER		C	LOTH		LEA	THEF	]
10 SABLE BLACK	011 04 <b>9</b>	016 044	026	051	880	052	084	411	410	447	451 484	488	452
12 COTILLION WHITE	011 047 031	026 049	029 044	051	052	088	066	411 429 431	410 447	426 444	451	452	488
16 PATINA SILVER	011 047	016 049	026	051	088	066	052	411 447	410	426	451 452	488	466
18 PHANTOM GRAY	011 049	016	031	051	088	071		411	410	431	451 471	488	452
24 ASTRAL BLUE	026	011		066	052	051		426	411	410	466	452	451
26 Athenian blue	026	011	016	066	051	052	**************************************	426	411	410	466	452	451
28 PERSIAN AQUA	029	011		051	052	****************	animor sus superfections coccu	429	411	Company of the State of the Sta	452	451	
PALMETTO GREEN	031	011		071	051	052		431	411	410	471	451	452
3 <b>6</b> RAMPUR GREEN	031	044	017	071	084	051	and different space and a second different	431	444	411	471 482	484 452	451
COLONIAL YELLOW	011 031	044	046	051 052	084	086	071	410 446	411 431	444	451 471	484 452	486
CAMEO BEIGE	042	046	011	086	082	051		442	446	411	486	482	451
SHALIMAR GOLD	044 031	011	046	084	051	086	071	444 446	411 431	410	484 471	451	486
CORDOVAN	046 011	042	044	086	082	084	051	446 411	442 410	444	486	482	484
WISTERIA	047	049	011	087	052	051		447	411	410	487	452	451
SAN MATEO RED	011	042	049	051	052	088		410	411	442	452	451	488
49 EMPIRE MAROON	049	011	042	051	082	····	····	411	410	442	451	482	452
nist Colors at E			ge	T	050	054		1 100	44.4	410	1 854	ann	954
SAPPHIRE BLUE	026	011	0.40	066	052	051	ora	426	411	410	452	466	451
CHALICE GOLD	044	011	046	084	086	051	052	444	411	446	484 452	486	451
BISCAY AQUA	029	011	O. d.	051	052	A#4	***************************************	429	411	-11	452	451	. 524
97 NUTMEG BROWN	048	042	011	086	082	051		446	442	411	486	482	451

## COLOR-TRIM RECOMMENDATIONS

(See Pages A-3 And A-4 Plus Color and Upholstery Selection Books)

## **Elegant Interiors**

Cadillac interior colors are carefully selected to harmonize with their counterpart exterior colors, thereby giving customers a fully color-coordinated interior and exterior combination. The upholstery recommendations on the color and trim charts are designed for complete assurance of interior and exterior color compatibility. All recommendations are based upon Cadillac's professional experience and are therefore a part of their long-time quality standards.

Combinations other than the ones recommended on the color and trim charts may be regarded as completely compatible by some customers and may be ordered. When a customer selects a combination not among those recommended on the charts, the order should be marked "color trim sure". This will confirm the accuracy of the colors as ordered.

#### **Luxurious Exterior Colors**

The acrylic lacquer of Cadillac colors, baked on and polished to a satin-smooth sheen, gives a rich, lustrous finish long after the car has left the showroom. For 1969 Cadillac offers a total of 21 exterior colors. This includes five strikingly impressive Firemist colors, optional at extra charge on all body styles.

#### Two-Tone Colors Not Available

A two-tone paint treatment is not available since Cadillac body styling does not provide a designed separation point for colors between upper and lower panels. However, a two-tone appearance may be obtained by ordering a Vinyl Top in a complementary color on certain body styles. See Page A-2 for Vinyl Top recommendations.

#### Color Samples

The exterior color samples in this book are accurate reproductions of master metal panels. In making these color samples, acetate is used to add depth and richness to simulate the color as applied to the car's surface. Accurate viewing of the color is achieved by looking straight down at the sample.

#### Special Colors

(SEE SPECIAL ORDER SECTION)

Past model colors or non-standard shades may be desired by some customers and may be obtained on a special order basis. Simply mark 00 in the COLOR space on the order form to denote a non-current optional color. In addition, indicate color name and reference to SPECIAL EXTERIOR COLOR space, e.g., 1966 Antique Gold; 1964 Lime. Allow 4 to 5 weeks for shipment of the car when a special color is ordered.

# 1969 CADILLAC UPHOLSTERY OPTIONS

LEATHER										
Leather— Extra Charge Except Convertibles	01	DE VILLE SERIES					FLEETWOOD SERIES			
	Convertible F	Coupe	Hardtop S	Sedan L	60 Special	Brougham P	Eldorado K			
Black	351-351\$	351-3518	351-351\$	351	051-0518	051S	451-451B	Black		
White-Black Carpet	352-352\$	352-3528	352-352S	352	052-0528	052S	452	White—Black Carpet		
White-Blue Carpet	353-353\$									
White-Red Carpet	354-3548									
Ok. Blue	366-366S	366-368S	366-366S	366	066-066 <b>S</b>	066\$	466	Ok. Blue		
Dk. Green	371-3718	371-3715			071-0718	0718	471	Dk. Green		
Lt. Flax	382-3828	382-3828	382-382\$	382	082-082 <b>S</b>	0028	482-482B	Lt. Flax		
Med. Gold	384-384S	384-384S	384-3845	384	084-084\$	0848	484	Med. Gold		
Dk. Cordovan	386-386\$	386-386\$	386-386\$		086-086S	086S	486	Dk. Cordovan		
Dk. Mauve	387-387\$	387-3878	387-387S		087-087S	087\$	487	Dk. Mauve		
Med. Red	388-388\$	388-388S	388-3885	388	2880-880	0885	488	Med. Red		

#### CLOTH

		NIS SERIES no G	Hardtop N
	INSI	ENTS OTH	BOLSTERS VINYL
211	Black	Decameron	Black
226	Ok. Blue	Decameron	Dk. Blue
229	Med. Aqua	Decameron	Med. Aqua
231	Dk. Green	Decameron	Dk. Green
242	Lt. Flax	Decameron	Lt. Flax
244	Med. Gold	Decameron	Med. Gold
	ALL VINYL-	EXTRA CHARGE	
251	Black	282	Lt. Flax

	DE V	ILLE SERIES						
Coups J	J Hardtop B							
	INSE! CLO	BOLSTERS LEATHER						
311-3118	Black	Dardanelle	Black	31				
326-326S	Dk. Blue	Delphine	Dk. Blue	320				
329-3298	Med. Aqua	Delphine	Med. Aqua	329				
331-3318	Dk. Green	Dardanelle	Dk. Green	33				
342-3428	Lt. Flax	Delphine	Lt. Flax	343				
344-3448	Med. Gold	Dardanelle	Med. Gold	34				
346-3468	Dk. Cordevan	Dardanelle	Dk. Cordova	341				
347-3478	Dk. Mauve	Delphine	Dk. Mauve	34				

COMAE	RTIBLE TOP COLORS Styles F-J-8-L		TOP COLORS
1	White	1	White
2	Black	2	Black
3	Dk. Blue	3	Ok. Blue
5	Cordovan	4	Gold
6	Flax	5	Cordovan
		6	Flax

On Limousine style S, front compartment will be standard Sierra grain Black leather. Code B indicates Bucket Seats and Code S indicates Dual Comfort Front Seat.

	FLEETW	DOD SERIES	
	Elde	erado N	
	INSER CLOT		BOLSTERS VINYL
410	Black/Gray	Dominion	Black
411	Black	Dubonnet	Black
426	Ok. Blue	Dubonnet	Ok. Blue
429	Med, Aqua	Dubannet	Med. Aqua
431	Ok. Green	Dubonnet	Ok. Green
442	Med. Flax	Dubonnet	Lt. Flax
444	Med. Gold	Dubonnet	Med. Gold
446	Dk. Cordovan	Dubonnet	Ok. Cordovar
447	Dk. Mauve	Dubonnet	Dk. Mauve

Sixty Speci	CO E IVE		Brougi	1462113 6
	INSER Clot		BOLSTER <b>S</b> LEATHER	
011-0115	Black	Devereaux	Black	0118
029-029S	Med. Aqua	Devereaux	Med. Aqua	0298
031-0318	Ok. Green	Dumont	Dk. Green	0318
044-044S	Med. Gold	Devereaux	Med. Gold	0448
046-046S	Dk. Cordovan	Dumont	Dk. Cordovan	0465
047-0478	Dk. Mauve	Devereaux	Ok. Mauve	0478
049-0498	Dk. Maroon	Dumont	Dk. Maroon	0498
		BONNET CLO ered Back Re		
016-0168	Lt. Gray			
026-026S	Dk. Blue	042-04	12S Med	. Flax

	,,,,	5'' Sedon R	·'75''	Limousino	S
-	Dubonnet	Cloth has Embroider	ed Design		
	711	Black	Leather		
	716	Lt. Gray	Dubonnet		
-	719	Med. Gray	Dumont		
	726	Ok. Blue	Oubonnet		
-	742	Med. Flax	Dubonnet		

## 1969 CADILLAC EQUIPMENT INFORMATION

#### Groups

The more popular Cadillac options that make everyday motoring more convenient and enjoyable are placed in groups. Each group of options is factory-installed, saving the customer time. In addition, placing items in groups greatly simplifies the ordering process. All factory-installed items are available at extra charge with the exception of the filler plate.

Groups 8 and 9 contain the same items with the exception that, Group 9 includes an additional item, Headlamp Control—Code U.

#### **Group Restrictions**

Group 1 should not be ordered for the Seventy-Five Sedan and Limousine. The AM-FM Stereo Radio included in Group 1 is not available on the Seventy-Five models. Group 4 should be ordered only for the Seventy-Five Sedan and Limousine. The Rear Control AM Radio included in Group 4 is available only on the Seventy-Five body styles.

#### If All Group Equipment Not Ordered

When any options in a group are not ordered, inform the customer of the items not ordered. This will call attention to items the customer may have intended to order but overlooked.

#### Cruise Control

Two Cruise Control Systems are available for 1969, Cruise Control-Electric and Cruise Control-Vacuum (Eldorado only).

#### Disc Brakes

Front Wheel Disc Brakes are standard on all models.

#### **Power Windows**

Power Windows are standard on all models.

#### Rear Window De-Fogger

The Rear Window De-Fogger is standard on the Seventy-Five body styles as part of the rear A/C system. It is available on all other models at extra charge with the exception that, on the Convertible, it is not available.

#### Seat Belts And Shoulder Belts

Six seat belts with pushbutton buckles, 3 front and 3 rear, are standard on all models with the exception that, on the Eldorado, five are standard with bucket seats. Shoulder belts with pushbutton buckles for the driver and right front seat passenger are standard on all models with the exception that, on the Convertible, they are optional at extra charge. Shoulder belts for the left and right rear seat passengers are available on all models, including the Convertible, at extra charge.

#### **Dual Comfort Front Seat**

The new Dual Comfort Front Seat with individual driver and passenger controls is standard on the Brougham and optional at extra charge on the Sixty Special and all De Ville models except Sedan de Ville. The driver's section is 2-way power operated while the passenger's section is 2-way manually operated. A 6-way power seat adjuster is available at extra charge for the driver. It is also available for the passenger section provided the 6-way power adjuster is ordered for the driver section.

#### **Vent Windows**

Front and rear vent windows are eliminated on all models with one exception. The Eldorado retains power-operated rear quarter vent windows.

# 1969 CADILLAC FACTORY INSTALLED OPTIONS

Ba:	sic Groups	Group 1			
1	RADIO, AM-FM STEREO (Not on "75") USB	1	Group 2		
2	RADIO, AM-FM use		2	Group 3	
3	RADIO, AM USS			3	Group 4 ("75" only)
4	RADIO, AM REAR CONTROL ("75" only) U67				4
W	TIRES, WHITEWALL P26	W	W	W	W
E	GLASS, SOFT RAY ACT	E	E	E	E
Ð	DOOR EDGE GUARDS 883	D	D	D	D
K	AUTOMATIC CLIMATE CONTROL C61	K	K	K 4	STD
Y	SEAT ADJUSTER, POWER FRONT 6-Way Bench A42 or Driver's Dual Comfort Front Seat AG1 4-Way Driver's Bucket A46	Y	Y	Y	Y (Except Style S

#### **Equipment Groups**

M	Door Locks, Power—4 Doors aug
M	DOOR LOCKS & SEAT BACK RELEASE, POWER— 2 DOORS AU3
Q	STEERING WHEEL, TILT & TELESCOPE N37
F	FLOOR MATS, RUBBER—Front & Rear Y28
J	TWILIGHT SENTINEL TOZ
S	TRUNK LOCK, REMOTE CONTROL ASE
8	DE-FOGGER, REAR WINDOW CSO
C	CRUISE CONTROL (ELECTRIC) K30
C	CRUISE CONTROL (VACUUM) Eldorado only K30
	Group 9
M	DOOR LOCKS, POWER-4 DOORS AU3
M	DOOR LOCKS & SEAT BACK RELEASE, POWER— 2 DOORS AU3
Œ.	STEERING WHEEL, TILT & TELESCOPE N37
F	FLOOR MATS, RUBBER-Front & Rear YZ8
J	TWILIGHT SENTINEL Y92
\$	TRUNK LOCK, REMOTE-CONTROL A90
B	DE-FOGGER, REAR WINDOW CSO
C	CRUISE CONTROL (ELECTRIC) 1/30
G	CRUISE CONTROL (VACUUM) Eldorado only K38
U	HEADLAMP CONTROL, GUIDE-MATIC 186
~	

#### Order Individually

S	DUAL COMFORT FRONT SEAT AME
8	BUCKET SEATS (Eldorado Only) A61
٧	SEAT ADJUSTER, POWER FRONT 6-Way Passenger Dual Comfort Front Seat AG2 (Only when Code Y ordered)
L	LICENSE FRAME—ONE V50
0	LICENSE FRAMES—TWO V51
P	FILLER PLATE VK1
T	HIGHER MILEAGE H.D. WHITEWALL TIRES (Eldorado only) PT3
G	CONTROLLED DIFFERENTIAL G80 (Not on Eldorado)
L	LEVEL CONTROL, AUTOMATIC 667
Н	TRUMPET HORN USS
A	SEAT WARMER c33 ("75" Rear) c34
Z	SHOULDER BELTS, REAR AS4
N	SHOULDER BELTS, FRONT A <b>86</b> (Convertible anly)

#### NOTICE

- B—De-Fogger is standard on "75" and not available on Convertible.
- S-Dual Comfort Front Seat is standard on Brougham.
- L-Level Control is standard on all Fleetwood Cars.

## .969 CADILLAC STANDARD AND OPTIONAL EQUIPMENT

S-Standard O-Optional N-Not Available A-Available on Special Order

AIR CLEANER, dry-pack  S S S S S S S S S S S S S S S S S S S								·				
ARR CLEANER, dry-pack  S S S S S S S S S S S S S S S S S S S		/	CAL	AIS /	/	DE V	ILLE			FL	ETWO	OD
ARR CLEANER, dry-pack  S S S S S S S S S S S S S S S S S S S		Запоз	HARDTOP SEDAN	COMVERT	Sulpe Sulpe	HAROTOP SEDAM	SEDAN	ELBORADO	60 SPECIAL	BROUGHOS	9-PASS. SEDAM	LIMOUSINE
ARMREST, center front  S S S S S S S S S S S S S S S S S S S	AIR CLEANER, dry-pack	S			S			S	S	S	S	S
ARMREST, center, rear  N N N N S S S N S S S S S S S S S S S	ARMRESTS, sides, front and rear	S	S	S	S	S	S	S	S	S	S	S
ASSIST HANDLES (2)  ASSIST STRAPS (2)  S S S S S S S S S S S S S S S S S S S	ARMREST, center front	S	S	S	S	S	S	S	S	S	S	N
ASSIST STRAPS (2)  AUTOMATIC CLIMATE CONTROL  O O O O O O O O O O O O S S  AUTOMATIC LEVEL CONTROL  D O O O O O O O O O O S S  AUTOMATIC LEVEL CONTROL  D O O O O O O O O S S S S S S S S S S S	ARMREST, center, rear	N	N	N	S	S	S	N	S	S	S	S
AUTOMATIC CLIMATE CONTROL  O O O O O O O O O O S S S S S AUTOMATIC LEVEL CONTROL  O O O O O O O O S S S S S S S S S S S	ASSIST HANDLES (2)	N	N	N	N	N	N	N	N	N	S	S
AUTOMATIC LEVEL CONTROL  AUTOMATIC LOCKING SEAT BELT RETRACTOR, front (2)  BENCH SEATS, all vinyl  BENCH SEATS, leather  N N S O O O O O N N N N N N N N N N N N	ASSIST STRAPS (2)	S	S	S	S	S	S	S	S	S	S	S
AUTOMATIC LOCKING SEAT BELT RETRACTOR, front (2)  BENCH SEATS, all vinyl  DENCH SEATS, leather  N N S O O O O O N N N N N N N N N N N N	AUTOMATIC CLIMATE CONTROL	0	0	0	0	0	0	0	0	0	S	S
Front (2)	AUTOMATIC LEVEL CONTROL	0	0	0	0	0	0	S	S	S	S	S
BENCH SEATS, leather         N         N         S         O         O         O         O         N         A         A*           BENCH SEATS, power front, 2-way         N         N         S         S         S         S         N         S         S           BENCH SEATS, power front, 6-way         O         O         O         O         O         O         O         D         N <td></td> <td>s</td>		s	s	S	s	s	s	s	s	s	s	s
BENCH SEATS, power front, 2-way         N         N         S         S         S         S         S         N         S         S           BENCH SEATS, power front, 6-way         O         O         O         O         O         O         O         O         N	BENCH SEATS, all vinyl	0	0	N	N	N	N	N	N	N	N	N
BENCH SEATS, power front, 6-way         O         O         O         O         O         O         O         N         O         N           BUCKET SEATS, front         N <td< td=""><td>BENCH SEATS, leather</td><td>N</td><td>N</td><td>S</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>N</td><td>A</td><td>A°</td></td<>	BENCH SEATS, leather	N	N	S	0	0	0	0	0	N	A	A°
BUCKET SEATS, front         N	BENCH SEATS, power front, 2-way	N	N	S	S	S	S	S	S	N	S	S
BUCKET SEATS, power, 2-way         N </td <td>BENCH SEATS, power front, 6-way</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>N</td> <td>0</td> <td>N</td>	BENCH SEATS, power front, 6-way	0	0	0	0	0	0	0	0	N	0	N
BUCKET SEATS, power, 4-way driver         N	BUCKET SEATS, front	N	N	N	N	N	N	0	N	N	N	N
CIGARETTE LIGHTERS, front (2)         S	BUCKET SEATS, power, 2-way	N	N	N	N	N	N	S	N	N	N	N
CIGARETTE LIGHTERS, rear (2)         N         N         S	BUCKET SEATS, power, 4-way driver	N	N	N	N	N	N	0	N	N	N	N
CLOCK, electric, front         S	CIGARETTE LIGHTERS, front (2)	S	S	S	S	S	S	S	S	S	S	S
CONTROLLED DIFFERENTIAL         0	CIGARETTE LIGHTERS, rear (2)	N	N	S	S	S	S	S	S	S	S	S
CRUISE CONTROL, electric (Vacuum Eldorado)         0	CLOCK, electric, front	S	S	S	S	S	S	S	S	S	S	S
DE-FOGGER, rear window         0         0         N         0         0         0         0         0         0         S         S           DOOR EDGE GUARDS         0	CONTROLLED DIFFERENTIAL	0	0	Q	0	0	0	N	0	0	0	0
DOOR EDGE GUARDS 0 0 0 0 0 0 0 0	CRUISE CONTROL, electric (Vacuum Eldorado)	0	0	0	0	0	0	0	0	0	0	0
	DE-FOGGER, rear window	0	0	N	0	0	0	0	0	0	S	S
000R LOCKS, power 0 0 0 0 0 0 0 0 0	DOOR EDGE GUARDS	0	0	0	0	0	0	0	0	0	0	0
	DOOR LOCKS, power	0	0	a	0	0	0	0	0	0	0	0

<sup>&</sup>quot;Leather standard in Chauffeur's compartment.

# 1969 CADILLAC STANDARD AND OPTIONAL EQUIPMENT

-continued

S-Standard O-Optional N-Not Available A-Available on Special Order

	/	CAL	ais /		DE VI	LLE	7	<del>,</del>	FL	EETWO	00
	COUPE	HARDTOP SEDAM	COMVERT	COUPE	HARDTOP	SEDAIN	ELDORADA	60 SPECIAL	BROUGHESS	SEDAN.	LIMOUSINE
DUAL COMFORT SEAT, front	N	N	0	0	0	Α	N	0	S	N	N
DUAL COMFORT SEAT, power front, 2-way driver	N	N	S	S	S	А	N	S	S	N	N
DUAL COMFORT SEAT, power front, 6-way	N	N	0	0	0	Α	N	0	0	N	N
FOLDING SEAT BACK LATCH (coupe and bucket)	S	N	S	S	N	N	S	N	N	N	N
HAZARD WARNING FLASHER	S	S	\$	S	S	S	S	S	S	S	S
HEADLAMP CONTROL, GUIDE-MATIC	0	0	0	0	0	0	0	0	0	0	0
HEAD RESTRAINTS, front seats (2)	S	s	S	S	S	S	S	S	S	S	S
LICENSE FRAMES	0	0	0	0	0	0	0	0	0	0	0
LIGHT, dash mounted ash receiver	S	S	S	S	S	S	S	S	S	S	S
LIGHT, glove compartment	S	S	S	S	S	S	S	S	S	S	S
LIGHT, luggage compartment	S	S	S	S	S	s	S	S	S	S	S
LIGHT, map	S	S	S	S	S	S	S	S	S	S	S
LIGHTS, backup	S	S	S	\$	S	S	S	S	S	S	S
LIGHTS, cornering	S	S	S	S	S	S	S	S	S	S	8
LIGHTS, courtesy	S	S	S	S	S	S	S	S	S	S	S
LIGHTS, directional signal	S	S	S	S	S	S	S	S	S	S	S
LIGHTS, directional indicator	S	S	S	s	S	S	S	S	s	s	S
LIGHTS, marker	S	S	S	S	S	S	S	S	S	S	S
LIGHTS, reading	S	S	N	S	S	S	S	S	S	S	S
OIL FILTER, Full-Flow	S	S	S	S	S	S	S	S	S	S	S
OUTSIDE MIRROR, left side, remote-control	S	S	S	S	S	S	S	S	S	S	S
OUTSIDE MIRROR, right side	0	0	0	0	0	0	0	0	0	S	S
POWER BRAKES (dual system), disc front	S	8	S	S	S	S	S	S	S	S	S
POWER STEERING (variable-ratio except 75's)	S	S	S	\$	S	S	S	S	S	S	S

# 1969 CADILLAC STANDARD AND OPTIONAL EQUIPMENT

-continued

S-Standard O-Optional N-Not Available A-Available on Special Order

	1	CAL	ais /	7	DE V	LLE			FL	EETWO	00
	Couge	HARDTOP SEDAM	COMVERTIE	37811	HARDTOP SEDAN	SEDAN	ELDORADO	60 SPECIAL	BROUGHER	8-PASS. SEDAN	LIMOUSINE
RADIO, AM	0	0	0	0	0	0	0	0	0	0	0
RADIO, AM-FM	0	0	0	0	0	a	0	a	a	0	0
RADIO, AM-FM Stereo	0	0	0	0	0	0	0	0	0	Ŋ	N
RADIO, AM, rear controls	N	N	N	N	N	И	N	N	N	0	0
RED LENS, reflector, door panels	S	S	N	N	N	N	N	N	N	N	N
RED LENS, illuminated, door panels	N	N	S	S	S	\$	S	S	S	S	S
SAFETY BELT STOWAGE RECEPTACLE	N	N	S	S	S	S	S	S	S	S	N
SEAT BELTS, front (3); rear (3)	S	S	S	S	S	S	S	S	S	S	S
SEAT WARMER, front (rear only on 75's)	0	0	0	0	0	0	0	0	0	0	0
SHOULDER BELTS, front (2)	S	S	0	S	S	S	S	S	·S	S	S
SHOULDER BELTS, rear (2)	0	0	0	0	0	0	0	0	0	0	0
SOFT RAY GLASS	0	0	0	0	0	0	0	0	0	0	0
STEREO TAPE PLAYER	0	0	0	۵	0	0	0	0	0	0	0
TILT and TELESCOPE STEERING WHEEL	0	0	0	0	0	0	0	0	0	0	0
TRUNK LOCK, electric remote-control	0	0	0	0	0	0	0	0	0	0	0
TURBO HYDRA-MATIC TRANSMISSION	S	S	S	S	S	S	S	S	S	S	S
TWILIGHT SENTINEL (automatic headlamp timer)	Q	0	0	0	0	0	0	0	0	0	0
VISOR VANITY MIRROR, shatterproof	S	S	S	S	S	S	S	S	S	S	S
VISORS, dual sun, padded	S	S	S	S	S	S	S	S	S	S	S
WHEEL DISCS (set of four)	S	S	S	S	S	S	S	S	S	S	S
WHITEWALL TIRES, 9.00 x 15 (5), 8.20 x 15 on 76's	0	0	0	0	0	0	0	0	0	0	0
WHITEWALL TIRES, J-78-15 Higher Mileage-H.D.	N	N	N	N	N	N	0	N	N	N	N
WINDOWS, power	S	S	S	S	S	S	S	s	S	S	S
WINDOWS, power, rear quarter	N	N	N	N	N	N	S	N	N	N	N
WINDSHIELD WASHER and COORDINATOR	S	S	S	S	S	S	ş	S	S	8	S

# FLEETWOOD BODY STYLES (SPECIAL FEATURES)

	ELDORAGE	ou specie	BROUGHAL	8-PASS 6F	CIMOUSINE
ASH RECEIVERS (2) on each rear door armrest				Х	Х
AUXILIARY SEATS (2)				Х	Х
COIL SEAT SPRINGS		Х	Χ	Х	Х
COURTESY LIGHTS, rear door armrests		Х	Х	Х	χ
DECORATIVE PANEL, rear bumper		Х	Х	Х	Х
DIVISION GLASS					Х
FOOT RESTS, rear			Х	Х	Х
PADDED ROOF with perimeter moulding			Х		
READING LAMPS, adjustable			Х		
READING LAMPS, overhead on A/C outlets				Х	Х
READING SPOTLIGHT, front compartment header					X
RED LENS, reflector, rear bumper	Х				
SPARE TIRE COVER		х	Х		
STAINLESS STEEL ROCKER PANEL MOULDING	X	Х	Х		
TRUNK COMPARTMENT, completely fabric lined		Х	Х		
WHEELBASE, exclusive length	Х	Х	Х	Х	Х
WREATH AND CREST INSIGNIA ON HOOD, DECK LID AND REAR QUARTER PANELS	X.	Х	Х**	Х	Х
WREATH AND CREST INSIGNIA ON STEERING WHEEL	Х	Х	Х	Х	Х

<sup>\*</sup>Illuminated on Eldorado rear quarter panel.

<sup>&</sup>quot;"Upper rear quarter panel on Brougham.

# 1969 CADILLAC PACKAGED ACCESSORIES AVAILABLE FOR DEALER INSTALLATION

CODE	CODE
ANTENNA, Electric	MAT, Floor—Rear R.H. and L.H. (Pair) except styles H-R-
L AUTOMATIC LEVEL CONTROL, except styles H-M-P-R-S	MAT. Luggage Compartment except style H
COMPASS	MIRROR, Outside Rearview, R.H. except styles H-R-S
C CRUISE CONTROL, except style H	MIRROR, Outside Rearview, R.H. style H
C CRUISE CONTROL, style H	MOULDING PACKAGE, Body side, style H
CUSHION COVER, Front or Rear (each) except Bucket Seats and styles H-M-P-R-S	MOULDING PACKAGE, Body side, styles M-P
B DE-FOGGER, Rear Window except styles F-R-S	2 RADIO, AM-FM
D DOOR EDGE GUARDS—2 Doors	3 RADIO, AM
D DOOR EDGE GUARDS-4 Doors	4 RADIO, Rear Control (AM) styles R-S
FOOT SELECTOR CONTROL, AM Radio	SEAT, Child Safety, deluxe
U HEADLAMP CONTROL, Guide-Matic	SEAT, Child Safety, standard
LICENSE FRAME (each)	SHOULDER BELTS, Rear—Outer—Each
LITTER BASKET	SPARE TIRE COVER except styles H-M-P
MAT, Floor—Front One-Piece Full except style H	STEREO TAPE PLAYER—All Radios
MAT, Floor—Front One-Piece Full style H	TISSUE DISPENSER
MAT, Floor—Front R.H. and L.H. (Pair) except style H	P TRUMPET HORN
MAT, Floor—Rear One-Piece Full except styles H-R-S	TRUNK LOCK RELEASE, Remote-Control
MAT, Floor—Rear One-Piece Full style H	J TWILIGHT SENTINEL (Automatic Headlamp Timer)

#### % Used In 1968\*


Code	Name	Styles G-N-J-B-L	Style F Convertible	Style . <b>H</b> Eldorado	Styles M-P Sixty Special Brougham
10	SABLE BLACK	4.2%	5.5%	5.5%	15.8%
12	COTILLION WHITE	13.8	14.4	10.8	9.9
16	PATINA SILVER	4.6	2.7	4.4	4.7
18	PHANTOM GRAY	2.5	1.3	1.8	5.4
24	ASTRAL BLUE	6.9	5.4	3.1	4.8
26	ATHENIAN BLUE	2.8	2.8	3.7	7.8
28	PERSIAN AQUA	6.6	5.2	3.5	3.2
30	PALMETTO GREEN	8.9	4.4	3.5	4.7
36	RAMPUR GREEN	3.5	3.0	2.4	6.1
40	COLONIAL YELLOW	4.9	6.7	3.6	1.8
42	CAMEO BEIGE	5.5	4.2	3.1	3.6
44	SHALIMAR GOLD	14.3	5.8	7.1	9.5
46	CORDOVAN	9.3	9.0	8.0	4.5
47	WISTERIA**				
48	SAN MATEO RED	2.6	11.0	5.2	8.
49	EMPIRE MARDON	2.4	1.4	1.6	3.1

## Firemist Colors

90	SAPPHIRE BLUE	.9	1.7	4.7	3.2
94	CHALICE GOLD	2.1	2.3	9.0	3.9
98	BISCAY AQUA	2.0	4.1	7.4	2.2
97	NUTMEG BROWN	1.1	1.9	5.8	3.0
99	CHATEAU MAUVE	J	1.3	4.1	2.0

<sup>&</sup>quot;Through May, 1968.

<sup>\*\*</sup>No percentage listed because it is a new color family.



# $\frac{BODY\ STYLES}{AND\ INTERIORS}$

Calais Coupe
Calais Hardtop SedanB-4, 5, 5a, 5b
De Ville ConvertibleB-6, 7, 7a, 7b
Coupe de VilleB-8, 9, 9a, 9b
Hardtop Sedan de Ville
Sedan de Ville
Fleetwood Eldorado
Fleetwood Sixty Special
Fleetwood Brougham
Fleetwood Seventy-Five SedanB24, 25, 25a, 25b
Fleetwood Seventy-Five Limousine B-26, 27, 27a, 27b
Landau Roof OptionB-28

## **Expanded Vinyl in Calais Cars**

Two all-vinyl interiors—Black and Lt. Flax—are offered at extra charge in the two Calais body styles.

Expanded vinyl is an extra thick-coated fabric with a soft resilient feel attained by sandwiching a sponge-like cellular structure between the backing fabric and plastic top-coating.

## De Ville Convertible Leather Options

Eleven bench seat leather options are available at no extra charge. The Dual Comfort Front Seat is available at extra charge in the same leather options.

## De Ville Closed Car Leather Options

Nine leather options for the Coupe de Ville and eight for the Hardtop Sedan de Ville are available at extra charge in either the bench seat or Dual Comfort Front Seat. In the Sedan de Ville, six leather options are available at extra charge in bench seat styling only.

## **Eldorado Leather Options**

Nine leather upholstery selections are available at extra charge in the Eldorado. Two of these—Black and Lt. Flax—are available with Bucket Seats at extra charge.

## Sixty Special and Brougham Leather Options

Nine leather options are available at extra charge in the Sixty Special and Brougham. The trim style is three horizontal pillow backrest and button.

#### **Bucket Seats and Dual Comfort Front Seat**

Eldorado leather upholstery numbers suffixed with a "B" are available at extra charge with Bucket Seats. All upholstery numbers suffixed with an "S" are available at extra charge with the Dual Comfort Front Seat with the exception that, in the Brougham, the Dual Comfort Front Seat is standard.

## Large Upholstery Book

Due to the limited size of the Data Book, upholstery samples are small. Therefore, it may be necessary to refer to the large upholstery book in which a 7" x 14" sample of each pattern is shown for a better view of upholstery samples.

## De Ville Cloth Options

Dardanelle and Delphine cloth, together with Sierra grain leather, are available in eight color options in De Ville closed cars.


## **Eldorado Cloth Options**

Two cloth patterns—Dominion and Dubonnet—are available with vinyl in nine colors.

## Fleetwood Sixty Special and Brougham Cloth Interiors

Upholstery in the Sixty Special and Brougham is available in two trim styles—three horizontal pillow backrest and button style (cloth with leather in Devereaux and Dumont patterns) and two horizontal pillow backrest with geometric design and button style (all cloth in Dubonnet pattern).

# CALAIS COUPE



		SEATS		DOORS	Instrun	IENT PANELS	CARPETS
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANELS	INSERTS	TOP AND LOWER	STEERING WHEEL	
C 0 0 E 8	Nylon Viscos <b>e</b> Cloth	Expanded Vinyl Cushion Facings Headlining— Bedford Cord Coated Fabric Garnish Mouldings	Laces Head Restraints Assist Straps Moulded Vinyl Parts*	Nylon Viscose Cloth Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trenton & Travana Quality Cowl Quarter Grille Retractor Housing
211	BLACK DECAMERON	BLAC	K	BLACK DECAMERON	BLACK	BLACK	BLACK
26	OK. BLUE DECAMERON	OK. E	LUE	DK. BLUE DECAMERON	DK. BLUE	BLACK	DK. BLUE
29	MED. AQUA DECAMERON	MED.	AQUA	MED. AQUA DECAMERON	DK. AQUA	BLACK	MED. AQUA
31	OK. GREEN DECAMERON	DK. G	REEN	DK. GREEN DECAMERON	DK. GREEN	BLACK	DK. GREEN
42	LT. FLAX DECAMERON	LT. FLAX		LT. FLAX 1 DECAMERON	OK. FLAX	BLACK	MED. FLAX
44	MED. GOLD DECAMERON	MED.	GOLD	MED. GOLD DECAMERON	DK. GOLD	BLACK	MED. GOLD

## Expanded Vinyl at Extra Charge

	DE CONTROL CON	•	EXPANDED VINYL			
251	8LACK	BLACK	BLACK	BLACK	BLACK	BLACK
202	LT. FLAX	LT. FLAX	LT. FLAX 1	DK. FLAX	BLACK	MEO. FLAX

\*Moulded Soft Vinyl Parts Include: Rearriew Mirror Support Cover; Coat Hoeks.

1. Mod. Flon Soat Belts & Shoulder Belts

INTERIOR	DIMENSIO	NS
	Frent	Rear
Head room	38.2"	37.3"
Shoulder room	58.4"	59.3"
Hip room	82.8"	55.6"
leg room	41.2"	38.7"
Seat height	12.5"	15.1"

INTERIOR LAWP	S				
	SWITC	SWITCHES			
LAMPS	Door Jembs	Other			
Courtesy-Inst. panel ends and rear quarter	X	Headlamp			
Map, on inst. panel		Integral			
Glove Box and Trunk		Automatic			


# $\frac{CALAIS\ COUPE}{UPHOLSTERY\ AND\ SEAT\ STYLING}$

UPHOLSTERY STYLING. The Calais Coupe interior is an attractive blend of Decameron cloth inserts in 2-inch pleats and softly textured vinyl at the top of seat back inserts. Decameron cloth is a richly textured, scroll pattern weave available in six colors.

Two smartly tailored all-vinyl upholsteries, optional at extra charge, also are styled in 2-inch pleats with the exception of the plain uplater areas mentioned above. Additional vinyl colors are available on special request. See Special Order and Price sections.

SEAT STYLING. The Notch-back bench front seat with individual backrests and folding center armrest is standard. Individual backrests latch securely in place to prevent them from tilting forward. Depressing the release button on the seat side panel unlocks the seat back. Tith power door locks, the release button is on the back of the seat back.)

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.





Vinyl

n n


ch rs

ng m k.

0,



A. S. CARLES OF THE SECOND STATE OF THE SECOND



# CALAIS HARDTOP SEDAN

		SEATS		DOORS	DOORS INSTRUMENT PANELS		
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERIN <b>G</b> Wheel	
C 0 0 E 5	Nylon Viscose Cloth	Expanded Viny! Cushion Facings Headlining— Bedford Cord Coated Fabric Garnish	Laces Head Restraints Assist Strap Moulded Vinyl Parts*	Nylon Viscose Cloth Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trenton & Travana Quality Cowl Quarter Grille Retractor Housing
211	BLACK DECAMERON	Mouldings BLAC	C.K	BLACK DECAMERON	BLACK	BLACK	BLACK
226	OK. BLUE DECAMERON	DK. 1	BLUE	DK. BLUE DECAMERON	DK. BLUE	BLACK	OK. BLUE
229	MED. AQUA DECAMERON	MED	AQUA	MED. AQUA DECAMERON	DK. AOUA	BLACK	MED. AQUA
231	DK. GREEN DECAMERON	DK. (	GREEN	OK. GREEN DECAMERON	DK. GREEN	BLACK	DK. GREEN
242	LT. FLAX DECAMERON	LT. FLAX		LT. FLAX 1 DECAMERON	DK. FLAX	BLACK	MED. FLAX
244	MED. GOLD DECAMERON	MED	. GOLD	MED. GOLD DECAMERON	DK. GOL <b>d</b>	BLACK	MED. GOLD

#### Expanded Vinyl at Extra Charge

or the out						
	EXPANDED VINYL		EXPANDED VINYL			
251	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK
282	LT. FLAX	LT. FLAX	LT. FLAX 1	DK. FLAX	BLACK	MED. FLAX

"Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

1. Med. Flax Seat Belts & Shoulder Belts

INTERIOR	DIMENSION	VS
	Front	Rear
Head room	38.2"	37.2"
Shoulder room	61.0"	59.7"
Hip room	62.8"	62.7"
Leg room	41.2"	40.1
Seat height	12.5"	14.8

INTERIOR LAMPS						
\$ 55. \$\times 12.00\tag{10}	switc					
LAMPS	Door Jambs .	Other				
Courtesy-Inst. panel ends and rear quarter	Х	Headlamp				
Map, on inst. panel		Integral				
Glove Box and Trunk		Automatic				


# CALAIS HARDTOP SEDAN UPHOLSTERY AND SEAT STYLING


**UPHOLSTERY STYLING.** The Calais Hardtop Sedan interior is also an attractive combination of Decameron cloth inserts in 2-inch pleats and supple vinyl at the top of seat back inserts. Decameron cloth is a richly textured, scroll pattern weave available in six colors.

Two finely tailored all-vinyl upholsteries, optional at extra charge, also have 2-inch pleats except for the plain bolster areas. Additional vinyl colors are available on special request. See Special Order and Price sections.


**SEAT STYLING.** A bench front seat with straight-across, stationary seat back, functionally styled assist strap and folding center armrest is standard on the Hardtop Sedan.

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.





# DE VILLE CONVERTIBLE



		SEATS		DOORS	INSTRUMENT PANELS		CARPETS
	LE/ INSERTS	ATHER BOLSTERS	FORMED FRONT SEAT BACK PANELS	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O D E S	Ostrich Grain Leather	Sierra Grain Leather Cushion Facings— Expanded Vinyl Top Boot	Head Restraints Assist Straps	Rosewood  Vinyl Door Pull  Seat Belt & Shoulder Belt  Webbing  Moulded Vinyl Parts*		Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
351 351 <b>S</b>	BLAG	CK	BLACK	BLACK	BLACK	BLACK	BLACK
352 352 <b>\$</b>	WHITE		WHITE	WHITE 1	BLACK	BLACK	BLACK
35 <b>3</b> 35 <b>3\$</b>	WHITE		WHITE	WHITE 2	DK. BLUE	BLACK	DK. BLUE
354 354 <b>S</b>	WHI	TE	WHITE	WHITE 3	MED. RED	BLACK	MED. RED
366 366 <b>S</b>	DK.	BLUE	OK. BLUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
371 371S	DK.	GREEN	DK. GREEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN
382 382 <b>S</b>	LT. I	FLAX	LT. FLAX	LT. FLAX 4	DK. FLAX	BLACK	MED. FLAX
384 384 <b>S</b>	MED. GOLD		MED. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
386 386S	DK. CORDOVAN		DK. CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVA
387 387S	DK.	MAUVE	DK. MAUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
388 388S	MED	. RED	MED. RED	MED. RED	MED. RED	BLACK	OK. RED

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover.

INTERIOR	DIMENSIONS		
	Front	Rear	
Head room	39.0"	38.1"	
Shoulder room	60.3"	59.3"	
Hip room	62.8"	55.6"	
Leg room	41.2"	38.7"	
Seat height	12.5"	15.1"	

INTERIOR LAMPS		
SW		HES
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	X	Headlamp
Courtesy rear quarter	X	
Door, red warning	X	
Map, on inst. panel		Integral
Glove Box, inner console and Trunk		Automatic

<sup>1.</sup> Black Seat Belts & Shoulder Belts

<sup>3.</sup> Med. Red Seat Belts & Shoulder Belts

<sup>2.</sup> Dk. Blue Seat Belts & Shoulder Beits

<sup>4.</sup> Med. Flax Seat Belts & Shoulder Belts

# DE VILLE CONVERTIBLE UPHOLSTERY AND SEAT STYLING

**UPHOLSTERY STYLING.** De Ville Convertible interior selections are richly tailored of exquisitely soft Ostrich grain leather inserts and Sierra grain top and center bolsters in eleven options. The seat back inserts feature an unusual effect created through the use of stitching and three tie-down buttons.

**SEAT STYLING.** A notch-back bench front seat with individual backrests, functionally styled assist straps and free-standing center armrest is standard. A Dual Comfort Front Seat with individual backrests and free-standing center armrest is available at extra charge. With either seat style, individual backrests latch securely in place until the release button on the seat side panel is depressed. (With power door locks, the release button is on the back of the seat back).

ADDITIONAL LEATHER COLORS AND TWO-TONE COLORS. If a prospective buyer should inquire about a color not listed on the chart or want a two-tone leather, see the Special Order and Price sections.


TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 5. Cordovan 6. Flax


LINER COLORS. Liner colors cannot be changed since the top material is a fusion of vinyl, fabric, rubber and drill cloth.

Code: 1. Black 2. Black 3. Dark Blue 5. Flax 6. Flax

**TOP BOOT.** The vinyl-coated boot is color-keyed to the upholstery for a neat, tailored appearance.


**STANDARD AND OPTIONAL EQUIPMENT.** See Equipment Charts on Pages A-9, A-10, and A-11.





B-7b

# COUPE DE VILLE



		SEAT <b>S</b>		DOORS	INSTRUME	UT PANELS	CARPETS
en marine <u>marine</u>	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANELS	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O D E	Nylon Viscose Cloth	Center Section— Leather Cushion Facings— Expanded Vinyl Headlining— Bedford Cord Coated Fabric Garnish Mouldings	Laces Head Restraints Assist Straps Moulded Vinyl Parts*	Nylon Viscose Cloth Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
311 311S	BLACK DARDANELLE	BLAC	К	BLACK DARDANELLE	BLACK	BLACK	BLACK
326 326S	DK. BLUE DELPHINE	DK. B	LUE	DK. BLUE DELPHINE	OK. BLUE	BLACK	DK. BLUE
32 <b>9</b> 329\$	MED. AQUA DELPHINE	MED.	AQUA	MED. AQUA DELPHINE	DK. AQUA	BLACK	MED. AQUA
331 331\$	DK. GREEN DARDANELLE	DK. 0	REEN	DK. GREEN DARDANELLE	DK. GREEN	BLACK	DK. GREEN
342 342S	LT. FLAX DELPHINE	LT. F	LAX	LT. FLAX 1 DELPHINE	DK. FLAX	BLACK	MED. FLAX
344 3445	MED. GOLD DARDANELLE	MEO.	GOLD	MED. GOLD DARDANELLE	DK. GOLD	BLACK	MED. GOLD
34 <b>6</b> 34 <b>6S</b>	DK. CORDOVAN DARDANELLE	DK. 0	ORDOVAN	DK. CORDOVAN DARDANELLE	OK. CORDOVAN	BLACK	DK. CORDOVAN
347 347 <b>S</b>	DK. MAUVE DELPHINE	DK. N	<b>JAUVE</b>	DK. MAUVE DELPHINE	DK. MAUVE	BLACK	DK. MAUVE

Leather Options at Extra Charge

1	INSERTS	BOLSTERS	(Includes rosewood	insert on doors)			
	LEA Ostrich Grain	THER Sierra Grain					
351 351 S	BLAC	K	BLACK	BLACK	BLACK	BLACK	BLACK
352 352S	WHIT	Έ	WHITE	WHITE 2	BLACK	BLACK	BLACK
36 <b>6</b> 366 <b>S</b>	DK. BLUE		DK. BLUE	OK. BLUE	OK. BLUE	BLACK	OK. BLUE
371 371S	DK. GREEN		DK. GREEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN
382 382S	LT. FLAX		LT. FLAX	LT. FLAX 1	DK. FLAX	BLACK	MED. FLAX
384 384S	MED. GOLD		MED. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
386 386 <b>S</b>	DK. CORDOVAN		DK. CORDOVAN	OK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
387 3878	DK. A	<b>AAUVE</b>	DK. MAUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
388 386S	MEO. REO		MED. RED	MED. REO	MED. REO	BLACK	DK. RE <b>O</b>

\*Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

1. Med. Flax Seat Belts & Shoulder Belts 2. Black Seat Belts & Shoulder Belts

INTERIOR	DIMENSIONS		
	Front	Rear	
Head room	38.2"	37.3"	
Shoulder room	60.8"	59.3"	
Hip room	62.8"	55.61	
Leg room	41.2"	38.7"	
Seat height	12.5"	15.1"	

INTERIOR LAMPS							
	SWITC	HES					
LAMPS	Door Jambs	Other					
Courtesy-Inst. panel ends	Х	Headlamp					
Courtesy rear quarter	X						
Door, red warning	X						
Map, on inst. panel		Integral					
Glove Box and Trunk		Automatic					

# COUPE DE VILLE UPHOLSTERY AND SEAT STYLING

upholstery styling. On the Coupe de Ville, pleasing Dardanelle or Delphine cloth inserts with leather bolsters or, optional at extra charge, beautifully rugged Ostrich grain leather are the selections available. Dardanelle cloth is a richly textured fabric with an ornate floral design styled in three panels. Three tie-down buttons are added to the seat back for strong visual effect. Delphine cloth is a sateen fabric also styled in three panels. On each seat back, three sunburst designs are woven in the fabric with a tie-down button in the center of each design. Ostrich grain leather comes in nine beautiful colors.


**SEAT STYLING.** A Notch-back bench front seat with separate backrests and folding center armrest together with rear seat center armrest is standard. A Dual Comfort Front Seat with individual backrests and folding center armrest is optional at extra charge. With either style, each front backrest stays securely latched until released by a pushbutton located on the seat side panel. (With power door locks, the release button is on the back of the seat back.) Functionally styled assist straps are placed on the back of each backrest.


ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in colors other than the ones listed on the chart. See the Special Order and Price sections.

VINYL TOP. A vinyl top is an extra charge option that is becoming increasingly popular among Cadillac owners as it provides a neat two-tone appearance for added distinction.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.





B-9b

# HARDTOP SEDAN DE VILLE

		SEATS		DOORS	INSTRUME	INSTRUMENT PANELS	
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O	Nylon Viscase Gloth	Center Section— Leather Cushion Facings— Expanded Vinyl	Laces Head Restraints Assist Strap	Nylon Viscose Cloth Vinyl Door Pull	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille
E S		Headlining— Bedford Cord Coated Fabric	Moulded Vinyl Parts*	Seat Belt & Shoulder Belt Webbing			Retractor Housing
		Garnish Mouldings		·			
311 311\$	BLACK DARDANELLE	BLAC	K	BLACK DARDANELLE	BLACK	BLACK	BLACK
326 326S	DK. BLUE DELPHINE	DK. B	LUE	DK. BLUE Delphine	OK. BLUE	BLACK	OK. BLUE
32 <b>9</b> 3295	MED. AQUA DELPHINE	MED.	AUDA	MED. AQUA DELPHINE	DK. AQUA	BLACK	MEO. AQUA
331 331 <b>S</b>	DK. GREEN DARDANELLE	DK. G	REEN	DK. GREEN DARDANELLE	DK. GREEN	BLACK	DK. GREEN
342 342S	LT. FLAX DELPHINE	LT. F	LAX	LT. FLAX 1 DELPHINE	DK. FLAX	BLACK	MED. FLAX
344 344S	MED. GOLD DARDANELLE	MED.	GOLD	MED. GOLD DARDANELLE	DK. GOLD	BLACK	MED. GOLD
346 346S	DK. CORDOVAN DARDANELLE	DK. C	ORDOVAN	DK. CORDOVAN OARDANELLE	DK. CORDOVAN	BLACK	DK. CORDOVAN
347 347 <b>S</b>	DK. MAUVE DELPHINE	DK. N	NAUVE	OK. MAUVE DELPHINE	DK. MAUVE	BLACK	DK. MAUVE

# Leather Options at Extra Charge

	INSERTS	BOLSTERS	(Includes rosewood	insert on doors)			
	LEATHER				•		
	Ostrich Grain	Sierra Grain					
351 351 S	BLAC	K	BLACK	BLACK	BLACK	BLACK	BLACK
352 352\$	WHITE		WHITE	WHITE 2	BLACK	BLACK	BLACK
386 366\$	DK. BLUE		DK. BLUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
382 382S	LT. F	LT. FLAX		LT. FLAX 1	DK. FLAX	BLACK	MED. FLAX
384 384\$	WED.	MED. GOLD		MED. GOLD	OK. GOL <b>D</b>	BLACK	MEO. GOLD
386 386 <b>S</b>	DK. C	ORDOVAN	DK. CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
387 387\$	DK. N	<b>NAUVE</b>	DK. MAUVE	DK. MAUVE	DK. MAUVE	BLACK	OK. MAUVE
38 <b>8</b> 388\$	MED. RED		MED. RED	MED. RED	MED. RED	BLACK	DK. RED

\*Moulded Soft Vinyl Parts Include; Rearview Mirrar Support Cover; Coat Hooks, 1. Med. Flax Seas Belts & Shoulder Belts 2. Black Seas Belts & Shoulder Belts

INTERIOR	DIMENSIONS		
	Front	Hear	
Head room	38.2"	37.2"	
Shoulder room	60.6"	59.7"	
Hip room	62.8"	82.7"	
Leg room	41.2"	40.1"	
Seat height	12.5"	15.1"	

INTERIOR LAMPS				
	SWITCHES			
LAMPS	Door Jambs	Other		
Courtesy-Inst. panel ends, rear quarter	Х	Headlamp		
Door, red warning	Х			
Map, on inst. panel		Integral		
Glove Box and Trunk		Automatic		

# HARDTOP SEDAN DE VILLE UPHOLSTERY AND SEAT STYLING

**UPHOLSTERY STYLING.** On the Hardtop Sedan de Ville, rich Dardanelle or Delphine cloth inserts with leather bolsters or, optional at extra charge, beautifully rugged Ostrich grain leather are the selections available. Dardanelle cloth is a richly textured fabric with an ornate floral design styled in three panels. Three tie-down buttons are added to the seat back for strong visual effect. Delphine cloth is a sateen fabric also styled in three panels. On each seat back, three sunburst designs are woven in the fabric with a tie-down button in the center of each design. Ostrich grain leather comes in eight beautiful colors.


**SEAT STYLING.** With a combination cloth and leather upholstery selection, seats are the bench type with straight-across backrest and folding center armrest front and rear. With a leather upholstery selection, Notch-back seat styling with stationary front seat backs is provided. Functionally styled assist straps are placed on back of each backrest. A Dual Comfort Front Seat with armrest is available at extra charge with either upholstery styling.


ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in colors other than the ones listed on the chart. See the Special Order and Price sections.

VINYL TOP. A vinyl top provides a dramatic two-tone appearance and is an extra charge option many Cadillac owners find ideal as an expression of personal taste.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

**STANDARD AND OPTIONAL EQUIPMENT.** See Equipment Charts on Pages A-9, A-10, and A-11.





B-11b

# SEDAN DE VILLE

	SEATS			DOORS	INSTRUME	NT PANELS	CARPETS
Page 1 Sept 1 Se	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERT <b>S</b>	TOP AND LOWER	STEERING WHEEL	
	Nylon Viscose Cloth	Center Section— Leather	Laces Assist Strap	Nylon Viscose Cloth	Rear Shelf	Control Lever Caps Steering	Trianon & Tyrol Quality
C 0		Cushion Facings— Expanded Vinyl	Moulded Vinyl Parts*	Vinyl Door Pull		Column & Cover	Cowl Quarter Grille
D E		Headlining— Bedford Cord	Head Restraints	Seat Belt & Shoulder Belt Webbing			Retractor Housing
S		Coated Fabric	·				
		Garnish Mouldings					
11	BLACK DARDANELLE	BLAC	CK .	BLACK DARDANELLE	BLACK	BLACK	BLACK
26	DK. BLUE DELPHINE	ØK. I	BLUE	DK. BLUE DELPHINE	DK. BLUE	BLACK	DK. BLUE
29	MED. AQUA DELPHINE	MED	. AQUA	MED. AQUA DELPHINE	DK. AQUA	BLACK	MED. AQUA
31	DK. GREEN DARDANELLE	DK. (	GREEN	DK. GREEN DARDANELLE	DK. GREEN	BLACK	DK. GREEN
42	LT. FLAX DELPHINE	L.T. F	LAX	LT. FLAX 1 DELPHINE	DK. FLAX	BLACK	MED. FLAX
44	MED. GOLD DARDANELLE	MED	. GOLD	MED. GOLD DARDANELLE	DK. GOL <b>d</b>	BLACK	MED. GOLD
46	DK. CORDOVAN DARDANELLE	DK. (	DK. CORDOVAN		DK. CORDOVAN	BLACK	DK. CORDOVA
47	DK. MAUVE DELPHINE	DK. I	MAUVE	DK. MAUVE DELPHINE	DK. MAUVE	BLACK	DK. MAUVE

### Leather Options at Extra Charge

	INSERTS	BOLSTERS	(Includes rosev	vood insert on doors	:		
	LEATHER						
	Ostrich Grain	Sierra Grain					
351	BLACI	(	BLACK	BLACK	BLACK	BLACK	BLACK
352	WHITI		WHITE	WHITE 2	BLACK	BLACK	BLACK
366	DK. B	DK. BLUE		DK. BLUE	DK. BLUE	BLACK	DK. BLUE
382	LT. FL	LT. FLAX		LT. FLAX 1	DK. FLAX	BLACK	MED. FLAX
384	MED.	GOLD	MED. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
388	MED.	RED	MED. RED	MED. RED	MED. RED	BLACK	DK. RED

\*Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

1. Med. Flax Seat Belts & Shoulder Belts
2. Black Seat Belts & Shoulder Belts

INTERIOR	DIMENSIONS		
	Frent	Rear	
Head room	39.3"	38.4"	
Shoulder room	60.6"	59.7	
Hip room	62.8"	62.3	
Leg room	41.2"	41.8	
Seat height	12.5"	14.8	

INTERIOR LAM	PS	
	SWITC	HES
LAWPS	Door Jambs	Other
Courtesy-Inst. panel ends and rear quarter	X	Headlamp
Door, red warning	X	
Map, on inst. panel		Integral
Glove Box and Trunk		Automatic

# SEDAN DE VILLE UPHOLSTERY AND SEAT STYLING

UPHOLSTERY STYLING. On the Sedan de Ville, pleasing Dardanelle or Delphine cloth inserts with leather bolsters or, optional at extra charge, beautifully rugged Ostrich grain leather are the selections available. Dardanelle cloth is a richly textured fabric with an ornate floral design styled in three panels. Three tie-down buttons are added to the seat back for strong visual effect. Delphine cloth is a sateen fabric also styled in three panels. On each seat back, three sunburst designs are woven in the fabric with a tie-down button in the center of each design. Ostrich grain leather comes in six beautiful colors.


**SEAT STYLING.** With a combination cloth and leather upholstery selection, seats are the bench type with straight-across backrest and folding center armrest front and rear. With a leather upholstery selection, Notch back seat styling with stationary front seat backs is provided. Functionally styled assist straps are placed on the back of each backrest.


ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in colors other than the ones listed on the chart. See Special Order and Price sections.

VINYL TOP. A vinyl top is an extra charge option that gives the Cadillac owner an opportunity for personal expression as it provides a dramatic two-tone appearance to the Cadillac.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax


STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.





B-13b

# FLEETWOOD ELDORADO



		SEATS			DOORS INSTRUMENT PANELS		
	INSERTS	BOLSTERS	FORMEO FRONT SEAT BACK PANELS	INSERTS	TOP AND LOWER	STEERING WHEEL	
C 0 D E	Nylon Viscose Cloth	Expanded Vinyl Cushion Facings Headlining — Taffeta Coated Fabric Garnish Mouldings	Laces Assist Straps Console Case Head Restraints Moulded Vinyl Parts*	Rosewood Surrounding Area— Formed Vinyl Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
410	BLACK/GRAY DOMINION	BLACK		BLACK	BLACK	BLACK	BLACK
411	BLACK DUBONNET	BLACK		BLACK	BLACK	BLACK	BLACK
426	DK. BLUE DUBONNE <b>T</b>	DK. BI	LUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
429	MED. AQUA DUBONNET	MED.	AQUA	MED. AQUA	MED. AQUA	BLACK	MED. AQUA
431	OK. GREEN DUBONNET	DK. GI	REEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN
442	MED. FLAX DUBONNET	LT. FL	AX	LT. FLAX**	MED. FLAX	BLACK	MED. FLAX
444	MED. GOLD DUBONNET	MED. GOLD		MED. GOLD	MED. GOLD	BLACK	MED. GOLD
446	DK. CORDOVAN DUBONNET	DK. CO	ORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
447	DK. MAUVE DUBONNET	DK. M	AUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE

### Leather Options at Extra Charge

	INSERTS	BOLSTERS	(Includes rosewood	insert on doors)					
	LEATHER Ostrich Grain Sierra Grain								
451 451 B	BLAC	К	BLACK	BLACK	BLACK	BLACK	BLACK		
452	WHIT	E	WHITE	WHITE 1	BLACK	BLACK	BLACK		
466	DK. E	SLUE	DK. BLUE	OK. BLUE	DK. BLUE	BLACK	DK. BLUE		
471	DK. 0	REEN	DK. GREEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN		
482 482B	LT. F	LAX	LT. FLAX	LT. FLAX 2	LT. FLAX	BLACK	MED. FLAX		
484	MED.	GOLD	MED. GOLD	MED. GOLD	MED. GOLD	BLACK	MED. GOLD		
486	DK. O	ORDOVAN	DK. CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN		
487	DK. P	<b>NAUVE</b>	DK. MAUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE		
488	MED.	RED	MED. RED	MED. RED	MED. RED	BLACK	DK. RED		

<sup>&</sup>quot;Moulded Soft Vinyl Parts Include: Rearriew Mirror Support Cover; Coat Hooks.
""Door inserts are Med. Flex Dubonnet Cloth.

<sup>1.</sup> Black Seat Belts & Shoulder Belts 2. Med. Flax Seat Belts & Shoulder Belts

INTERIOR	DIMENSIO	INS	
	Front	Rear	
Head room	37.8"	37.6"	Courtesy-Inst. panel of
Shoulder room	57.3"	55.8"	Courtesy-rear quarter
Hip room	61.2"	54.2"	bucket seats)
Leg room	40.9"	36.2"	Door, red warning Map, on inst, panel
Seat height	11.0"	12.0"	Glove Box, inner cons

INTERIOR LAMPS					
LAMPS	SWIT Door Jambs	CHES Other			
Courtesy-Inst. panel ends	X	Headlamp			
Courtesy-rear quarter (and rear of console with bucket seats)	Х				
Door, red warning	Х	Headlamp			
Map, on inst. panel		Integral			
Glove Box, inner console and Trunk		Automatic			

# $rac{ELDORADO}{UPHOLSTERY\ AND\ SEAT\ STYLING}$

**UPHOLSTERY STYLING.** On the Eldorado, beautiful Dubonnet or Dominion cloth inserts with expanded vinyl bolsters or, optional at extra charge, distinctive Sierra grain leather are the selections available. Dubonnet cloth is a trico knit weave in 1-inch pleats running the full height of the seat back and full depth of the seat cushion. Dominion cloth is a sporty herringbone fabric in 2-inch pleats accentuated by a hand sewn vinyl strap across the upper seat back.

**SEAT STYLING.** The Strato-bench seat with individual backrests and folding center armrest is standard on the Eldorado. Individual backrests latch securely in place until the release button on the seat panel is depressed.


Strato-bucket seats in 2 colors with attractive center console are available at extra charge.


ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in several colors other than the ones listed on the chart. See Special Order and Price sections.

VINYL TOP. A meticulously crafted vinyl top is an extra charge option that gives the discerning Eldorado owner an excellent opportunity to further enhance the exclusiveness of the Eldorado. Padded to further isolate sound from the interior, the vinyl top provides a dramatic two-tone appearance.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10 and A-11.





B-15b

# FLEETWOOD SIXTY SPECIAL

# Cloth with Leather Selections

**************************************	·	SEATS		DOORS	INSTRUME	NT PANELS	CARPETS
***************************************	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	
C	Nyfon Viscose Cloth	Center Section Leather  Cushion Facings— Expanded Vinyl  Headlining— Ascot Cloth	Laces Head Restraints Assist Strap Moulded Vinyl Parts* Garnish Mouldings	Rosewood  Vinyl Door Pull  Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
01 1 01 1S	BLACK DEVEREAUX	BLA	CK	BLACK	BLACK	BLACK	BLACK
029 029S	MED. AQUA DEVEREAUX	MED	. AQUA	MED. AQUA	OK. AQUA	BLACK	MED. AQUA
031 031S	OK. GREEN DUMONT	DK.	GREEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN
044 044S	MED. GOLD DEVEREAUX	MED	. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
046 046S	DK. CORDOVAN DUMONT	DK.	CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
047 047S	DK. MAUVE DEVEREAUX	DK.	MAUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
04 <b>9</b> 049 <b>S</b>	DK. MAROON DUMONT	DK.	MAROON	DK. MAROON	DK. MAROON	BLACK	DK. MAROON

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

INTERIOR	DIMENSIO	NS
	Front	Rear
Head room	39.3"	38.0"
Shoulder room	59,9"	59.6"
Hip room	62.8"	62.1"
Leg room	42.2"	44.3"
Seat height	11.9"	14.3"

INTERIOR LAMPS		
	SWITC	Hes
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	Х	Headlamp
Courtesy-rear quarter and rear door	Х	
Doors, red warning	Х	
Map, on inst. panel		Integral
Glove Box and Trunk		Automatic
Dual Comfort Seat—Rear quarter—rear door warning and courtesy		Headlamp


# $\frac{SIXTY\ SPECIAL}{UPHOLSTERY\ AND\ SEAT\ STYLING}$


**UPHOLSTERY STYLING.** Distinctive three horizontal pillow and button styling in handsome Devereaux or Dumont cloth inserts with leather characterizes the Fleetwood Sixty Special interior. Beautifully rugged Sierra grain leather in this same style is available at extra charge. Dubonnet cloth upholstery selections are superbly tailored in two horizontal pillow and button style with an attractive geometric design sewn in the seat cushion and seat back by the pique stitch method, and accented by buttons at each corner. Devereaux cloth has a large, ornate tapestry weave appearance for a truly luxurious feel and look. Dumont cloth has a stately, masculine cord weave appearance while Dubonnet cloth has a two-tone appearance achieved through a trico knit weave.

**SEAT STYLING.** The bench type seat with straight-across backrest and folding center armrest front and rear is standard. The Dual Comfort Front Seat is available at extra charge.

ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in colors other than the ones listed on the chart. See Special Order and Price sections.

**STANDARD AND OPTIONAL EQUIPMENT.** See Equipment Charts on Pages A-9, A-10, and A-11.





B-17b

# All Cloth Selections With Embroidered Back Rests

		SEATS			DOORS INSTRUMENT PANELS		CARPETS
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O D E	Nylon Viscose Cloth	Nylon Viscose Cloth Also— Cushion Facings Headlining— Ascot Cloth	Laces Head Restraints Assist Strap Moulded Vinyl Parts* Garnish Mouldings	Rosewood Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
016 016S	LT. GRAY	Y DUBONNET	LT. GRAY	LT. GRAY	DK. GRAY	BLACK	DK. GRAY
026 026S	DK. BLU	E DUBONNET	MED. BLUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
042 042S	MED. FL.	AX DUBONNET	LT, FLAX	LT. FLAX**	DK. FLAX	BLACK	MED. FLAX

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.
\*\*Door Inserts Are Med. Flax Debonnet Cloth.

INTERIOR	DIMENSIO	NS
	Front	Rear
Head room	39.3"	38.0"
Shoulder room	59.9"	59.6"
Hip room	62.8"	62.1"
Leg room	42.2"	44.3"
Seat height	11.9"	14.3"

INTERIOR LAMPS		
	SWIT	CHES
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	Х	Headlamp
Courtesy-rear quarter and rear door	Х	
Doors, red warning	Х	
Map, on inst. panel		Integral
Glove Box and Trunk		Automatic
Reading Spots, swivel	X	Rear Quarter Trim Panels

		SEATS			INSTRUMEN	IT PANELS	CARPETS
	LE INSERTS	ATHER BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O D E S	Sierra Grain Leather	Sierra Grain Leather  Cushion Facings— Expanded Vinyl  Headlining— Taffeta Coated Fabric  Garnish Mouldings	Laces Head Restraints Assist Strap Moulded Vinyl Parts*	Rosewood  Surrounding Area— Expanded Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality  Cowl Quarter Grille  Retractor Housing Seat Belt Boot
051 051S	BLA	CK	BLACK	BLACK	BLACK	BLACK	BLACK
052 052\$	WH	ITE	WHITE	WHITE 1	BLACK	BLACK	BLACK
06 <b>6</b> 066 <b>S</b>	DK.	BLUE	DK. BLUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
071 071\$	DK.	GREEN	DK. GREEN	OK. GREEN	DK, GREEN	BLACK	DK, GREEN
082 082\$	LT.	FLAX	LT. FLAX	LT. FLAX 2	DK. FLAX	BLACK	MED. FLAX
084 084S	MEI	D. GOLD	MED. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
086 086S	DK.	CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
087 087S	DK.	DK. MAUVE		DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
088 0885	MEI	D. RED	MED. RED	MED. RED	DK. RED	BLACK	DK. RED

°Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Co Hooks. 1 Black Seat Belts & Shoulder Bolt

2. Med. Flax Seat Belts & Shoulder Belts

DIMENSIONS		
Front	Rear	
39.3"	38.0"	
59.9"	59.6"	
62.8"	62.1"	
42.2"	44.3"	
11.9"	14.3"	
	Front 39.3" 59.9" 62.8" 42.2"	

INTERIOR LA	MIPS	
	SWIT	CHES
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	X	Headlamp
Courtesy-rear quarter and rear door	X	
Doors, red warning	Χ	
Map, on inst. panel		Integral
Glove Box and Trunk		Automatic
Reading Spots, swivel	X	Rear Quarte Trim Panel

# FLEETWOOD BROUGHAM

		SEATS		OOORS	DOORS INSTRUMENT PANELS		
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP ANO LOWER	STEERING WHEEL	
C O D E S	Nylon Viscose Cloth	Center Section Leather  Cushion Facings— Expanded Vinyl  Headlining— Ascot Cloth	Laces Head Restraints Assist Strap Moulded Vinyl Parts* Garnish Mouldings	Rosewood Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
011 011S	BLACK DEVEREAUX	BLAC	K	BLACK	BLACK	BLACK	BLACK
029 0298	MED. AQUA DEVEREAUX	MED.	AUDA	MED. AQUA	DK. AQUA	BLACK	MED. AQUA
031 031S	DK. GREEN DUMONT	DK. G	FREEN	DK. GREEN	DK. GREEN	BLACK	DK. GREEN
044 044S	MED. GOLD DEVEREAUX	MED.	GOLD	MED, GOLD	DK. GOLD	BLACK	MED. GOLD
046 046S	DK. CORDOVAN DUMONT	DK. (	ORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
047 047S	OK. MAUVE DEVEREAUX	DK. I	<b>NAUVE</b>	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
049 049S	DK. MAROON DUMONT	DK. N	/AROON	DK. MAROON	DK. MAROON	BLACK	DK. MAROON

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

INTERIOR	DIMENSIONS		
	Frent	Rear	
Head room	39.3"	38.0"	
Shaulder room	59.9"	59.6"	
Hip room	62.8"	62.1"	
Leg room	42.2"	44.3"	
Seat height	11.9"	14.3"	

INTERIOR LA	MPS	
	SWITE	CHES
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	X	Headlamp
Courtesy-rear quarter and rear door	X	
Doors, red warning	X	
Map, on inst. panel		Integral
Glove Box and Trunk		Automatic
Reading Spots, swivel	X	Rear Quarte Trim Panels

# FLEETWOOD BROUGHAM UPHOLSTERY AND SEAT STYLING

UPHOLSTERY STYLING. Three horizontal pillow and button styling in sumptuous Devereaux or Dumont cloth inserts with leather reflects the plush interior of the Fleetwood Brougham. Beautifully rugged Sierra grain leather in this same style is available at extra charge. Dubonnet cloth upholstery selections are superbly tailored in two horizontal pillow and button style with an attractive geometric design sewn in the seat cushion and seat back by the pique stitch method, and accented by buttons at each corner. Devereaux cloth has a large, ornate tapestry weave appearance for a truly luxurious feel and look. Dumont cloth has a stately, masculine cord weave appearance while Dubonnet cloth has a two-tone appearance achieved through a trico knit weave.


SEAT STYLING. The Dual Comfort Front Seat is standard.


ADDITIONAL LEATHER COLORS. Leather upholstery may be ordered in colors other than the ones listed on the chart. See Special Order and Price sections.

VINYL TOP. A fashionable vinyl top is standard on the Brougham, providing a two-tone appearance for individual distinction. It is padded to further isolate sound from the interior.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.





B-21b

### All Cloth Selections With Embroidered Back Rests

		SEATS		DOORS INSTRUMENT PANELS			CARPETS
	INSERTS	BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	
C O D E	Nylon Viscose Cloth	Nylon Viscose Cloth  Also— Cushion Facings  Headlining— Ascot Cloth	Laces Head Restraints Assist Strap Moulded Vinyl Parts* Garnish Mouldings	Rosewood Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality Cowl Quarter Grille Retractor Housing
016 016S	DK. BLUE DUBONNET		LT. GRAY	LT. GRAY	DK. GRAY	BLACK	DK. GRAY
02 <b>6</b> 0265			MED. BLUE	DK. BLUE	DK. BLUE	BLACK	DK. BLUE
042 042S			LT. FLAX	LT. FLAX""	DK. FLAX	BLACK	MED. FLAX

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

<sup>&</sup>quot;Door Inserts Are Med. Flax Oubonnet Cloth.

	INTERIOR	DIMENSIONS			
		Front	Rear		
•	Head room	39.3"	38.0"		
	Shoulder room	59.9"	59.6"		
,	Hip room	62.8"	62.1"		
	Leg room	42.2"	44.3"		
	Seat height	11.9"	14.3"		

iwter	OR LAN	PS		
LAMPS			SWITI Door Jambs	CHES Other
Courtesy-Inst. panel ends			X	Headlamp
Courtesy-rear quarter and rear door			×	
Doors, red warning	:		Х	
Map, on inst. panel				Integral
Glove Box and Trunk	***************************************			Automatic
Reading Spots, swivel			Х	Rear Quarter Trim Panels

### 1968-1902 CADILLAC MILESTONES-Continued

Model Year	Total Production	Type of Cars Produced	List Price (Typical Car)	Wheelbase	Milestones
1924	18,827	V-8 "63"	3,835	132"	First to provide wide choice of Duco Exterior Finishes as standard equipment.
1923	14.707	V-8 "61"	4,150	138"	First to build the inherently balanced 90° V-type eight- cylinder engine. First to use the Compensated Crankshaft. Four-wheel brakes featured.
1922	26,296	V-8 "61"	\$4,100	132"	First to use Thermostatic Carburetor Control.
1921 1920	5,250 19,628	V-8 "59" V-8 "59"	4,950 4,750	132" 125"	Cadillac completes new Clark Ave., Detroit, plant, most modern in the industry.
1919 1918	20,678 20,285	V-8 "57" V-8 "57"	4,090 3,535	125″ 125″	Cadillac supplied 2,350 cars and 1,157 V-8 artillery tractor engines to U, S. Army.
1917	18,002	V-8 "55"	3,110	125"	Cadillac adopted as Standard Officers' car by U. S. Army after grueling tests at Marfa, Texas.
1916	18,003	V-8 "53"	2.950	122"	Cadillac becomes "Division of General Motors."
1915	13,001	V-8 "51"	2,800	120"	First to use Tilt-Beam Headlights for night driving safety.
1914	14,002	4 cyl. "1914"	2,800	120"	October—First in this country to offer a production car (1915 Cadillac) with a V-type, water cooled, eight-cylinder engine, the prototype of engines later used throughout the
1913	15,017	4 cyl. "1913"	3,250	120"	industry. First to use thermostatic control of cooling system.
1912	13,994	4 cyl. "1912"	3,250	116"	First to equip cars with Electric Starting, Lighting, Ignition, for which Cadillac again was awarded the Dewar Trophy, First and only car in the world to win this award twice.
1911	10,018	4 cyl. "30"	1,800	116"	Custom Coachcraft by Fleetwood Body Company begins.
1910	8,006	4 cyl. "30"	1,600	106"	First to offer Closed Bodies as standard equipment. Less than 10% of cars then produced had closed bodies.
1909	5,902	4 cyl. "30"	1,400	106"	Cadillac purchased by General Motors Corporation. Four- cylinder production increases six times over 1908 pro- duction.
1908	2,012	{1 cyl. "T" 4 cyl. "H"	1,000 2,500	82" 102"	First American car to be awarded the Dewar Trophy by Royal Automobile Club of London for being First to achieve interchangeability through standardization of parts.
1907	2,696	1 cyl. "M" 4 cyl. "G" 4 cyl. "H"	950 2,000 2,500	76" 100" 102"	Famous Johansson gauges, First imported into United States by Cadillac, enable Cadillac to become the following year the —
1906	4,307	1 cyl. "M" 4 cyl. "H"	950 2,500	76" 102"	
1905	4,182	{1 cyl. "F" {4 cyl. "D"	950 2,800	76" 100"	First four-cylinder establishes Cadillac as the pioneer of multi-cylinder motor cars.
1904	2,318	1 cyl. "B"	950	76"	Cadillac Automobile Co. and Leland & Faulconer consoli- date as "Cadillac Motor Car Company" with Henry M, Leland, grand old man of the industry, as General Manager.
1903 ) 1902 )		1 cyl. "A"	850	76″	Detroit Automobile Co., established 1899, reorganized as "Cadillac Automobile Co."

The Cadillac Motor Car Division of General Motors Corporation reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models, and also to discontinue models.

All information contained herein has been carefully checked with the most reliable sources, but responsibility for the absolute authenticity of this information cannot be assumed. The right is reserved to change any specifications, parts or equipment at any time without incurring any obligation to equip same on cars built prior to date of such change.

The 1969 Cadillac Data Book was compiled as of August, 1968, and was printed in U. S. A. The above reservations apply to all pages unless otherwise noted.

Cadillac Motor Car Division . General Motors Corporation

## 1968-1902 CADILLAC MILESTONES-Continued

Model Year	Total Production	Type of Cars Produced	List Price (Typical Car)	Wheelbase	Milestones
1939	36,611	V-8 "39-50" V-8 "39-61" V-8 "39-60" V-8 "39-75" V-16 "39-90"	\$1,320* 1,680* 2,090* 2,995* 5,140*	120" 126" 127" 141" 141"	First to develop and introduce Controlled-Action, greatest advancement in riding comfort and safety since Knee-Action, More than half of all fine cars sold above \$2,000 are Cadillacs.
1938	24,950	V-8 "38-50" V-8 "38-60" V-8 "38-605" V-8 "38-65" V-8 "38-75" V-16 "38-90"	1,385* 1,775* 2,085* 2,285* 3,075* 5,265*	124" 124" 126" 132" 141"	First to create and introduce a practical motor car of advanced styling. First to engineer and build the 135° V-type sixteen-cylinder engine. A majority public recognition of Cadillac Merit and Advanced Progress is definitely established.
1937	46,153	V-8 "37-50" V-8 "37-60" V-8 "37-65" V-8 "37-70" V-8 "37-75" V-12 "37-85" V-16 "37-90"	1,260* 1,660* 2,090* 2,595* 2,815* 3,535* 7,750*	124" 124" 131" 131" 138" 138" 154"	Cadillac-built V-8 proves stamina, dependability and speed of present day stock car by breaking all previous stock car records at Indianapolis Speedway. Deliveries at retail hit all-time peak in previous Cadillac history.
1936	25,905	Str8 "50" V-8 "60" V-8 "70" V-8 "75" V-12 "80" V-12 "85" V-16 "90"	1,225 1,695 2,445 2,645 3,195 3,345 7,570	120" 121" 131" 138" 131" 138" 154"	48.1% of all cars sold above \$1,500 were Cadillacs.
1935	13,449	Str8 "50" V-8 "10" V-8 "20" V-8 "30" V-12 "40" V-16 "60"	1,545 2,445 2,645 3,295 3,995 6,750	119" 128" 136" 146" 146" 154"	First and Only fine car equipped with one-piece solid steel Turret Top. For five years, more Cadillacs purchased than any other make of fine car.
1934	11,856	Str8 "50" V-8 "10" V-8 "20" V-8 "30" V-12 "40" V-16 "60"	1,595 2,495 2,695 3,295 3,995 6,650	119" 128" 136" 146" 146"	First to introduce today's mode of streamlining. First American car with spare tire concealed within body. First to develop and use Knee-Action Wheels.
1933	6,654	V-8 "345-C" V-8 "355-C" V-12 "370-C" V-16 "452-C"	2,245 2,895 3,595 6,250	136" 140" 140" 149"	First to provide fine cars with No-Draft Ventilation.
1932	8,085	V-8 "345-8" V-8 "355-8" V-12 "370-8" V-16 "452-8"	2,495 3,095 3,795 5,095	136" 140" 140" 149"	First to introduce Super-Safe Headlights, Air-Cooled Generator, Completely Silent Transmission and Full-Range Ride Regulator.
1931	29,781	V-8 "345-A" V-8 "355-A" V-12 "370-A" V-16 "452-A"	2,295 2,795 3,895 5,950	134" 134" 140" 148"	
1930	25,991	V-8 "340" V-8 "353"	2,565 3,695	134" 140"	First to build a Sixteen-Cylinder Automobile Engine. Later in the year, the V-12 Cadillac was introduced. First to offer a complete line of multi-cylinder cars—all of V-type design, First to use Hydraulic Valve Silencers,
1929	40,965	V-8 "328" V-8 "341-B"	2,495 3,595	125" 140"	First to adopt Chrome Plating as standard.
1928	29,572	V-8 "303" V-8 "341-A"	2,68 <del>5</del> 3,250	125" 140"	First to develop and use the Clashless Synchro-Mesh Transmission, First to install Security Plate Glass as standard equipment.
1927	47,420	V-8 "303" V-8 "314"	2,685 3,250	125″ 132″	First to develop a comprehensive Service Policy and place
1926	20,419	V-8 "314"	3,250	132"	it on a nationwide basis.
1925	16,673	V-8 "63"	3,195	132"	First to use Crankcase Ventilation. \$5,000,000 expansion program started. Cadillac contracts for entire output of Fleetwood Custom Body Co.

<sup>\*</sup>Manufacturer's suggested retail price at Detroit; does not include optional equipment or state and local taxes.

# 1968-1902 CADILLAC MILESTONES-Continued

Model Year	Total Production	Type of Cars Produced	List Price (Typical Car)	Wheelbase	Milestones
1955	140,778 (11 months)	V-8 "55-62" V-8 "55-60" V-8 "55-75"	\$3,976.70° 4,728.32° 6,186.78°	129" 133" 149¾"	Cadillac establishes new production and sales records by building and selling over 140,000 motor cars in 11 months.
1954	96,680 (9 months)	V-8 "54-62" V-8 "54-60" V-8 "54-75"	3,932.70° 4,683.32° 5,874.78°	129" 133" 149%"	Cadillac is First to provide Power Steering as standard equipment on its entire line of cars.
19 <b>53</b>	109,657	V-8 ''53-62" V-8 ''53-60" V-8 ''53-75"	3,666.2 <b>6*</b> 4,304.88 <b>*</b> 5,604.34 <b>*</b>	126" 130" 147"	Cadillac offers highest horsepower engine ever used in an American production motor car.
1952	90,715 (11 months)	V-8 "52-62" V-8 "52-60" V-8 "52-75"	3,636* 4,270* 5,361*	126" 130" 147"	Cadillac celebrates its Golden Anniversary.
1951	110,340	V-8 "51-62" V-8 "51-60" V-8 "51-75"	3,315* 3,8 <b>92*</b> 4,88 <b>7</b> *	126" 130" 147"	Cadillac moves into defense production of tanks in Cleveland without interruption of automobile production.
1950	103,857	V-8 "50-61" V-8 "50-62" V-8 "50-60" V-8 "50-75"	2,866* 3,234* 3,79 <b>7</b> * 4,770*	122" 126" 130" 14 <b>7</b> "	Cadillac production exceeds 100,000 cars for the first time in its history.
1949	92,554	V-8 "49-61" V-8 "49-62" V-8 "49-605" V-8 "49-75"	2,893* 3,050* 3,828* 4,750*	126" 126" 133" 136"	Cadillac's 1 millionth car produced November 25, 1949.
1948	52,706 (9 months)	V-8 "48-61" V-8 "48-62" V-8 "46-605" V-8 "48-75"	2,647* 2,781* 3,506* 4,471*	126" 126" 133" 136"	Cadillac presented its greatest engineering achievement in 45 years—the new, compact, better performing, more enomical, valve-overhead, V-type, eight-cylinder engine har all 1949 Cadillacs.
1947	61,926	V-8 "47-61" V-8 "47-62" V-8 "47-60S" V-8 "47-75"	2,324° 2,523° 3,195° 4,471°	126" 129" 133" 136"	Postwar production reaches over 90% of prewar peak. Cadillac increases fine-car leadership with over 96,000 unfilled orders.
1946	29,194	V-8 "46-61" V-8 "46-62" V-8 "46-60S" V-8 "46-75"	2,176* 2,359* 3,099* 4,298*	126" 129" 133" 136"	Presentation of the 1946 Cadillacs, using the battle- proved Cadillac V-type engine and Hydra-Matic trans- mission, the only automotive units of this kind to be pro- duced and improved without interruption during the war.
1945		*****	· <u></u>		Continued production of the world-famous M-24 light tank for distinguished use in European and Pacific theaters. Introduction of the M-19, a potent anti-aircraft gun motor carriage.
1944		<b>-</b> ·			Cadillac produced the M-24, one of the world's fastest and most maneuverable combat vehicles of its kind. This famous light tank, which served on all battlefronts, was powered by Cadillac V-type engines and Cadillac Hydra-Matic transmissions.
1943		. <del></del>			Cadillac-built light tanks and motor carriages contributed measurably to the struggle for victory and peace. Precision aircraft engine parts made by Cadillac helped power America's leading combat planes. Army-Navy "E" award to Cadillac for excellence in production of war equipment.
	16,511 oduction halted obruary, 1942)	V-8 "42-61" V-8 "42-62" V-8 "42-63" V-8 "42-60S" V-8 "42-67" V-8 "42-75"	1,647° 1,754° 1,882° 2,435° 2,896° 3,306°	126" 129" 126" 133" 139"	Presentation of the Fortieth Anniversary Cadillacs, Intro- duction of sealed, ribbed Super-Safe Brakes and All-Weather Ventilation System.
1941	66,130	V-8 "41-61" V-8 "41-62" V-8 "41-63" V-8 "41-63" V-8 "41-67" V-8 "41-75"	1,445* 1,495* 1,695* 2,195* 2,595* 2,995*	126" 126" 126" 126" 139" 136"	First to introduce to the medium price field a motor car of unquestioned prestige without a compromise in quality. First high price car to offer Hydra-Matic, the completely automatic transmission that eliminates the clutch pedal and all gear shifting. Cadillac outsold all makes of cars in both the medium and high price groups.
1940	37,162	V-8 "40-50" V-8 "40-52" V-8 "40-62" V-8 "40-60S" V-8 "40-72" V-8 "40-75" V-16 "40-90"	1,320° 1,440° 1,745° 2,090° 2,670° 2,995° 5,140°	123" 123" 129" 127" 138" 141"	First to offer custom car interiors at medium price. First to equip passenger cars with Ball Bearing Steering. First to introduce an ultramodern, large, luxurious motor car—the Cadillac Fleetwood 72. During first six months, 1939, Cadillac outsold all makes combined with series having 5 touring sedans priced at or above \$1,300.

# 1968-1902 CADILLAC MILESTONES

Total   Year   Production   Engines   Series   Cirplical Carl   Wheelbase   New 375 H.P. engine introduced having the largest dispersion   129.5°				Models			
1967   1968   196,675			Engines			Wheelbase	Milestones
1967   1968   196,675	1968	229.303	V-8	Calais	\$ 5,284*	129.5"	New 375 H.P. engine introduced having the largest dis-
1967   200,000   V-8   Calais   5,217   129.5   133.0"   149.8"   133.0"   149.8"		,	V-8	De Ville	5,754*	129.5"	placement of any production car engine in the world at
1967   200,000   V-8   Calais   5,216"   129.5			V-8			120.0"	
1967   200,000   V-8   Calais   5,215   129.5"   149.8"   196.675   V-8   Fleetwood   6,737   120.0"   149.8"   130.0"   149.8"		***	. V-8			133.0"	5,000 rpms. New engine block machining line instance.
1967   200,000			V-0				
1967   200,000   V-8			V-8	Fleetwood		149.8"	
V-8				75	10.598*		
V-8	1967	200.000	V-8	Calais	5.215"	129.5"	Cadillac introduces the exciting Fleetwood Eldorado, the
1966   196,875   V-8   Fleetwood   6,739"   133.0"   149.8"   75   75   75   75   75   75   75   7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	200,000					
1968			V-8		6,277*	120.0"	
1968   196,675   V-8   Calais   5,171'   129.5"   First to introduce variable-ratio steering on American cars.   1968   196,675   V-8   Calais   5,171'   129.5"			V g		6 739°	133.04	
1968   196,875						100.0	
1968			V-8		10,360*	149.8"	
1965				75			
1965	1966	196,675					First to introduce variable-ratio steering on American cars.
1965							
1965			V-0			133,0	
1965			V-8			149.8"	
1964   165,959				75			
1964   165,959	1965	181,435	V-8	Calais	5,247*	129½"	Cadillac introduces new coaxial resonator exhaust system,
1964		•					
1964   165,959   V.8 "64-62"   5,236"   129%   Cadillac production tops 180,000 reflecting highest owner loyalty in the industry.			V-8		6,479*	133″	
1964   165,959			V-B		9.746*	149%"	
1964   165,959					-•		
1964   165,959			****	- 6 0			
1964							
V-8 "64-60"   6,388"   1293"   vear 'round air conditioning-heating system.   V-8 "64-75"   9,746"   1493"   Cadillac completes multi-millon odler expansion program which includes new Engineering Center, enlarged Manufacturing and Assembly space, multi-level parking facility, complete rebuilding of Administration Building, and conversion of previous Engineering facility to Manufacturing space.   V-8 "63-60"   6,366"   1293"   Cadillac First to provide two CV (constant velocity) joints on propeller shaft for maximum quietness and stability.   V-8 "63-76"   9,724"   1493"   Over 160,000 cars with 60% Air Conditioned, Cadillac is on propeller shaft for maximum quietness and stability.   V-8 "62-76"   9,722"   1493"   Over 160,000 cars with 60% Air Conditioned, Cadillac is very support of the control of very support of v						a m a 41 #	
V-8 "64-75"   9,746"   149%   Cadillac completes multi-million dollar expansion program which includes new Engineering Center, enlarged Manulacturing and Assembly space, multi-level parking facility, complete rebuilding of Administration Building, and conversion of previous Engineering facility to Manufacturing space.  1963   163,174	1964	165,959					
1963							
1963   163,174   V-8 "63.62"   5,214"   129%"   Cadillac First to provide two CV (constant velocity) joints on propeller shaft for maximum quietness and stability.							
version of previous Engineering facility to Manufacturing space.  1963 163,174 V-8 "63-62" 5,214* 129%" Cadillac First to provide two CV (constant velocity) joints on propeller shaft for maximum quietness and stability.  1962 160,840 V-8 "62-62" 5,213* 129%" Cadillac sets new luxury car records with production of over 160,000 cars with 60% Air Conditioned. Cadillac is First to provide Triple Braking system and Cornering Lights.  1961 138,379 V-8 "61-62" 6,233* 129%" First to provide Triple Braking system and Cornering Lights.  1961 138,379 V-8 "61-62" 6,233* 129%" Air Conditioning.  1960 142,184 V-8 "60-62" 5,080* 129%" Air Conditioning.  1960 142,184 V-8 "60-62" 5,080* 130" Cadillac introduces to luxury car owners front-fender mounted directional signal indicator lights and an automatically releasing vacuum operated parking brake.  1959 142,272 V-8 "59-62" 5,080* 130" Cadillac becomes the only luxury motor car with an owner demand for well over 1,000,000 cars in a single decade.  1958 121,786 V-8 "58-60" 5,232* 133" Cadillac pioneered Four-Link Rear Suspension adopted as standard equipment with coil springs or (optional at extra cheps) air suspension throughout entire line.  1957 146,840 V-8 "57-62" 4,780.96" 129%" Cadillac introduces the labulous Eldorado Brougham, a limited production luxury motor car with air suspension as standard equipment. All Cadillac motor care with air suspension as standard equipment. All Cadillac motor care with air suspension as standard equipment. All Cadillac motor care with air suspension as standard equipment. All Cadillac motor care with air suspension as standard equipment. All Cadillac motor care with a standard equipment. All Cadillac becomes the only car in its price class ever to be V-8 "56-60" 5,042" 133" cadillac becomes the only car in its price cla							
1963							
1962   160,840   V-8 "63-76"   9,724*   149%"   1962   160,840   V-8 "62-80"   6,366*   129%"   129%"   129%"   148%"   1961   138,379   V-8 "61-62"   6,233*   129%"   129%"   149%"   1961   138,379   V-8 "61-62"   6,233*   149%"   149%"   1960   142,184   V-8 "60-60"   6,233*   130"   149%"   142,272   V-8 "69-60"   6,233*   149%"   142,272   V-8 "69-60"   6,233*   149%"   139%"   142,272   V-8 "69-60"   6,233*   149%"   142,272   V-8 "69-60"   6,233*   149%"   142,272   V-8 "59-60"   6,233*   149%"   149%"   142,272   V-8 "59-60"   6,233*   130"   149%"   149%"   142,272   V-8 "59-60"   6,233*   130"   149%"   149%"   142,272   V-8 "59-60"   6,233*   149%"   149%"   149%"   144,274   V-8 "60-75"   9,533*   149%"   149%"   149%"   144,275   V-8 "58-60"   6,233*   149%"   149%"   144,275   V-8 "58-60"   6,233*   149%"   149%"   149%"   144,275   V-8 "58-60"   6,233*   149%"   149%"   144,275   V-8 "58-60"   6,233*   149%"   144,275   V-8 "58-60"   6,232*   130"   149%"   144,275   146,840   V-8 "58-60"   6,232*   133"   149%"   144,275							space.
1962   160,840   V-8 "63-60"   9,724	1963	163,174	V-8 '	'63-62"	5,214*	129%"	Cadillac First to provide two CV (constant velocity) joints
1962   160,840   V-8 "62-62"   5,213							on propeller shaft for maximum quietness and stability.
1961   138,379   V-8 "61-62"   5,080"   129\footnote{\pi}"   149\footnote{\pi}"   142,184   149\footnote{\pi}"   142,272   143\footnote{\pi}"   142,272   143\footnote{\pi}"   142,272   143\footnote{\pi}"   142,272   143\footnote{\pi}"   143,272   143,272   143,272   143,272   143,273   143,273   143,273   143,273   143,273   143,273   143,273   143,273   144,274   144,			V-8	163-75"	9,724*	149%"	
1961   138,379	1962	160,840					
1961   138,379							
V-8 "61-62"   6,233					·		
1960	1961	138,379					
Air Conditioning.  1960 142,184							
V-8 "60-60"   6.233*   130"   mounted directional signal indicator lights and an automatically releasing vacuum operated parking brake.							
V-8 "60-60"   6.233*   130"   mounted directional signal indicator lights and an automatically releasing vacuum operated parking brake.	1960	142.184	V-8 '	′60- <b>62</b> ′′	5.080°	130"	Cadillac introduces to luxury car owners front-fender
1959 142,272 V-8 "59-62" 5,080° 130" Cadillac becomes the only luxury motor car with an owner demand for well over 1,000,000 cars in a single decade.  1958 121,786 V-8 "58-62" 4,891° 129%" Cadillac pioneered Four-Link Rear Suspension adopted as standard equipment with coil springs or (optional at extra charge) air suspension throughout entire line.  1957 146,840 V-8 "57-62" 4,780.96° 129%" Cadillac introduces the fabulous Eldorado Brougham, a limited production luxury motor car with air suspension as standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular-center X frame.  1958 154,631 V-8 "56-62" 4,291° 129" Cadillac becomes the only car in its price class ever to be V-8 "56-60" 5,042' 133° rewarded with an owner demand for over 150,000 cars in one year.		,	V-8 '	'60-60''	6,233*	130"	mounted directional signal indicator lights and an auto-
V-8 "59-60"   6.233			V-8 '	'60-75"	9,533*	149%"	matically releasing vacuum operated parking brake.
V-8 "59-75"   9,633*   149%"	1959	142,272					
1958 121,786 V-8 "58-62" 4.891* 129½" Cadillac pioneered Four-Link Rear Suspension adopted as \$\text{v-8}\$ "58-60" 5,232* 133" standard equipment with coil springs or (optional at extra charge) air suspension throughout entire line.  1957 146,840 V-8 "57-62" 4,780.96* 129½" Cadillac introduces the fabulous Eldorado Brougham, a limited production luxury motor car with air suspension as \$\text{v-8}\$ "57-75" 7,439.88* 149½" standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular-center X frame.  1958 154,631 V-8 "56-62" 4,291* 129" Cadillac becomes the only car in its price class ever to be \$\text{v-8}\$ "56-60" 5,042' 133" rewarded with an owner demand for over 150,000 cars in one year.							demand for well over 1,000,000 cars in a single decade.
V-8 "58-60"   5,232							
V-8 "58-75" 8,460 " 149%" charge) air suspension throughout entire fine.  1957 146,840 V-8 "57-62" 4,780.96 " 129%" Cadillac introduces the fabulous Eldorado Brougham, a limited production luxury motor car with air suspension as standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular-center X frame.  1956 154,631 V-8 "56-62" 4,291 " 129" Cadillac becomes the only car in its price class ever to be 7.8 "56-60" 5,042" 133" rewarded with an owner demand for over 150,000 cars in one year.	1958	121,786					
1957 146,840 V-8 "57-62" 4,780.96° 129½" Cadillac introduces the fabulous Eldorado Brougham, a limited production luxury motor car with air suspension as standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular-center X frame.  1956 154,631 V-8 "56-62" 4,291° 129" Cadillac becomes the only car in its price class ever to be rewarded with an owner demand for over 150,000 cars in one year.							
V-8 "57-60" 5.614.32" 133" limited production luxury motor car with air suspension as standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular center X frame.  1956 154,631 V-8 "56-62" 4.291 129" Cadillac becomes the only car in its price class ever to be rewarded with an owner demand for over 150,000 cars in one year.	,	440.040					
V-8 "57-75" 7,439.88* 149%" standard equipment. All Cadillac models feature the revolutionary new Cadillac tubular-center X frame.  1956 154,631 V-8 "56-62" V-8 "56-60" V-8 "56-60" 5,042' 133° V-8 "56-75" 6,608* 149%" standard equipment. All Cadillac models feature the revolutionary new Cadillac becomes the only car in its price class ever to be rewarded with an owner demand for over 150,000 cars in one year.	195/	146,840					
1956 154,631 V-8 "56-62" 4,291* 129" Cadillac becomes the only car in its price class ever to be V-8 "56-60" 5,042" 133" rewarded with an owner demand for over 150,000 cars in V-8 "56-75" 6,608* 149%" one year.							
V-8 "56-60" 5,042' 133" rewarded with an owner demand for over 150,000 cars in V-8 "56-75" 6,608" 149%" one year.							
V-8 "56-60" 5,042' 133" rewarded with an owner demand for over 150,000 cars in V-8 "56-75" 6,608" 149%" one year.	1956	154,631	V-8 "	56-62"	4,291*		Cadillac becomes the only car in its price class ever to be
			V-8 "	56-60"	5,042'	133"	rewarded with an owner demand for over 150,000 cars in
*Manufacturer's suggested retail price at Detroit; does not include optional equipment or state and local taxes.			V-8 "	56-75"	6,608*	149%"	one year.
	*Manufac	cturer's sugges	ted retail p	rice at Detro	it; does not inclu	de optional equi	pment or state and local taxes.

BRAKES	Front	
	Rear	disc—std. all cars Independent hydraulic— drum
	Type—single piston disc—front, rear—drum Brake drum diameter—rear Brake drum, internal or external	.12"
	Brake lining, length per wheel: Forward shoe Reverse shoe Total Brake lining width Foot Parking brake location Release  Operates on Power brakes *With engine running and car in any drive gear.	Drum Drum 11.00" 9.00" 12.36" 12.00" 23.36" 21.00" 2.5" 2.00" . Left side below dash . Automatic vacuum* plus manual . Rear service brakes
SPECIFICATIONS	Car lifting device, jack	Bumper type; "75" uses scissor
	Engine lubrication—type	. Pressure No lube fittings
CAUTION: Drain mor	Crankcase capacity with filter	.4 qts. Anticipated temperature: 32°F or higher, SAE-10W- 30, SAE 20, SAE 20W 0°F to + 32°F, SAE 10W, SAE 5W-20 0°F or lower, SAE 5W, SAE 5W-20 Every 4 months, never to exceed 6,000 miles
Conditions.	Rear axle oil	.90 hypoid .Type Dexron .11 qts. 6 ozs. (completely dry) 4 qts. 20 ozs. (pan drained by filler tube only) 5 qts. (with pan and
	Gasoline tank capacity	strainer removed) Approx. 26 gallons*

DRIVE UNIT	Rear axle —description	Hypoid	Eldorado
			FWD
	Rear axle: Oil capacity	5 pints	
	SAE viscosity	90 hypoid	
	Type of final gearing		Fleetwood 75 and Eldorado
	Standard	2.94*	"75" —3.21
	Rear wheel bearing —type		Eldorado — 3.07
		oacked (permanent)	
	······································		
TIRES AND WHEELS		Firestone,	
		Goodrich and Goodvear	
	Type	Tubeless	Fleetwood 75
	Size		8.20 x 15
	Ply	Load Range B	Load Range D
	Front		28 lbs. 28 lbs.**
	Wheels:		
	Type		
	MakeI Rim. diameter		
	Tread:		Eldorado
•	Front		63.5"
	Rear		63.0"
	*Sixty Special and Brougham, 26 lbs. Eldorado, 2 **38 lbs. with 9 passengers and 200 lb. trunk load	25 lbs. front: 22 lbs. d.	rear.
STEERING			Fleetwood 75
	Steering	/ariable ratio	Non-variable
	Type	Concentric gear	
	Overall steering ratio1 Car turning radius:		18.2
	(wall-to-wall)	23′9″**	28'7"
	60 Special and Brougham	24'4"	
	*Eldorado 12,1—16.3—12.1. **Eldorado 22'4".		

TURBO HYDRA-MATIC TRANSMISSION —continued	Oil capacity Completely dry transmission Pan drained by filler tube only Pan and strainer removed	. 4 gts. 20 oz.	Eldorado Driven through chain from engmounted converter
FRAME	Frame — type	. Perimeter	<b>Eldorado</b> Boxed perimeter
FRONT SUSPENSION	Control arm pivots Knuckle support bearing Front wheel inner bearing Front wheel outer bearing Front spring —type Front spring, material Shock absorber —type Front stabilizer	upper. Single arms with tension strut rods, lower. Rubber bushings Spherical Tapered roller Tapered roller Helical coil Spring steel Hydraulic direct-	Eldorado Forked arms, upper. A- frame lower.  Double-row ball bearing. Torsion bar
REAR SUSPENSION	Type	. Rubber bushings . Helical coil . Spring steel	Eldorado See below Single leaf Also two horizontal mounted in fore and aft direction
PROPELLER SHAFT*	Type	1-piece rear suspension	Fleetwood 75 2-piece
UNIVERSAL JOINTS	Number used	Constant Velocity Permanently	2 outboard joints.)

IGNITION —continued	Initial spark advance	.1-5-6-3-4-2-7-8 .R-44-N .14 mm.
BATTERY	Number of plates	.74 . Negative
LIGHTS AND HORN	Headlight—make Headlight cover glass, dia How are headlights dimmed?  Cornering light & side marker  Horn: Type *Opt. high "C" all	. 5%"  . Depressed beam— foot switch  . Activated by directionals & light switch
TURBO HYDRA-MATIC TRANSMISSION	Gearing.  No. of forward speeds in left DRIVE position No. of forward speeds in right DRIVE position. No. of forward speeds in (L) position.  Transmission ratio  Low gear.  Intermediate gear.  High gear.  Reverse.  Torque converter maximum torque multiplication at stall.	gear transmission with fixed stator torque converter. Planetary. 3.2.1.1.2.48 plus torque converter. 1.48 plus torque converter. 1.00 plus torque converter. 2.09 plus torque converter.

## DETAILED SPECIFICATIONS

FUEL	Gasoline tank capacity Type of fuel feed Carburetor—type Manifold heat control Type of air cleaner *Eldorado, approx. 24 gallons.	. Camshaft pu . Four-barrel ( . Automatic	imp .
COOLING	Water pump type Type system Thermostat Radiator core type Full length cylinder water jacket Water all around cylinders	. Pressure . By-pass . Tube and ce . Yes	
	Fan belt length	. 35.5″ . 48.0″	45.5" 35.5" 59.0" (2 belts —Str. pmp. & A/C)
	Fan belt width	Steel .7 Std. & A/	24.8 qts.
GENERATOR	Minimum charging speed	At idle Forced air	
GENERATOR REGULATOR	Voltage regulator setting	to 14.2) 42 amp.	100° (adjust
STARTING MOTOR	Flywheel teeth, integral or ring	Steel integra	
IGNITION	Spark advance	None	26°-30°)
	Vacuum advance, maximum	Crankshaft ( 16 in. of Ha	25.5° at

## $DETAILED\ SPECIFICATIONS$

CAMSHAFT	Drive
	Timing chain—makeLink Belt Timing chain—no, of links48 Timing chain—width750" Timing chain—pitch500"
VALVES	Valve arrangementOverheadIntake opens18° B.T.C. at .001 liftIntake closes114° A.B.C. at .001 liftExhaust opens70° B.B.C. at .001 liftExhaust closes58° A.T.C. at .001 lift
INTAKE	Material Alloy steel Overall length 5.230" Diameter of head 2.00" Angle of valve face 44° Lift
EXHAUST	Material
LUBRICATION	Type Full pressure Oil under pressure to: Main bearings Yes
	Connecting rods. Wristpins. Splash Camshaft bearings Tappets. Oil pump type. Normal oil pressure. Capacity of oil reservoir Spur gear Normal oil pressure. Spur gear Normal oil pressure. Spur gear About 40 lbs. 30 m.p.h. Capacity of oil reservoir Spur gear About 40 lbs. 40 lbs. 40 lbs. 40 lbs. 50 qts. 40 lbs. 50 qts.
	Type of oil level gage

## DETAILED SPECIFICATIONS

ENGINE	Number of cylinders 8 Cylinder arrangement 90° V-type Valve arrangement Overhead Bore and stroke 4.3" x 4.06" Block and cylinder head material Cast iron Piston displacement 472 cu. in. Taxable horsepower 59.2 Max. brake horsepower 375 4400 r.p.m. Max. engine torque—lbsft 525 3000 r.p.m. Compression ratio 10.5:1 Engine mounts Vulcanized rubber Number of points of suspension 3
PISTONS AND RINGS	Material
	Clearance
RODS AND PINS	Wristpin length.  Wristpin material.  Type.  Connecting rod length.  Material—connecting rod.  Weight—connecting rod.  Lower bearing material.  Connecting rod bearing clearance.  Connecting rod bearing end play.  Steel  Steel-back  Connecting rod bearing end play.  Connecting rod bearing end play.  Wristpin length.  Steel  Arma steel  28.86 oz.  Lower bearing material.  Steel-back  Connecting rod bearing clearance.  0005"0028"  Connecting rod bearing end play.  Steel-back  Connecting rod bearing end play.  O08"016" (total two rods)
CRANKSHAFT	Material
	Number 2       3.250" x 1.0595"         Number 3       3.250" x 1.0674" inside;         1.258" outside         Number 4       3.250" x 1.0595"         Number 5       3.250" x 1.1925"

## 1969 CADILLAC GENERAL SPECIFICATIONS and Body Styles

Springs\*

	Sedan de Ville	Do Ville Convertible, Coupe de Ville and Calais Coupe	Fleetwood Elderado	Fleetwood 60 Special and Brougham	Fleetwood 75 9-Passenger Sedan and Limousine
WHEELBASE	129.5"	129.5"	120"	133"	149.8"
DVERALL LENGTH	225"	225"	220.9"	228.5"	245.5"
OVERALL WIDTH	79.8"	79.8"	79.96"	79.8"	79.8"
OVERALL HEIGHT	55.5"*	54.4"**	53.7"	56.6"	58.1"
VINIMUM ROAD CLEARANCE	5.4"	5.4"	5.4"	5.8"	6.4"
STEERING RATIO—Overall	16.2	16.2	16.3	16.2	18.2
TURNING RADIUS (Wall-to-Wall)	23'9"	23'9"	22'3"	24'4"	28'7"
TREAD—Front	63.0"	63.0"	83.5"	63.0"	83.0"
TREAD—Rear	63.0"	63.0"	63.0"	63.0"	63.0"
TIRES, Tubeless—Size	9.00 x 15	9.00 x 15	9.00 x 15	9.00 x 15	8.20 x 15

<sup>\*54.4&</sup>quot; on hardtop sedans.

<sup>\*3.21</sup> on Seventy-Five models. 3.07 on Eldorado.


<sup>\*\*</sup>Fixed ratio on Seventy-Five models.


<sup>\*\*\*</sup>Torsion bar, front, leaf rear, on Eldorado.

<sup>\*\*54.3&</sup>quot; on De Ville Convertible.

## $\frac{SPECIFICATIONS}{AND\ MILESTONES}$


Chassis	, 7, 8
Engine	, 3, 4, 5
General Specifications	
Milestones	, 10, 11, 12
Miscellaneous Specifications	
Transmission	





The Eldorado has an overall steering ratio of 16.3 to 1. This, coupled with the excellent maneuverability of variable-ratio power steering and front wheel drive, provides the Eldorado driver with quick steering response and excellent road control. A wide tread, 63.5" front, 63" rear, and suspension with high roll resistance assure outstanding roadability in virtually every type of driving terrain.


## **Exhaust System**





The Eldorado exhaust system is essentially the same as for all Cadillacs. Due to the exclusive frame and front wheel drive design of the Eldorado, the exhaust system is tailored specifically to this fine automobile. The distinctive features are dual ex-

haust pipes leading from the engine to the large muffler which is positioned across the car behind the rear exle. A single pipe then leads to the small resonator with a short tailpipe directly behind the resonator pointing rearward.

#### riat rioui-rioiit, near Ailu Luggage Compartinent









mounting of the spare tire and a flat trunk floor mean a spacious, unobstructed, load-carrying luggage compartment, especially useful at vacation time.

#### **Door Panels**





Eldorado door panels are essentially the same as for all models. The instrument panel extension or wing houses the windshield wiper-washer controls. Power window and door controls are conveniently located on the armrest as is the remote-control knob for the outside rear view mirror. The driver's door has one door latch for driver use. The passenger's door has dual door latches, one for the front seat passenger and the other for rear seat passengers, encouraging them to exit on the right or curb side.

#### Rear Vent Windows



The clean, simple lines of the rear quarter windows contribute to the Eldorado's overall distinctive styling. For the convenience of rear seat passengers, the windows are power operated and retract straight rearward into the upper rear quarter or sail panel. Switches on the left door are for driver operation of all windows and a single switch beneath each quarter window is for passenger operation.





Every Eldorado, whether equipped with air conditioning or not, comes with a complete system of air conditioning ducts and outlets. Eldorados without air conditioning have a ventilation system that draws in air at the base of the windshield as shown above on the left. Air is directed to the floor through the cowl vent outlets. These outlets are controlled by pull knobs located under each end




of the instrument panel. There are no cowl vent outlets on air conditioned cars. Air is also directed through the six air conditioning outlets, passing over the front and rear seat passengers. The air is then routed under and behind the rear seat and out through two outlets, one on each door lock pillar as shown on the right.


## Ventilation And Heating Controls (Non A/C)



The ventilation system described above is operated by the heater-defroster controls located on the instrument panel just to the left of the steering column. This system is operated with the fan switch in any one of the four speed settings. The lower lever controls the temperature. Moving the upper right lever to the VENT position admits outside air



through the six outlets located in the instrument panel. Moving the lever to FEAT turns the heater on. In the DEFROST position, warm air is directed to the windshield. To remove ice, both levers must be in the extreme right position with the fan switch set on the highest speed rating.




The Eldorado frame is specially designed to fit the structural requirements of its front wheel drive. The frame is a fully boxed design completely encircling the passenger compartment. Crossmembers give the frame additional rigidity. A subframe integral with the body is used at the rear. This subframe, com-

bined with front wheel drive, permits taking maximum advantage of space at the rear of the car for the trunk. Soft, durable rubber body mounts contain 20% more rubber for a substantial increase in structural isolation. These cushions of rubber also contribute to the Eldorado's silent ride.


## Front Suspension

The front suspension on the front wheel drive Eldorado dictates the choice of torsion bars rather than coil springs. This suspension method contributes to the excellent handling ease and road control Eldorado drivers experience and appreciate. The front of the torsion bars fit into connectors on the lower control arms. The rear portion of the torsion bars are anchored in a removable crossmember that is isolated from the frame by soft cushions of durable rubber.




Rear Suspension

The rear suspension on the Eldorado is provided by tapered, single leaf springs, a drop-center, beamtype rear axle and four exclusive Cadillac shock absorbers. Two shock absorbers are mounted horizontally and two angled vertically. Thus, the combination of single leaf springs, precisely positioned shock absorbers and the load leveling characteristics of automatic level control provide positive ride control and stability under a variety of load and road conditions.




Shown below is the Eldorado front wheel drive. In order to transmit driving torque to the front wheels, it is necessary to reverse the flow of power coming off the engine crankshaft. Dividing the transmission accomplishes this reverse power flow. The converter (A) is connected directly to the engine crankshaft. A chain drive (B) connects the converter to the rest of the transmission (C) which points toward


the front of the car. The chain drive turns the power flow around, transmitting power from the converter to the gear section of the transmission. Power then flows to the final drive unit (D) which performs the differential function in rear wheel drive cars. Here, torque is multiplied and delivered to the right and left axles (E), completing the power flow from the engine to the front wheels.



The Fleetwood Eldorado combines the best of two worlds, styling and engineering. In the world of engineering, the Eldorado blends such uncommon standards as variable-ratio power steering, automatic level control, front wheel drive, front disc brakes and a 472 cu. in. V8 engine. Each one of these engineering innovations contributes to the truly masterful


performance Eldorado owners appreciate and enjoy. Top these advances off with dramatic styling and luxurious interior appointments and what emerges is the World's finest personal car. For a look into the world of engineering, see the following pages. Styling features can be found in Sections B and E.





During cool weather, warm air is directed into the rear compartment of 75 models through the grilles located beneath each rear door armrest. During warm weather, cool, dehumidified air is directed into the rear compartment through the grilles located overhead. There are a number of small openings that diffuse the cool air evenly. In addition, a hinged door that is integral with the grille may be opened to direct air toward the rear passengers.

#### Floor Insulation




Four layers of selected materials protect the front compartment against heat, cold, noise and drafts, thus contributing to driver and passenger comfort. Two layers of jute and a layer of carpeting are used in the rear compartment. The four layers used in the front compartment are:

Carpeting
Jute
Rubber Compound
Jute


#### Scientific Soundproofing

The quietness of Cadillac interiors, long a matter of notable pride for Cadillac owners, is achieved through the Cadillac engineers' constant efforts to design-out any engine or chassis vibrations. However, the noise of thrown gravel and other vehicle's horns cannot be engineered out. Therefore, selected soundproofing is used at designated places. Added quietness is assured by insulation in rear quarter panels to reduce tire noise. A rubber compound sound-barrier is also used at each side of the cowl.


Under-the-hood insulation includes 1½" of fiberglass and a one-piece sound-barrier between engine and passenger compartment. A layer of felt deadener and a layer of tuflex insulation is used between the steel top and headlining of Calais, De Ville, Eldorado, Sixty Special and Brougham models. Soft, durable rubber seals for door, window and trunk are used to insulate against damaging moisture and dust as well as to minimize wind noise.



#### **Dual Compartment Automatic Climate Control**




Driver and rear compartment passengers of the Seventy-Five Sedan and Limousine may enjoy motoring comfort throughout the year at different temperature levels if they desire. Separate controls for the front and rear provide driver and rear passengers with selected interior temperatures. The illustration above on the left shows the controls and positions (no VENT position with dual system)




for the driver compartment. See page C-3 for operation. The illustration above on the right shows the temperature dial and OFF-ON switch that is mounted beneath a hinged cover on the right rear quarter armrest. With these separate rear controls, comfort is maintained automatically to the individual requirements of rear compartment passengers.


## Separate Rear Compartment Air Intakes



Since the Automatic Climate Control system for the front and rear compartments operate independently of each other, a completely separate rear system consisting of a heater, blower and evaporator assembly is located in the trunk. Outside air for the rear system is drawn in through the air inlets located high on the rear of the body.

## Ventilation System (Non-A/C Cars Except Eldorado)








A new dual ventilation system provides quiet, draft-free air circulation with the windows closed. Air for the system is taken in at the base of the windshield. This air is directed to the floor through the cowl vent outlets in the kick pad and through four outlets, two at each end of the instrument panel. To provide greater air distribution, the four outlets have adjustable vanes. Control knobs for upper and lower ventilation are located on the cowl kick panel at either end of the instrument panel as shown on the left.

Heating controls are located on the instrument panel to the left of the steering column.

#### Luggage Compartment









The luggage compartment is easily accessible for loading and unloading luggage, sports equipment and other items. Spare tire and jack components are mounted forward on the trunk shelf (except in Convertible and Seventy-Five models), freeing the trunk space nearest the bumper for convenient placement

of items. Other features include recessed hinges for protection of luggage, counterbalanced lid for easy opening and closing, rubber seal around the lid to keep out dust and rain and a light that shines automatically when the lid is raised.

#### **Hood Latch**



The double-action hood latch holds the hood securely shut. To raise the hood, simply release the lever that is easily accessible between the grille and hood, just to the right of center when facing the car.




The hood will pop up slightly but will not open further without releasing the secondary latch. Further movement of the lever will release the secondary latch, allowing the hood to be raised completely.

The rear axle differential gears and output shafts, modified a year ago to compensate for the larger engine and thus increased torque to the rear axle, are continued for 1969. The rear axle housing has a


minimum number of sections and welds for exceptionally strong construction. The rear axle pinion seal has a two-lip design, the outer lip sealing out dirt, the inner lip sealing in lubricant.

#### **Entry And Exit**



Unmatched freedom of movement when entering and leaving the automobile is the result of Cadillac's superb design and engineering. The wide-opening, forward hinged doors, low door sills and rounded cushion corners make access to the relaxingly comfortable interiors easy, particularly when combined with the up-and-out-of-the-way action of the Tilt and Telescope steering wheel.

## Structural Safety System




The 1969 Cadillac standard body utilizes heavy-gauge steel, welded construction and a new structural reinforcement system to further strengthen the passenger compartment against side collision. A box-shaped steel beam is welded horizontally inside each door to distribute the impact force over a larger area, thereby decreasing the possibility of passenger compartment intrusion during impact. Additional reinforcement in the lower door pillar area contributes further to the increased structural rigidity of the body.

#### Door Locks And Latches




The solid construction, easy-action Cadillac doors with passenger-guard door locks are engineered to lock tightly and stay that way. Once the doors are locked, the inside door handles are disengaged until the door lock knobs are returned to the up position manually, by Power Door Lock switch or by outside key. Latches are designed to resist opening under severe impact or stress. Stamped door hinges of a rugged design provide solid strength under impact.



Cadillac's proven four-link rear suspension has two lower control arms connecting the rear axle and frame for proper wheel alignment and ride stability under a variety of road conditions. The two upper control arms are angle-mounted high on the rear axle to help reduce sideways motion, roll on curves

and acceleration squat. Steel helical-coil springs are mounted directly over the rear axle and, with a low spring rate, provide a well balanced ride. Thick rubber insulation at control arm-to-frame mountings and at top and bottom of springs absorbs and isolates road noise.

#### Frame




The frame for 1969 has been redesigned for increased structural rigidity and lengthened at the front to be compatible with the new body styling. New front and rear crossmembers and deepened side rails located directly behind the front springs

give increased strength and added impact protection. Soft, durable rubber body mounts contain 20% more rubber for a substantial increase in structural isolation. These soft, rubber cushions also contribute to Cadillac's famed silent ride.

- without locking when the car is in any drive range with the engine running.
- C. The power brake vacuum booster assures dependable high speed and high altitude braking performance.
- D. Corrosion-resistant brake lines and rayon cord brake hoses assure increased durability and long life.
- E. Wheel cylinder pistons are super-hard and selflubricating for maximum reliability and long life.
- F. Front disc brakes have a ventilated rotor with center openings that allow air to flow past the braking surface for extremely rapid cooling. A shield protects the inboard disc and lining against road splash. The wheel envelopes the


- outboard disc and lining to complete the shielding.
- G. The two rear brake drums are finned for fast heat dissipation. A flange on the rear brake backing plate shields interior of drums from water. Rear brakes adjust automatically when the car is in reverse and the brakes applied.
- H. Front disc brakes adjust themselves automatically during brake application. Correct shoe/rotor clearance is provided by a piston sliding on a piston seal during braking, placing the seal under tension. The piston gradually changes position relative to the seal as the brake lining wears, thereby maintaining proper shoe/rotor clearance.

#### **Shock Absorbers**



Another feature that contributes to Cadillac's luxurious ride and outstanding handling is the exclusive shock absorber, with a gas-filled nylon envelope to prevent air from mixing with the fluid. Both front and rear shock absorbers are specially calibrated to precision level the car with the slightest movement and make shock absorption smooth and easy. They are also designed to give uniform action in a variety of climates.


#### Front Suspension



Cadillac's independent spring-type front suspension, which accounts for its famed ride and handling, has been improved for 1969. The helical-coil springs have been adjusted for better load characteristics, giving neither too firm a ride nor too soft a ride. New upper control arm rubber bushings increase the cushioning of road noise. Strut rods are mounted to the lower control arms and, through rubber bushings, to the frame crossmember for proper wheel alignment. Yet they do permit a momentary rearward deflection of the wheel when it encounters a road bump for a softer ride.


#### Variable-Ratio Power Steering


Variable-ratio power steering affords virtually effortless handling in getting into and out of tight places, yet maintains a reassuring feel of the road. While there is a reduction in steering wheel movement for all maneuvering, there is a major reduction in the number of steering wheel revolutions necessary to turn the front wheels lock-to-lock. Standard on all models except the Seventy-Fives.




## Rubber Cushioned Coupling And Bushings

Cadillac's smooth, almost effortless, finger-tip steering is further aided by the use of a flexible rubber coupling in the steering column and rubber bushings at steering gear-to-frame mountings. This helps absorb road shocks and vibration before they reach the steering wheel.






## Cadillac Triple Braking System



- A. The independent front and rear braking system, pioneered by Cadillac, incorporates separate fluid reservoirs, pistons and hydraulic lines for each system. Should a malfunction occur in either system, a red telltale light on the instru-
- ment cluster alerts the driver, but the other system remains operative.
- B. The parking brake is foot-operated and may be used under emergency conditions as an auxiliary braking system. It may be applied and released


#### **Constant Velocity Universal Joints**



The one-piece propeller shaft requires only two CV universal joints, mounted at each end of the shaft. On 75 models, three universal joints and a two-piece propeller shaft are used. These CV joints, permanently lubricated, help transfer power to the


rear axle smoothly and quietly, with little or no vibration. They are constructed and installed with the advantage that each offsets any vibration-setting tendencies of the other.

#### Tires And Wheels




The Cadillac wheel has a second safety bead retainer for added assurance of the tire remaining on the rim in the event of sudden deflation. The tread design, extending onto the shoulders, means road-clutching action, even in turns. Long-wearing, tough rubber compounds assure excellent durability under normal driving conditions. A 9.00 x 15 tubeless blackwall is standard on all models with the exception that, on the Seventy-Five models, an 8.20 x 15 tubeless blackwall is provided.

#### **Energy-Absorbing Steering Column**




The energy-absorbing steering column that is standard on all models has improved energy absorption capabilities for 1969. Under the instrument panel, the collapsible jacket is constructed of soft, durable plastic "pre-folded" into sections to enable it to telescope up to 8¼" upon severe impact. Imbedded in the plastic are rows of ball bearings. Upon




impact, the jacket "rolls" into the collapsible or telescopic position. When a force is applied to the front or gear end of the column, the column collapses upward. When a force is applied to the rear or steering wheel end of the column, the column collapses downward. In addition, the steering wheel is padded for increased driver protection.

## Turbo Hydra-Matic Transmission




The Cadillac Turbo Hydra-Matic transmission engineered expressly to provide the Cadillac driver with the unbeatable combination of instant, smooth response, versatility and dependability, has been improved for 1969. A new torque converter adds to the already excellent performance the driver experiences at all speeds. First gear noise, virtually inaudible before, has been hushed even more for quieter operation. A major advantage of the three-speed Turbo Hydra-Matic transmission is the fact that it delivers correct torque multiplication under all driving conditions. This is especially helpful in slow-moving traffic where low-speed acceleration and deceleration are the rule. This versatility is provided with two Drive Ranges and one Low Range.



LEFT DRIVE position. This is the recommended position for normal driving as it gives the Cadillac driver the maximum in economy, quietness and slower engine speeds. At the same time, however, there is ample acceleration reserve. By depressing the accelerator pedal to the floor, a lower gear is engaged for quick highway passing.

RIGHT DRIVE position. This position corresponds to second gear as it locks out high gear. It is used to good advantage in mountainous terrain for uphill pulling and downhill holdback on medium grades. LOW DRIVE position. By engaging first gear only, this position offers maximum engine acceleration and deceleration. It is especially useful on short, steep grades and in stop-and-go traffic.




## Cadillac Drive Line

Cadillac's one-piece tubular steel propeller shaft or driveshaft (two-piece on 75 models) transmits the flow of power to the rear axle. The durable shaft is


attached to the transmission by means of a heavy, high capacity slip yoke to help make the power transfer smooth and quiet.

## Positive Crankcase Ventilation System (P.C.V.)




Certain hydrocarbons in the fuel fail to burn completely during engine combustion and are discharged into the engine crankcase. The Positive Crankcase Ventilation System is nearly 100% effective in burning these crankcase emissions to help control air pollution. The P.C.V. System draws air through the air filter into the left hand rocker arm cover. This filtered air is routed to the crankcase where it combines with the crankcase emissions. This combustible mixture then passes through the P.C.V. Valve and into the combustion chamber where the mixture is burned.

## Air Injection Reactor System (A.I.R.)



Also during the combustion process, certain other hydrocarbons in the fuel do not ignite completely and are discharged into the exhaust system. The A.I.R. System is highly effective in reducing these undesirable tailpipe emissions, thereby helping combat air pollution. Basically, a pump driven by the engine injects filtered air into the exhaust manifold. Here, the filtered air combines with the unburned hydrocarbons at high temperatures in a chemical reaction, completing the combustion process and eliminating large concentrations of tailpipe emissions.

#### **Exhaust System**




The exhaust system for 1969 allows the high performance engine to operate at peak efficiency. The burned fuel mixture from the engine flows through the cast iron exhaust manifold into the large diam-

eter steel exhaust pipe. The waste gas then passes through the muffler and resonator before it is discharged to the rear of the car. (See p. F-20 for Eldorado system.)


#### Generator

Cadillac's high capacity generator has bearings that never have to be lubricated, resulting in greater reliability and longer life. There is a 42-amp. generator for all cars without air conditioning and a 55-amp. generator for all cars with air conditioning. The regulator has hard, gold contact points for better wear characteristics and longer life.




#### Battery


The Cadillac battery has 15 lead plates for retaining electrical energy. New poly-vinyl chloride plate separators offer greater resistance to shorting. The Delco Eye inspection window permits an instant visual check of the electrolyte level without removing the caps. When the fluid is low, the eye shows amber, indicating all cells should be filled. A new battery hold-down device is designed into the sheet metal and comes with a screw tab theft deterrent.



#### **Engine Cooling**

The cooling system features a full-length water jacket for optimum cooling. A new radiator cap reduces cooling system pressure under most operating conditions. Another new feature, exclusively Cadillac, permits a quick visual check of the coolant level without actually removing the radiator cap. A two-quart container of coolant is located to the left of the radiator and is connected by hose to the radiator overflow connection on the filler neck. Coolant in the container indicates there is sufficient coolant in the radiator. When the container becomes empty or low, coolant should be added to the container. All cars feature a seven-bladed fan while A/C cars have a recalibrated fan clutch for improved low- and high-speed cooling.






They are a lightweight cast iron design with individual inlet and exhaust ports for each cylinder in a configuration that allows for optimum induction and exhaust flow characteristics. A new stainless steel cylinder head gasket is used for better compression ratio control. Generous passages around the spark plugs, valves and valve guides help assure proper cooling.

#### Valve Train And Camshaft

The valve train plays one of the key roles in the smoothness of the Cadillac engine. Overhead valves, push rods and rocker arms are all machined for smoothness, quietness and long life. The

hardened cast iron camshaft, driven from the crankshaft by a silent chain drive, has exceptionally quiet idle and high-speed characteristics.


#### **Starter Motor**



The Cadillac starter motor is especially designed for quietness, long life and a high, sure-fire cranking speed for quick starts. The solenoid lever is completely enclosed for maximum wet weather protection and dirt-free operation. An overrunning clutch protects the starter motor from excessive speed when the engine starts.


#### Quadrajet Carburetor

Cadillac's four-barrel carburetor is engineered to combine sensational performance with economy and smooth operation. The two small primary barrels precisely control the air-fuel mixture at low engine speeds to give smoothness, positive response and fuel economy. Depress the accelerator and the two larger secondary barrels provide increased air capacity for excellent performance.




## Fuel Pump

The new Cadillac fuel pump for 1969 is of a simplified design and considerably improved. The larger fuel reservoir and larger %" diameter fuel line connecting the pump to the carburetor means more uniform fuel flow to the carburetor for improved resistance to vapor lock. This more simplified design now permits attachment of the fuel filter at the carburetor inlet.




#### Crankshaft And Pistons

The sturdy, dynamically balanced crankshaft for 1969 is a nodular iron casting supported by five main bearings that have an exceptionally fine surface finish for added durability. Lightweight aluminum pistons provide smooth engine operation under all driving conditions. The two compression rings are molybdenum-coated for longer wear characteristics. The oil ring is chrome plated for long life and better high-mileage oil economy.



## The Standard Of The World In Engineering Excellence



Cadillac reached a new level of engineering progress a year ago with the introduction of its all-new 472 cu. in. V-8 engine, the largest passenger car engine in the industry. This was only the fourth time in Cadillac's fifty-three year history of V-8 production that a new engine had been introduced, which speaks admirably of their supreme emphasis on quality. This lusty performer will, as did its three predecessors, set the Standard of the World in engineering excellence for several years to come. It will be challenged by many, crowded by several and given a good run by a few. But always, it will remain

out front as the engineering leader because the Cadillac engineers search constantly for innovations in automotive engine design. Every year they bring miracles of refinement from the drawing board to the production line.

And for 1969, Cadillac advances its engineering position with refinements to the cooling, fuel and electrical systems that will bring the Cadillac owner additional benefits in the form of quieter operation, increased performance and greater reliability. Turn the page and get acquainted with the particulars.

# $\frac{ENGINEERING}{FEATURES}$

Body		•	 	.F-11,	12, 13	3, 14		
Chassis	, ·,	٠, ٠	 	. F-7, 8	, 9, 10	0, 11		
Eldorado Special Features.	 		 	. F-15,	16, 17	7, 18,	19,	20 a
Engine								*
Transmission			 	. F-6				

ENGINEERING FEATURES

## Cadillac Safety Features

Safety for the Cadillac driver and passenger is of primary concern to the Cadillac Motor Car Division. This has been true in the past and will continue to be in the future. With a greater emphasis being placed on safety items, like seat and shoulder belts, people sometimes lose sight of the fact that these items would be useless if the structural quality of the car did not provide for built-in safety. That is why safety is engineered into the Cadillac at the basic design stage. In addition to the safety that's under the skin, every 1969 Cadillac provides, as standard equipment, the following impressive list of safety, anti-theft and convenience features:

Energy-absorbing steering column

Seat belts with pushbutton buckles for all passenger positions (except Limousine auxiliary seats)

Shoulder belts with pushbutton buckles and special storage convenience provision for driver and right front passenger (except convertibles)

Two front seat head restraints

Passenger guard door locks—with forward mounted lock buttons

Four-way hazard warning flasher

Dual master cylinder brake system with warning light and corrosion resistant brake lines. The parking brake is an auxiliary braking system

Folding seat back latches

Triple-speed windshield wipers and washers

Dual action safety hood latches

Remote-control outside rear view mirror

Backup lights

Side marker lights and parking lamps that illuminate with headlamps

Energy-absorbing instrument panel, padded sun visors

Reduced glare instrument panel top, inside windshield moldings, steering wheel hub, and windshield wiper arms and blades

Wide inside day-night mirror with deflecting base

Lane change feature in direction signal control

Safety arm rests

Thick laminate windshield

Soft, low-profile coat hooks

Padded front and intermediate seat back tops

Smooth contoured door handles


Anti-theft ignition key warning buzzer

Anti-theft ignition, steering and transmission lock

Starter safety switch on all transmissions


Tire safety rim

Safety door latches and hinges




New wheel discs for the Eldorado contribute to its overall beauty and dignity. These stainless wheel discs, handsomely styled and structurally strong, have narrow-opening louvers completely circling the disc near its outer perimeter. In the center of

the disc is a slightly raised hub bearing the Cadillac crest, the most distinguished symbol in luxury car motoring. The tire shown is the optional J-78-15 Higher Mileage-H.D. tire. A description of this heavy duty tire is detailed on page C-5.



Cadillac's attention to detail has been extended to the two keys that unlock a new world of motoring pleasure. The combination ignition-front door key is rectangular in shape with the distinguished Cadillac crest on one side and the GM Mark of Excellence on the other—further visual evidence that Cadillac and quality are one and the same. The second key, which unlocks the glove compartment and trunk, is easily differentiated from the ignition-front door key by its oval shape. This key also carries the Cadillac crest and GM Mark of Excellence.

## Anti-Theft Triple Locking System





This new system will effectively lock the steering wheel, transmission and ignition switch in one operation to help thwart auto theft. Steering wheel, selector lever and ignition switch locks are integrated into a single, key-operated unit that is conveniently located on the steering column. The ignition key simultaneously operates all three locks and can be turned to any one of five positions—ACCESSORY, LOCK, OFF, RUN, START. Grasping the tabs on the ignition switch and turning to the full clockwise position, START, cranks the engine. Once the engine is running, the ignition switch returns to the RUN

position. The first clockwise position, OFF, is for turning off the ignition without removing the key. The full counterclockwise position is ACCESSORY and is for operating the accessories with ignition off. Locking the car is accomplished by placing the gearshift lever in PARK, turning the ignition key to LOCK and removing the key. When this is done, the car cannot be started, towed or steered. The ignition key warning system will continue for 1969, sounding a buzzer when the left front door is opened with the key in the ACCESSORY, LOCK or OFF position, reminding the driver to remove the key.

Power assisted front disc brakes, featuring a single piston and floating caliper, are standard on all models and add a new dimension to positive braking action. This is especially important in today's high mileage motoring, whether it be on high-speed turnpikes or in brake-punishing mountainous terrain. Attributes of this system include consistent straight line braking, lack of brake fade, exceptionally durable brake lining and virtually full shielding from dust and road splash. Basically, the system works like this: A ventilated rotor attaches to the wheel hub and rotates with the wheel. A caliper assembly, which straddles the rotor, contains two directly


opposed shoe and lining assemblies and a single piston. The caliper assembly also contains two guide pins which permit the caliper to move or "float" laterally. On brake application, equal movement of the piston and floating caliper forces the two opposing shoe and lining assemblies to exert equal pressure to both faces of the revolving rotor in vise-like fashion. This design provides automatic adjustment of clearance between the rotor and brake lining following each application. A slightly larger diameter rotor is used on the Eldorado because of it's front wheel drive design.






#### Three-Speed Windshield Wiper

Windshield wipers on all models are recessed out of sight at the base of the windshield when not in use to enhance the Cadillac's overall smooth, sleek styling. The new tandem, left-hand articulated system gives a wipe pattern that provides better wetweather visibility. With this system, the wiper blades travel in the same direction at the same time with the left-hand or driver's side blade moving into a position parallel to the windshield pillar. Glarereducing windshield wiper arms give minimum reflection. Windshield wipers have a 3-speed control for low, medium and high operation. The control unit is now located on the door panel in an upward canted position for easier accessibility. When activated, the washer automatically delivers twin sprays of washer solution to each side of the windshield before the wiper blades begin their low-speed wiping action.




#### **Dual Comfort Seat**




This versatile, new Dual Comfort Seat permits personalized seat adjustment for relaxed and pleasant motoring. Combining the stylish luxury of a full bench seat and the personalization of bucket seats, this unique, split seat permits both the driver and passenger portions to be adjusted individually. The driver portion is electrically operated two ways, forward and backward. The passenger portion is manually operated the same two ways. Optional at extra charge is the 6-way power adjustment for driver's seat only, or driver and passenger portions. The Dual Comfort Seat is standard on the Brougham and optional at extra charge on the Sixty Special and all De Ville models except Sedan de Ville.

## **Head Restraints**



These padded head restraints are standard on all cars and fit any type front seat to give the driver and right front seat passenger an extra margin of protection. Adjustable to accommodate the varying heights of passengers, the head restraints match any trim style selected. A slightly different head restraint is used on the Seventy-Five Limousine.


## Steering Wheel



A new horn-blowing feature enables the driver to activate the horn by gently squeezing the steering wheel along its inner rim, making horn-sounding easier than ever. Compressible, soft plastic covers the horn mechanism. The three slender spokes, generously padded for added driver protection, feature a thin chrome band through the center of each. The traditional crest or crest and wreath adorns the center of the wheel. Around the rim is a rich rosewood insert flanked on either side by a narrow chrome band. A black insert replaces the rosewood insert on Calais models.


## Ash Tray Unit

A larger capacity, single-chamber ash tray and lighter unit is located below the instrument cluster and away from the A/C outlet just to the right of the steering column, easily accessible to both driver and center passenger. The larger unit also provides ample space for resting a pipe, a convenience pipe smokers will certainly find to their liking. Ball bearing mountings make opening and closing the ash tray unit quick and easy. A single-chamber ash tray and lighter unit is located in the right front door armrest for the convenience of the right front seat passenger.




## Safety Belt Stowage Receptacle

This practical stowage provision that is built into the front seat cushion below the center armrest permits the front compartment safety belts and buckles to be neatly stowed when not in use. Constructed of sturdy plastic the stowage receptacle is attractively finished to harmonize with any trim selection and is applicable to all models except the Calais Coupe and Hardtop Sedan and Seventy-Five Limousine.




#### **Automatic Locking Seat Belt Retractor**

This Cadillac exclusive for 1969 puts an end to manual seat belt adjustment for the driver and right front seat passenger. Simply pull out the retractor end of the belt and fasten it to the buckle end. The seat belt then retracts automatically into a snug position on the body, and the locking device keeps it securely in place. Merely turning the locking button on the retractor housing releases the automatic locking feature, and the driver or passenger may lean forward and easily open the glove compartment with the belt still fastened. After returning to a comfortable sitting position, the locking device automatically re-engages and the seat belt once again locks securely in place.




#### Inside Rear View Mirror




The day-night inside rear view mirror on all models is 12" long, 2" longer than last year. This means better visibility of traffic approaching from the rear. The mirror glass is shatter-resistant and vinyl-framed for added protection. The mounting support that suspends the mirror is designed to break away on impact from any direction. A simple twist of the mirror's tab moves the day-night mirror from clear daylight visibility to non-glare nighttime visibility.

#### Door Panels



The door panels on all models have a bold, new look for 1969. The pronounced wing is a sweeping, visual extension of the instrument panel, yet is actually a part of the door. The extension on the left front door houses the windshield wiper-washer controls. Power controls for the windows and doors are conveniently located on the armrest as is the remote-control knob for the outside rearview mirror. Front door lock knobs have been moved 3" forward on Sedans and 10.8" forward on Coupes for better anti-theft protection and to make the knobs more accessible when the doors are unlocked manually. Calais models have a camera grain, matte black vinyl insert. De Villes with cloth upholstery have a decorative cloth insert while De Ville leather upholstery models and all Fleetwood series cars feature a rich, rosewood insert. All inserts are framed by a thin chrome bezel. Inside door handles are recessed in the armrest for added safety.


#### Glove Compartment



The glove compartment has been newly designed to provide a roomy 452 cu. in. of storage space, 100 cu. in. or 28% more than last year. A new stowage pocket is conveniently located on the back of the door for placing the Owner's Manual, making the entire compartment available for storing other needed items. The glove compartment also features a new lock that provides more positive locking and a new recessed lock knob that rotates approximately 90 degrees clockwise for opening the door. Additional ribbing increases the compartment's torsional stiffness.


## Special Vinyl Roof Styling

The vinyl roof option that is available at extra charge on all De Ville and Fleetwood models (standard on Brougham) includes a special styling treatment of the vinyl roof for further visual distinction. A narrow paint separation that begins in the lower, forward portion of the sail panel at the belt line, follows the drip gutter moulding along the side of the car and then extends across the front of the car. The drip gutter moulding is chrome on all models. On the Brougham and Eldorado, the vinyl roof perimeter moulding contains a tasteful head of chrome to outline the pattern of the vinyl roof. All other models have a textured, top colored perimeter moulding.




#### Classic "V" Rear Window


The Coupe de Ville, shown here, together with the Calais Coupe, Calais Hardtop Sedan and Hardtop Sedan de Ville are further distinguished for 1969 with a styling feature seen only on the Eldorado—the classic "V" or wedge design of the rear window and upper roofline. This new design gives the appearance of true custom coachwork and, combined with the vinyl roof option offers a rare distinction of formality.



#### Side Glass Window

All Cadillac models have a new full side glass window this year to further the Cadillac's full flowing, classic lines. In addition, the absence of ventipanes gives the driver and passengers a clear, unobstructed view. With no ventipanes, the large, rectangular outside rear view mirror is mounted further forward on the door to give the driver a better view of traffic approaching from the rear.







The all new instrument panel for 1969 is based on principles that will provide the Cadillac owner with more protection and convenience. Controls and instrumentation are exceptionally well-placed behind the steering wheel for increased visibility and accessibility. The entire instrument and control area is in a matte black encasement for better glare reduction.

Instruments the driver looks at most—speedometer and reminder lights for GEN., OIL, ENGINE TEMP. and WATER TEMP.—are directly in front of the

driver. The vertically positioned fuel gage with moving level indicator is immediately to the left of the speedometer, also in excellent visual range. Red warning lights flank both ends of the transmission shift quadrant, with BRAKES on the left and TRUNK on the right. Directional signal indicators are placed beside the warning lights to indicate direction of turns. Windshield wiper-washer controls have been moved to a more convenient location. They are now situated on the left hand door panel extension or wing, not shown in the above photograph.

# Cadillac Styling Features







Clean-lined styling best characterizes the 1969 Cadillac. Up front is the traditional Cadillac look in the cross-hatch grille, but now a cleaner, more massive appearance is created by the three recessed grille fins housed within each rectangular opening. Newly styled horizontal headlamps inboard of the fenders broaden the front end appearance as does the wrap-around design of the combination parking lamps and directional signals. Further enhancing the clean, yet massive look of the front end is a new hood that is 3" longer overall, 2" wider at the front and has a deeper draw in the nose area. Additional credit to the clean, sculptured look comes from the neatly recessed windshield wipers.

From the side, length is accentuated by smooth, liquid highlights. Calais, De Ville and Seventy-Five

models have a thin chrome strip starting at the front wheel opening and extending the length of the body. Conspicuously absent are the front vent windows, contributing further to the clean-lined styling and long, smooth look. The cornering lamps and side marker lamps are an extension of the wraparound parking lamps and directional signals.

Rear styling is highlighted by an all new deck lid that gives the rear end a more massive appearance as well as increased trunk space. Tail lamps, backup lamps, stop lights, directional signals and side marker lights are all meticulously integrated into one large unit that blends in well with the new rear styling. The rear styling terminates in a new deep-section bumper that contributes to the massive look.






The finest testimonial to true personal car motoring is the impressive Fleetwood Eldorado—unmistakably Cadillac in its overall look, yet distinctly fresh in concept and design. A straight ahead view shows the long, sculptured hood with deep draw nose and traditional Cadillac cross-hatch grille that houses twin headlamps in a horizontal motif to give the front end a massive, yet distinctive appearance. Parking lamps and directional signals incorporated into a single, wrap-around unit add further to the front end appearance as does the deep-section design of the bumper.


A profile view reveals long, smooth lines with distinctive roofline contour. A vinyl roof option includes a testeful paint separation treatment that gives the Eldorado a richer flavor. Front side marker lights and cornering lights are meticulously integrated into a single unit mounted low on the front fenders. A somewhat sporty flair is achieved by the sculptured wheel housings and new wheel discs with narrow-opening louvers.


Eldorado rear styling is keynoted by the sweeping rear deck design and "V" rear window. Tail lamps, stop lights and directional signals are all incorporated into a single unit that is deftly designed into the tapered, trailing edge of the rear fenders. A new back up light integral with the fuel filler door has increased amperage for better illumination when backing. Red warning reflectors in the bumper give increased identification at night.

# $\frac{NEW}{FEATURES}$

Anti-Theft Triple Locking SystemE-9
Ash Tray UnitE-6
Automatic Locking Seat Belt RetractorE-6
Cadillac Styling FeaturesE-2
Classic "V" Rear WindowE-4
Disc Brakes E-8
Door PanelsE-5
Dual Comfort Front SeatE-7
Eldorado Styling Features
Eldorado Wheel DiscsE-10
Glove CompartmentE-5
Head RestraintsE-7
Instrument PanelE-3
KeysE-9
Rear View Mirror, InsideE-5
Safety Belt Stowage ReceptacleE-6
Safety Features
Side Glass WindowE-4
Special Vinyl Roof StylingE-4
Steering Wheel
Three-Speed Windshield WipersE-8







the cushion and below the bolster or in the center of the backrest.

Leather Upholstery—This term means that a combination of genuine leather and coated fabric is used throughout.

Lower Instrument Panel—The instrument panel, glove compartment door and ash receiver doors.

Luxury Coil Springs—A coil seat spring, wrapped in sheeting or muslin wider in diameter than marshall type.

Marshall Type Springs—Narrow diameter, individually wrapped in burlap, coil seat springs.

**Molded Plastic**—A formed plastic, such as front seat back panel.

Natural Grain—Leather with a natural hair cell without any additional design.

**Notched Back**—A separation at top between individual backrests. Usually in a Coupe type seat.

**Nylon Cloths**—Nylon warp fibers with Viscose filler. Any reference to a Nylon cloth means that the material is a Nylon-Viscose blend.

**OO**—When used on new car order, it refers to a special exterior color.

**OOO**—Refers to special upholstery, on new car order.

Pipes or Pleats—Style of upholstering when material is folded or separated by seams, visible or invisible.

Rear Quarters—When applied to interior it may refer to rear upper area below headlining; on 2-door cars, the section back of doors. For exterior reference it may mean rear section above belt line; lower section back of door extending to rear end of car.

Rear Shelf—The area between rear seat back and rear window. Package shelf.

**Risers**—A section raised above its surrounding area.

Sail Panel—Refers to rear section above belt line

Seaming Laces—Also called welts. A fabric covered cord or piping used to join by sewing two sections of material. This also has the benefit of locating and properly positioning the upholstery material to form and preserve the required shape.

**Sedan Type Seat**—A straight-across type seat without individual backrest separation.

Seat—Combination of backrest and seat cushion which comprises entire seat assembly.

**Seat Cover**—The top of cushion or face of backrest which has body contact.

Seat Side Panels—A section along side of front seat backrest.

Seat Wings-Lower front seat side panel.

**Set of Trim Stock**—The various components that comprise a complete interior upholstery.

Skirt-See Cushion face.

Strato Backrest-Thin, tapered backrest.

**Top Boot**—Convertible top cover when low-ered.

Top of Instrument Panel—The padded vinyl top or instrument panel cover in back of windshield.

Trim-The interior upholstery combination.

Trim Style—The design into which the upholstery fabrics are shaped, such as pipe, biscuits, plain, etc.

Vacuum Formed—Vinyl or plastic molded by vacuum instead of pressure.

Windlace—The fabric or leather covered windhose applied around doors as an air seal.

# Glossary of Interior Styling Terminology

**Back of Front Seat Back**—The back of front seat that is visible to the rear seat passengers. Also called division. Also called frame.

Backrest—The upright cushion against which passengers rest.

Backlight-Rear window.

Belt Line—The uppermost part of doors and rear quarters, extending from windshield base to rear shelf.

Bench Type Seat—A regular seat with straight-across bench type cushion and backrest as contrasted with bucket seats.

Bezel— A sloping rim around an object such as headlamp lens, brake pedal, etc.

**Biscuits**—Style of upholstering when material is formed into square or oblong sections by seams or pressed indentations.

**Body Cloth**—The basic trim material used on seat inserts—usually the heaviest weight.

**Bolsters**—The front, side or center part of a seat cushion, separated from the back or center by a welt, lace or seam. The top, side or center part of a backrest sometimes extending along the sides in a U or H shape.

Buttons—Used to produce a tufted or biscuit effect in the upholstery design; to retain trim covers and as an appearance item.

Coated Fabric—A synthetic material with a leather-like appearance, also called expanded vinyl and elascofab (Elastic-coated-fabric).

Center Pillar—A rear door hinge support structure between front and rear doors terminating at belt line on hardtop sedans.

Combination—When referred to interior upholstery, it is the complete interior that includes a combination of colors and materials such as cloth, leather, vinyl, etc. Coupe Type Seat—Individual backrests, creating a notched appearance. On 4-door styles the backrests are anchored and do not fold as they do in 2-door models.

**Cowl Quarters**—The section forward of the front door on inside of front compartment.

Cushion—The lower seat cushion or section upon which passengers sit.

Cushion Face—Vertical surface forming front and sides of seat cushion.

Cut and Sew—Cutting material to pattern; sewing and molding to form a set of "trim stock".

Dielectric—A heat and pressure process to unite, form and make designs on fabrics.

Division—The back part of front seat. Separation between front and rear compartments.

Door Pull-A grip handle on upper door panel.

Door Pad—The upholstered part of a door or section below window.

**Dust Boot**—Convertible top cover when lowered. Also called top boot.

Embossed—A dielectrically formed design on coated fabric.

**Expanded Vinyl**—An extra thick vinyl coated fabric. The soft resilient feel is attained by sandwiching a sponge-like cellular structure between the backing fabric and plastic top-coating.

Front Seat Back Panel—A machine-formed vinyl panel that covers top and sides of front seat back.

Garnish Moulding—The frame next to the glass on the inside of windshield, door, rear window and along side of headlining.

Inserts—When used with reference to upholstery, it is the center section back of bolster on

# PAST MODEL CADILLAC EXTERIOR COLORS

(Available at extra charge)

	1968		1967		1966		1965		1964
10	Sable Black	10	Sable Black	10	Sable Black	10	Sable Black	10	Ebony
12	Grecian White	12	Grecian White	12	Strathmore White	12	Aspen White	12	Aspen White
16	Regal Silver	16	Rega <b>l</b> Silver	16	Starlight Silver	. 16	Starlight Silver	14	Nevada Silver
18	Summit Gray	13	Summit Gray	18	Summit Gray	18	Ascot Gray	16	Cardiff Gray
20	Arctic Blue	20	Venetian Blue	20	Mist Blue	20	Hampton Blue	22	Beacon Blue
24	Normandy Blue	24	Marina Blue	24	Marlin Blue	24	Tahoe Blue	24	Spruce Blue
26	Emperor Blue	26	Admiralty Blue	26	Nocturne Blue	26	Ensign Blue	26	Somerset Blue
28	Caribe Aqua	28	Capri Aqua	28	Caribbean Aqua	28	Alpine Turquoise	29	Turina Turquoise
30	Silverpine Green	30	Pinecrest Green	30	Cascade Green	30	Cascade Green	32	Seacrest Green
36	lvanhoe Green	36	Sherwood Green	36	Inverness Green	36	Inverness Green	34	Lime
40	Kashmir Ivory	40	Persian Ivory	40	Ca <b>pe</b> Ivory	40	Cape Ivory	36	Nile Green
42	Sudan Beige	42	Sudan Beige	42	Sandalwood	42	Sandalwood	44	Bahama Sand
43	Baroque Gold	43	Baroque Gold	44	Antique Gold	44	Sierra Gold	46	Sierra Gold
44	Chestnut Brown	44	Doeskin	46	Autumn Rust	46	Samoan Bronze	47	Palomino
48	San Mateo Red	48	Flamenco Red	48	Flamenco Red	48	Matador Red	50	Matador Red
49	Regent Maroon	49	Regent Maroon	49	Claret Maroon	49	Claret Maroon	52	Royal Maroon
90	Spectre Blue	90	Atlantis Blue Firemist	90	Cobalt Firemist	90	Peacock Firemist	92	Firemist Blue
94	Topaz Gold	92	Crystal Firemist	92	Crystal Firemist	92	Sheffield Firemist	94	Firemist Aquamarine
96	Monterey Green	96	Tropic Green Firemist	96	Tropic Green Firemist		Jade Firemist	96	Firemist Green
97	Rosewood	97	Olympic Bronze Firemist	97	Florentine Gald Firemist		Saddle Firemist	97	Firemist Saddle
98	Madeira Plum	98	Emher Firemist	98	Ember Firemist		Crimson Firemist	98	Firemist Red

NOTE: For more specific details on the custom interior and/or exterior colors and ordering procedures in this section, see the 1969 Cadillac Optional Specifications Manual.

Eldorado, the center leather or vinyl section will be in cloth unless otherwise requested.

#### Basic Trim Code

With Gray Broadcloth, the basic trim should be 716 or 016; Beige 742 or 042. This means that except for the seat cushions and backrests which will be Broadcloth, the balance of the entire interior from carpets to headlining will be in the standard production combination of materials.

# Trim 719 Trim Style

Dumont cord trim will be "three-pillow" backrest style when ordered in a Brougham or Sixty Special.

The center section of the seats will also be in the Dumont material, not leather. That is why the bolsters are marked 719 in the order illustration. It means the entire top cover of the seats and face of backrests will be in the cloth fabric.

#### Color

This Fleetwood "75" cord material is medium Gray. However, certain prefabricated sections will be light Gray.

Such components as the headlining, back of front seat back panel, doors, door pulls, seat belts will be light tone. Combination 016 is, therefore, specified for the basic trim which represents the light tone color on these parts.

#### Landau Roof

#### Available on "75" Limousine or Sedan

For a formal appearance of unmatched distinction a Landau Roof option is offered on the Fleetwood "75". In this treatment the upper rear quarters are blocked in, the roof padded and vinyl covered, a fully chromed Landau Bow applied to each side and the rear window size reduced.

Other options that may be specified are:

- 1. Omit Landau Bows
- 2. Retain regular rear window size

Exterior ornamentation includes a FLEETWOOD plaque on the vinyl upper rear quarters and a wreath and crest on the lower quarters. The wreath and crest also appears on the lower rear quarters of standard "75" cars.

A Padded Roof only may be ordered by marking a top color number under TOP on the order form

#### Firemist Colors

#### Extra Charge All Body Styles

Five Firemist colors are offered on all body styles at extra charge.

Each of the Firemist options is distinctive and reflects a strong primary color value in its category.

Firemist color code numbers start with 9 and may be ordered by marking the number in the regular color space on the order form.

Usually, there is no procurement delay in ordering any of these regular production Firemist colors. Two-tone exterior color combinations are not available as the body styling does not provide a separation of roof and upper rear quarters from the lower panels.

Except on the Calais series, a two-tone appearance may be obtained by ordering a Vinyl Roof in a contrasting color from one of the six options.

#### Special Colors

Past model or non-standard colors can be supplied on special order at extra charge,

To order type 00 in COLOR space on order form which denotes that color is not a standard option.

In space captioned SPECIAL EXTERIOR COLOR describe color by name and model year, e.g. 1964 Lime, 1959 Seminole Red, etc.

Allow four to five weeks for shipment of any special color.

Orders for past model colors are matched in current high gloss acrylic materials. The previous color, especially if it is a few years old may have been formulated with now obsolete pigments. The newer chemicals have improved color retention and durability. However, they could produce a variance in appearance between the newer and older color.

This is a matter of information that may be of special interest to fleet owners who add new cars in the original fleet colors and have noticed a difference in their older and newer vehicles.

across the entire top of the backrest in the Sedan N and rear seat of style G.

This means that a single piece of material is required to upholster these areas and cowhides are not large enough to cover them.

#### Special Carpets

#### White Leather

Carpets and Instrument Panels in color other than Black may be ordered with White leather (or any other color).

#### **Exterior Colors**

Changes in carpet colors are made to create a more harmonious combination with the exterior color. This and the instrument panel color should be considered when selecting the carpet.

#### **Avoid Three-Tones**

The instrument panel color is an important consideration because it appears as an extension of the hood.

It should match or complement the exterior and carpet color. If not, a three-tone interior may result.

#### All Cloth

#### **Omit Leather and Vinyl**

To eliminate leather or vinyl from the body contact surfaces of the cushion and backrest, specify "All Cloth".

Cloth will then be substituted on the areas that would ordinarily be trimmed in leather or vinyl. These are primarily the center arm rest section and cushion skirt.

A discrepancy of patterns may occur in the center where the cloth material is joined. These are separately cut pieces and therefore, may not match exactly.

#### **Trim Styles**

In Calais, De Ville or Eldorado, the standard trim style of the series will be used. The center piece will, be plain, similar to the leather or vinyl that it replaces.

In the Brougham and Sixty Special, the "two-pillow" trim style will be supplied but without the pique stitching. However, a "three-pillow" method may be requested.

On the standard Dubonnet all cloth trim in styles P and M, the lower cushion skirt and side facings are vinyl. This is mentioned because heretofore they were cloth.

#### Cloth Front

#### Cloth Front and Rear

In a "75" Limousine S, the same cloth fabric used to upholster the rear compartment may be substituted for the Black leather on the front seat.

#### Trim Style

The cloth front seat trim will be 2" pleats similar to the leather style.

#### Front Doors

The front doors will be Sedan R type which includes Rosewood panels and lower carpet in door color.

#### Carpets and Instrument Panels

These will be Black regardless of the seat and door color. The steering wheel is, of course, black in all cars.

The instrument panel could be specified in a color other than Black. However, because there is no carpet option, a Black instrument panel will harmonize with the carpet and steering wheel.

The carpet on the lower part of front doors will be in the door color, which may contrast with the Black floor covering.

#### Wool Broadcloth

#### Standard Fibres

All standard option upholstery cloths are a blend of Nylon and Viscose rayon. On special request a Gray or Beige Wool Broadcloth can be supplied.

#### Trim Style

"Two-Pillow" backrest styling will be the mode in a Brougham, Sixty Special or "75" except that the pique stitching is omitted.

The entire top of seat cushion and face of backrest will be cloth covered. There will not be any leather used on the center arm rest section. In Calais, De Ville or Eldorado, the standard trim style of the series is used. In a De Ville or the exterior, i.e. No. 47 Wisteria color with Dk. Mauve doors and White seats.

#### Laces

Another option for consideration are the Laces. These may be ordered in a dark tone for contrast on the seats.

#### Other Two-Tone Suggestions

Combinations of Lt. Flax and Cordovan; Med. Gold and Dk. Green with matching tops and exterior colors.

#### Extra Charge

As a matter of information, the extra charge for a SEATS ONLY upholstery combination will be the same as a complete special leather upholstery interior.

#### Two-Tone Combinations

#### Black and White

A two-tone interior may be created by specifying a contrasting bolster color. This provides an accent and relief from an over-all monotone effect of a standard interior.

On such combinations, the leather or vinyl center section of the seats, cushion skirt and end facings of backrests will be in the bolster color.

#### More Contrast

However, if more contrast should be wanted, the back of the front seat back panel and seat wings may also be ordered in the bolster color. Order should be marked "Front Seat Back Panel Same as Bolster."

The doors, headlining, inserts and instrument panels will be in the basic trim color.

#### Other Combinations

In addition to an interior with the sharp contrast of White and a dark color, other attractive arrangements of compatible colors may be created by combining such shades as Flax and Gold, or Cordovan, Green and Flax.

# Brougham and Sixty Special Trim Styles Two trim styles are available in body types P and M. 1) A "three-pillow" and 2) a "two-pillow" backrest type.

When a two-tone is ordered in either of these body types, the "three-pillow" style will be furnished unless otherwise requested.

#### **Eldorado Bucket Seats**

The upholstery material on a Bucket Seat extends over the entire top surface of the cushion and face of the backrest, therefore the entire cover will be in a single color.

However, the rear seat in a two-tone combination will have the center section in the bolster color similar to the treatment of a bench seat.

#### Vinyl Upholstery

#### For Calais Series

Codes
252
266
269
271
284
286
287
288
289

The above special request colors are in addition to Black, 251 and Lt. Flax, 282, which are standard vinyl options at nominal extra charge.

#### White Vinyl

With White vinyl, 252, the following will be Black:

- 1. Instrument panels and rear shelf
- 2. Carpets
- 3. Seat Belts
- 4. Door Pulls
- Back of front seat back panel in Sedan N (In Coupe G it will be White).

Other colors in place of Black may be ordered for these components. To order, specify the following in any standard Calais color:

- 1. Instrument Panels
- 2. Carpets
- 3. Seat Belts

#### Leather Not In Calais

A single piece of fabric covers the seat cushion in the Calais trim styling. Also a bolster extends

#### Front Seat Type

The Brougham front seat will be Dual Comfort type with a notch back. The Sixty Special will have a regular bench type with a straight across backrest unless the extra charge Dual Comfort Seat is ordered.

#### Leather Colors

There are three leather colors that are not standard production options which may be special ordered.

Maroon 089 Med. Aqua 069 Lt. Gray 056

In addition, various carpet and two-tone combinations may be ordered.

#### Leather Grain

Standard finish on both leather inserts and bolsters in the Eldorado, Brougham and Sixty Special is Sierra grain.

Ostrich grain inserts may be substituted on special order.

#### Maximum Leather

#### Leather Trim

Leather implies the use of vinyl for certain interior components. However, if a substitution of leather on all possible areas is desired, "Maximum Leather" must be specified.

#### Maximum Leather

Leather will be applied in place of vinyl on the seat cushion skirt, sides of backrests, side of center arm rests, front seat back insert and on De Ville Sedans, the section above rear center arm rest and top face of rear seat backrest.

#### Extra Charge

The extra charge for Maximum Leather is higher than the schedule of M.S.R. prices for regular special leather. It may be ordered on all cars except Calais.

#### Leather Front

#### Leather Front Compartment

A Brougham or Sixty Special may be ordered with cloth in the rear and leather in front.

#### Trim Style

Both front and rear compartments will be in the "three-pillow" backrest mode. However, if a contrast between the front and rear should be wanted, the rear may be in an optional "two-pillow" backrest style. With this method, if a plain material such as Dubonnet cloth is ordered, it will have the pique stitch design. Deleting the pique stitch is optional.

In addition to the regular Brougham trim, code 719 Dumont material or Wool Broadcloth are favored rear compartment options for this "chauffeur" type combination.

#### Color Distribution

When the front and rear compartments are ordered in different colors, it is divided as follows:

Front Color	Rear Color
Seat	Seat
Carpet	Front Seat Back Panel
Doors	Assist Straps
Seat Wings	Front Seat Back Inserts
Instrument Panels	Lower Front Seat Back
Windshield, Garnish	Carpet Area
& Header	Carpet
Mouldings	Center Pillar
	Doors
	Windhose
	Headlining
	Shelf

## Seats Only in White Leather

#### Seats Only

The seats in White leather with Black or other color doors may be ordered.

This offers greater contrast by increasing the dark tone areas to include the entire interior except for the seats.

#### Headlining

In closed cars, special consideration should be given to the headlining color, as White may be preferred. If so, specify 352 under Headlining.

#### Two-Tone Convertible

An interesting Convertible combination is one in which the doors, etc. are harmonized with

#### **Dual Comfort Front Seat**

#### Not Standard

The Dual Comfort Seat is not a standard option in the Sedan de Ville, style L.

It may be special ordered in either cloth or leather upholstery, code S.

#### Front Seat Adjusters

The Dual Comfort Seat, standard and optional adjusters are:

#### Driver

Standard—2-way power
Optional—6-way power—code Y

#### Passenger

Standard-2-way manual

Optional-6-way power-code V

However, the 6-way passenger option must always include a 6-way driver seat option, codes VY.

#### V Without Y Not Available

A combination of 6-way passenger (V only) with a standard 2-way driver adjuster is not available.

#### **Eldorado Bucket Seats**

#### Leather or Cloth

Black, 451 B and Lt. Flax, 482 B leather Bucket Seats are production options.

Bucket Seats in other Eldorado leather or cloth colors may be special ordered.

#### Trim Style

Bucket Seats in cloth or leather will be upholstered in 2" pleat styling.

The rear seat will also be in matching 2" style. Bench seat Eldorado trim style is narrow 1¼" pleats when Dubonnet cloth is used and wider 2" pleats with 410 Dominion cloth or leather. Cloth Bucket Seats will have the rear seat center section and all cushion skirts in vinyl.

#### Console

A center console in matching color is included with Bucket Seats.

#### Seat Adjusters

The optional driver's Bucket Seat adjuster is a

4-way type that adjusts back and forth and pivots from a center point.

This means that the front and rear ends of the seat will move up or down but the entire seat does not raise and lower.

The passenger Bucket Seat has a power 2-way adjuster without option.

#### Leather in De Ville

#### Special Leather Colors

Non-standard leather colors may be ordered on special request. Some colors or combinations are optional on certain body styles but not on others. For example, Dk. Green is optional on the Convertible and Coupe de Ville, but must be special ordered on the Sedan or Hardtop.

#### Notch Back Front Seat

When upholstered in leather, De Ville four door cars will have a notch back Coupe type front seat Cloth upholstered Sedans have a straight across backrest.

The Coupe seat has a free-standing center arm rest and individual backrests which in Sedans, are anchored to prevent folding forward.

#### **Dual Comfort Seat**

Regardless of body style or upholstery (cloth or leather) the Dual Comfort Seat will have a notch back.

#### Sedan Seat

A bench type seat with a straight across backrest can be supplied at extra charge in a leather upholstered Sedan if so specified.

#### Ostrich Grain

Unless otherwise requested, Ostrich grain leather inserts and Sierra grain bolsters will be supplied in De Ville cars.

## Leather in Brougham or Sixty Special

#### Trim Style

Leather upholstered Brougham and Sixty Special cars will be in three-pillow backrest style.

# LEATHER

			OSTRIC		SIERRA GRAIN		
		DE		FLEETWOOD			
Calors	Codes	Convertible F	Coupe	Hardtop Sedan B	Sedan L	Eldorado H	60 Special M Brougham P
Black	351	N/C	STD	STD	STD	STD	отг
White—Black Carpet	352	N/C	STD	STO	STD	STD	STO
White—Blue Carpet	353	N/C					
White—Red Carpet	354	N/C					
White—Aqua Carpet	355						
Gray	356					N/A	
Dk. Blue	366	N/C	STO	STD	STO	STD	STD
Med. Aqua	369						
Dk. Green	371	N/C	STD			STO	STO
Lt. Flax Antique	382	N/C	STD	STO	STD	STD	STO
Med. Gold Antique	384	N/C	STD	STD	STD	STD	STD
Dk. Cordovan Antique	386	N/C	STD	STD		STD	STD
Dk. Mauve	387	N/C	STD	STD		STD	STD
Med. Red	388	N/C	STO	STD	STD	STO	STD
Dk. Maroon	389					N/A	


#### LEGEND

N/C	No Charge
N/A	Not Available

-	STO	Standard Option—Extra Charge
		Special Request—Extra Charge


# $\frac{SPECIAL}{ORDERS}$


and the country on party case of the gain analysis of the country of the first of the country of	
Bucket Seats	)-2
Dual Comfort Front Seat	)-2
Interior Nomenclature and Terminology	)-8, 9
Landau Roof	)-6
Special Carpets	)-5
Special Cloths	
All Cloth Upholstery	)-5
Cloth Front Compartment in Limousine	
Trim 719	
Wool Broadcloth	)-5
Special Colors (Exterior)	
"Firemist" Colors	0-6
Past Model Exterior Colors	1-7
Special Leather	
Available Colors	1-3
Front Compartment in Brougham or Sixty SpecialD	-3
In the Brougham or Sixty Special	-2
In the De VilleD	-2
Maximum LeatherD	-3
Seats Only in White LeatherD	-3
Two-Tone CombinationsD	
Special Vinyl Upholstery (Calais Series)D	-4



## **Electric Door Locks**


—provide added convenience and security, especially when young children are passengers. Women, too, appreciate the security and convenience of electric door locks. Driver and passengers remain comfortably seated while all doors automatically lock or unlock from a switch on either front door armrest. The doors can also be unlocked by pulling up individual door lock knobs. Once the doors lock, inside door handles are inoperative to prevent accidental opening. This option also provides, on all coupes, an automatic release for both seat backs which is activated when the corresponding door is opened. On the Limousine, a single switch on the driver's door armrest locks all doors. A right rear door armrest master switch locks and unlocks all doors.





# Child Safety Seat


—provides additional protection for small child passengers. The Child Safety Seat can be used conveniently in either the front or rear seat of any Cadillac. Simply push the legs of the seat between the seat cushion and backrest. Place the child in the seat and buckle the standard Cadillac seat belt. Then buckle the belt that is attached to the seat itself to hold the child snugly in place. Heavily padded and sturdily constructed, the Child Safety Seat is just one of the many ways in which Cadillac considers passenger comfort and safety.







—for more enjoyable nighttime driving. Guide-Matic headlamp control takes over the responsibility of dimming headlamps when another car approaches from the opposite direction or when driving behind another car at night. This ingenious accessory also returns them to bright after the car has passed. This allows the driver to concentrate fully on driving. Guide-Matic is also adjustable for sensitivity. Rotating the control clockwise toward FAR causes the lights to dim sooner; rotating it counterclockwise delays the dimming action. The foot switch allows drivers to override the automatic feature if desired.





—for maximum peace of mind and convenience at night. The twin benefits of Twilight Sentinel are becoming increasingly popular among Cadillac owners. This invaluable nighttime aid can be set to turn headlamps on automatically as darkness approaches and turn them off when sufficient daylight returns. Equally beneficial is the delayed timer switch which, when activated, permits keeping headlamps and either cornering lamp on up to ninety seconds after turning off the ignition, thus providing a path of light at night for driver or passengers as they exit the car. Ladies especially appreciate the security of Twilight Sentinel.

# Electric Remote-Control Trunk Lock

of the car. The extra personal convenience of this accessory is enjoyed by many Cadillac owners. Lightly touching the trunk-lock button inside the glove compartment unlatches the trunk lid to permit


access to the luggage compartment. When the lid is lowered and nearly closed, a power lock takes over the responsibility of latching the trunk lid securely in place. A red light on the instrument cluster indicates when the trunk lid is unlatched





# Rear Window De-Fogger

—aids rear visibility during inclement weather. Fanblown air is directed across the rear window from the grille on the package shelf to help keep interior fog and mist from obscuring rearward vision. During winter, the fan-blown air helps prevent the accumulation of ice and snow. Two speeds permit setting the blower according to the weather. Not available on the Convertible. A Rear Window De-Fogger emitting warm air is standard on Seventy-Five models.






# Trumpet Horn


-adds an extra note of distinction to fine car motoring. The high "C" note extracted from the trumpet styled horn is a truly distinctive sound. When combined with the other notes of the standard Cadillac horns, the resulting sound carries authority in a pleasing manner. The available Trumpet Horn is another of the many ways in which Cadillac helps make motoring more personal and more enjoyable.

# Soft Ray Glass

—increases motoring comfort. Cadillac Soft Ray Glass shields the car interior from undesirable heat and sun glare, thus aiding passenger comfort and reducing eye strain. It is also a natural complement to cars equipped with Automatic Climate Control, allowing the system to operate without strain. Soft Ray Glass includes tinted windows all around with heavier shading on the upper portion of the windshield.



# **Dual Comfort Front Seat**




-permits personalized seating for more relaxed motoring. This unique seat provides both driver and front seat passengers the stylish luxury associated with a full bench seat in combination with the personalization of bucket seats. Each of the two portions of this versatile seat adjusts individually to give driver and passengers the comfortable seating position of their choice. Controls are located on the lower seat side panel, 2-way power on the driver portion for forward and backward adjustment, 2-way manual on the passenger portion also for forward and backward adjustment. A 6-way power seat adjustment is available on the driver side. It is also available on the passenger side when the driver's side 6-way power adjustment is ordered. Seat backs are contoured and high-backed for added support and comfort. The Dual Comfort Seat is standard on the Brougham and optional at extra charge on the Sixty Special and all De Ville models except Sedan de Ville.

# Strato-Bucket Seats (Eldorado Only)



—for individual seating comfort. Strato-bucket seats with attractive center console is an extra charge option that many Eldorado owners find to their individual liking. The contour-formed, high-backed design is relaxing and comfortable as well as being an important aid to upper torso support. Driver and passenger side controls permit forward and backward adjustment electrically. Four-way power for the driver is optional at extra charge.


# **Shoulder Belts**



—for added protection. Shoulder belts for the driver and right front seat passenger are standard on all models with the exception that, on the Convertible, they are optional at extra charge. They fit diagonally across the passenger's upper body and help prevent the passenger from tilting forward in the event of a sudden stop. Shoulder belts come in colors to match the standard seat belts and feature the same easy-to-use pushbutton buckle as seat belts.

## Seat Warmer


—puts pleasure into cold weather motoring. Heating elements built into the front seat cushion and seat back (rear seat cushion and seat back on Seventy-Five models) provide heat quickly when the switch is turned on, thus taking the chill out of motoring until the heater has a chance to warm sufficiently. The switch is conveniently located on the instrument panel and turns off automatically once the heater provides enough warmth for passenger comfort.



# Power Seats (Four-Way)

(Eldorado Bucket Seats, Driver's Side Only)


—for increased driver comfort. The driver's seat in bucket-seat-equipped Eldorados may be electrically operated four ways for virtually unlimited driving convenience. Controls permit backward or forward and angle adjustment. Two-way power, permitting backward and forward adjustment for the driver and passenger is standard with bucket seats.




# Power Seats (Six-Way)

—for personalized seat positioning. The full front bench seat and the new Dual Comfort Front Seat may be adjusted electrically in six different directions to assure a more comfortable driving position. Controls are mounted on the driver's side of the front seat on the full bench seat and a simple pressure of the fingers moves the seat backward or forward, up or down and adjusts the seat's angle.


On the Dual Comfort Front Seat, controls are mounted on both the driver and passenger portions of the seat to enable driver and passengers to regulate the seat for their own personal comfort. The 6-way power seat is available on the passenger side only when the driver's side 6-way power adjustment is ordered.






—to enhance Cadillac's distinctive appearance. The dual stripe whitewall tire shown at left is available on all models in a 9.00 x 15 size tubeless with the exception that, on the Seventy-Five models, an 8.20 x 15 size tubeless is provided. Body construction of this tire provides a soft, quiet ride. Blackwall tires in the same sizes as listed above are standard equipment.

# Higher Mileage-H.D. Tires (Eldorado Only)




—ideal for high speed, high mileage motoring. Body construction of this deluxe option consists of two polyester cord plies crisscrossing at an angle. Topping this are two fiberglass cord belts running around the tire's circumference. This helps stabilize the tread, resulting in longer tread life, responsive handling during braking and acceleration and excellent traction on wet surfaces. The tread is slightly wider for increased footprint contact with the road surface. This results in excellent stability and firm steering control. Blackwalls not available.


# Controlled Differential



—for surer traction and handling. Cadillac Controlled Differential adds another reassuring touch to the pleasure of driving a fine automobile. In any forward gear as well as reverse, power is directed to the driving wheel having the best grip on the road surface. Thus, the driver can be more confident whenever he encounters ice, snow, sand, mud, gravel and wet or oily pavement. Controlled Differential also adds stability on rutted roads and contributes to longer tire life. Not available on the Eldorado.

# Tilt and Telescope Steering






—adds to the pleasure and comfort of driving a Cadillac. Cadillac's Tilt and Telescope steering wheel fits the driving requirements of most drivers by moving four ways—up and down, in and out. Especially is it a comfort to drivers when combined with Cadillac's 6-way power seat. The wheel tilts quickly and easily to a new position by simply lifting the lower lever at the left of the steering column. It is also desirable to move the wheel up

and out of the way to permit easier entry and exit.

The steering wheel may be telescoped within a three-inch range that's comfortably right to the driver by moving the small tab atop the steering column to the left. Moving the tab to the right locks the wheel in position. Although adjustments may be made while the car is in motion, care should be exercised when doing so.


## **Automatic Level Control**

—maintains Cadillac's excellent posture under varying load conditions. Automatic Level Control keeps the car level with the road even when carrying several rear seat passengers or extra vacation luggage. It is also ideal when pulling a trailer. Pressurized air is directed into or out of the rear shock absorbers when loading or unloading. Thus, in addition to helping correct headlight aim, Cadillac's famed riding and handling qualities are maintained. Automatic Level Control is effective with any load up to 500 pounds and is standard on all Fleetwood models.






# Automatic Climate Control (continued)




Automatic Climate Control provides the following operating positions: VENT, for ventilation using outside air at a fixed low blower speed; LO, for automatic operation at a fixed low blower speed; AUTO, for controlling heating, air conditioning and blower speeds according to the in-car temperature; HI, for automatic operation at a fixed high blower speed using 80% recirculated air for maximum cooling; FOG, for de-fogging; and ICE, for de-icing. The six air outlets may be adjusted for air flow direction or turned off individually. For dual system Automatic Climate Control, standard on Seventy-Five models, see page F-13.


# Cruise Control (Electric)



-for more enjoyable turnpike and long distance motoring without using the accelerator. Simply dial the desired speed, pre-set the switch to AUTO, accelerate to the selected speed and Cruise Control maintains that speed, even in hilly terrain. Lightly touching the brake disengages Cruise Control, and the accelerator may be used until the pre-set speed is reached. It is also disengaged by moving the switch to OFF or turning the ignition off. Cruise Control also acts as a speed warning device to keep motorists from exceeding the posted speed limit once the dial is set at that speed. Gentle back pressure to the accelerator helpfully indicates to the driver that the selected speed has been reached. A red arrow next to the dial indicates Cruise Control is in the AUTO position. A different unit is offered on the Eldorado.

# Cruise Control (Vacuum)—Eldorado Only






maintains a pre-selected speed for more enjoyable motoring. On the Eldorado, a slightly different type Cruise Control (Vacuum), shown on the left, is used to maintain a selected speed. To operate, simply move the switch to ON, accelerate to the desired speed and press the pushbutton engage switch at the end of directional signal control lever. To disengage the system, the driver merely touches the brake pedal or presses the control button, slows to the desired speed and releases the button. Red-colored ON letters indicate the system is ready for fingertip lock-in. Green-colored CRUISE letters indicate lock-in has actually occurred.




# Stereo Tape Player

-offers the unique pleasure of listening to personalized, pre-recorded music without interruption. Mounted on the lower instrument panel, the attractive looking 8-track stereo tape player is available with any of the superior Cadillac radio systems. Inserting a cartridge into the unit automatically switches power from the radio to the tape player. After the cartridge is positioned in the unit, the controls may be adjusted for proper volume, tone and speaker balance. Each of the tracks in the cartridge will automatically play in succession, or the tracks can be manually selected by pushing the SELECT knob. The stereo tape player is a dealer installed item available on all models. No rear compartment controls are available on the Seventy-Five models.



# Rear Compartment Radio Controls


—additional convenience for rear seat passengers. Available on the Seventy-Five Sedan and Limousine equipped with the Cadillac AM radio. Controls located on the right-hand rear armrest permit rear compartment passengers to select the station of their choice.




## **Automatic Climate Control**

—the modern way to control interior temperature twelve months a year. Dial the temperature desired and heated or cooled air maintains that temperature automatically. Significant advancements for 1969 include a new feature that prevents windshield fogging when the system is first turned on, a 19% increase in cooling capacity, a 7% increase in heating capacity, and more versatile air outlets for greater passenger comfort. When outside air is above approximately 35°, incoming air is first cooled to control humidity, then reheated to assure maximum comfort and minimum window fogging.









—brings passengers excellent tone and fidelity. Completely transistorized for instant sound and long life, the Cadillac AM radio directs sound through the front or rear speaker or both. Presetting the five pushbuttons permits pushbutton tuning to favorite stations. For selective tuning across the dial, the MORE STATIONS selector bar "seeks out" the strongest station in the area. The sensitivity control lever may be set for strong stations or weak and more distant stations. Controls are provided for bass and treble adjustment. New pushbutton controls are provided for automatically raising and lowering the antenna.

## Cadillac AM-FM Radio



—a large choice of stations for more enjoyable listening. Tuning to an FM station permits passengers to enjoy mood-matching music that is almost completely free of ordinary static. The Automatic Frequency Control provision provides added high-performance sound with its exceptional "holding" on frequency without interference from adjacent stations. The AM-FM selector bar is conveniently located just above the radio dial. Only the dial for the selected band becomes visible, making tuning less confusing. In addition, the AM-FM letters on the dial light up indicating which band is in use. Sound is directed through two speakers, one front, one rear.


## Cadillac AM-FM Stereo Radio



—for the best all-around sound in "live" music. The excitement of listening to vibrant, concert-hall sound is easy with Cadillac stereo. The true richness of stereo is broadcast throughout the car with two speakers in front and two in the rear that are cross-balanced—left front with right rear and right front with left rear. Thus, regardless of where passengers sit, they receive the fullness of stereophonic reception. When pushing the AM-FM selector bar, only the dial for the selected band becomes visible, making tuning less confusing. The word STEREO appears in amber when tuned to a stereo station. Not available on Seventy-Five models.

# $\frac{OPTIONAL\ EQUIPMENT}{FEATURES}$

Automatic Climate Control	C-2,
Automatic Level Control	
Child Safety Seat	C-10
Controlled Differential	
Cruise Control (Electric)	C-3
Cruise Control (Vacuum) — Eldorado Only	C-3
De-Fogger, Rear Window	C-8
Door Locks, Electric	C-10
Dual Comfort Front Seat	. C-7
Guide-Matic (Headlamp Control)	C-9
Higher Mileage — H.D. Tires (Eldorado Only)	C-5
Radio, AM	C-1
Radio, AM-FM	C-1
Radio, AM-FM Stereo	C-1
Radio, AM Rear Compartment Controls ("75" Models).	. C-2
Seat Adjuster, 4-Way (Driver's Bucket)	. C-6
Seat Adjuster, 6-Way	. C-6
Seat Warmer	. C-6
Shoulder Belts	. C-7
Soft Ray Glass	. C-8
Stereo Tape Player	. C-2
Strato-Bucket Seats (Eldorado Only)	
Tilt and Telescope Steering Wheel	. C-4
Trumpet Horn	. C-8
Trunk Lock, Electric Remote-Control	
Twilight Sentinel	C-9
Whitewall Tires	C-5



OPTIONAL EQUIPMENT

# FLEETWOOD SEVENTY-FIVE SEDAN AND LIMOUSINE LANDAU ROOF OPTION

LANDAU ROOF. The stunning Landau Roof, with its padded vinyl cover, reflects an exceptionally elegant touch and is available exclusively for the Fleetwood Seventy-Five Sedan and Limousine.


**LANDAU BOWS.** An attractive Landau Bow decorates each rear quarter panel of the Landau Roof. The arms are of bright metal with a brushed finish on the end studs and center pivot section.


REAR WINDOW STYLING. The Landau Roof comes with a small, rectangular rear window to add to rear compartment privacy.


OPTIONS. Two options are available when ordering a Landau Roof:

- 1. Omit Landau Bows
- 2. Retain the regular rear window

**EXTERNAL ORNAMENTATION.** Included with the Landau Roof is a Fleetwood plague on each upper rear quarter panel. In addition, the distinguished wreath and crest on each lower rear panel is included.







B-27b

# う金石正

# SEVENTY-FIVE LIMOUSINE UPHOLSTERY AND SEAT STYLING

**UPHOLSTERY STYLING.** The chauffeur's compartment of the Seventy-Five Limousine comes in rugged Sierra grain black leather fashioned in 2-inch piping. The rear compartment, in three horizontal pillow and button style, is tailored in rich Devereaux cloth inserts with leather accents or Dumont cloth. Distinctive Dubonnet cloth in two horizontal pillow style with an elegantly sewn design in the seat cushion and seat back is also available for the rear compartment. Dubonnet cloth has a two-tone appearance achieved through a trico knit weave. Devereaux cloth has a large, ornate tapestry weave appearance for a truly luxurious feel and look. Dumont cloth has a stately, masculine cord weave appearance.

**SEAT STYLING.** The bench type seat with straight-across backrest and folding center armrest in the rear compartment is standard.


**DIVISION GLASS.** A glass partition dividing front and rear compartments may be raised or lowered by the controls conveniently situated on left and right rear quarter trim panels.

AUXILIARY SEATS. Two auxiliary seats provide extra seating space when needed. They fold against the rear of the front seat back when not in use.

VINYL TOP. A padded vinyl top is an extra charge option that lends a distinctive two-tone appearance to the Limousine and further isolates sound from the interior.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

STANDARD AND OPTIONAL EQUIPMENT. See Equipment Charts on Pages A-9, A-10, and A-11.



		SEATS		000	ORS	INSTRUMENT PANELS	CARPETS
## The Part	FRONT	REAR	FORMED FRONT SEAT BACK PANEL	FRONT	REAR	TOP & LOWER	
	Leather— 2" Pleats	Nylon Viscose Cloth	Rosewood Assist Strap	Expanded Vinyl	Expanded Vinyl	Steering Wheel	Trianon & Tyrol Quality
C	Cushion Facing—	Inserts	& Loops	Moulded Vinyl Parts*	Rosewood Inserts	Control Lever Caps	Retractor
0 0	Expanded Vinyl	Nylon Viscose Cloth or	Headlining— Ascot Cloth	-	Seat Belt & Shoulder	Steering Column &	Housing
-	Head	Leather	Garnish		Belt	Cover	
E	Restraints	Center Section	Mouldings		Webbing		
S	Seat Belt & Shoulder Belt Webbing	Cushion Facings— Expanded	A/C Outlets in Headlining				
		Vinyl or Cloth	And Carlos and Annual	d			
711	BLACK	BLACK DEVEREAUX	BLACK	BLACK	BLACK	BLACK	BLACK
716	BLACK	LT. GRAY DUBONNET	LT. GRAY	BLACK	LT. GRAY	BLACK	DK. GRAY 1
719	BLACK	MED. GRAY DUMONT	LT. GRAY**	BLACK	LT. GRAY	BLACK	DK. GRAY 1
726	BLACK	DK. BLUE Dubonnet	DK. BLUE	BLACK	DK. BLUE	BLACK	OK. BLUE 1
742	BLACK	MED. FLAX DUBONNET	LT. FLAX	BLACK	LT. FLAX	BLACK	MED. FLAX 1


<sup>&</sup>quot;Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover.
"Headlining is Lt. Gray Taffeta Coated Fabric.


- 1,	. Black	Carpet	in i	Front	Compartment

INTERIOR	DIMENSIONS			
	Front	Rear		
Head room	38.5"	38.3"		
Shoulder room	59.9"	58.4"		
Hip room	62.1"	57.8"		
Leg room	40.3"			
Seat height	11.9"	12.8"		

INTERIOR LAMPS			
	SWITE	SWITCHES	
LAWPS	Door Jambs	Other	
Courtesy-Inst. panel ends	X	Headlamps	
Courtesy-rear door	X (Rear)		
Reading Spot, on A/C roof grilles	X (Rear)	Rear Quarter Trim Panels	
Door, Front, red warning	Х		
Map, on inst. panel		Integral	
Map, Spot, on header	'	Headlamp	

# FLEETWOOD SEVENTY-FIVE LIMOUSINE





B-25b

# SEVENTY-FIVE SEDAN UPHOLSTERY AND SEAT STYLING

UPHOLSTERY STYLING. Dubonnet cloth upholstery, fashioned in two horizontal pillow and button style with an elegantly sewn design in the seat cushion and back, highlights the Fleetwood Seventy-Five interior. Devereaux cloth inserts with leather or Dumont cloth is available in three pillow and button style. Dubonnet cloth has a two-tone appearance achieved through a trico knit weave. Devereaux cloth has a large, ornate tapestry weave appearance for a truly luxurious feel and look. Dumont cloth has a stately, masculine cord weave appearance.


**SEAT STYLING.** The bench type seat with straight-across backrest and folding center armrest front and rear is standard.

AUXILIARY SEATS. Two auxiliary seats provide extra seating space when needed. They fold against the rear of the front seat back when not in use.

VINYL TOP. A padded vinyl top is an extra charge option that lends a distinctive two-tone appearance to the Sedan and further isolates sound from the interior.

VINYL TOP COLORS. Code: 1. White 2. Black 3. Dark Blue 4. Gold 5. Cordovan 6. Flax

**STANDARD AND OPTIONAL EQUIPMENT.** See Equipment Charts on Pages A-9, A-10, and A-11.



		SEATS		DOORS	INSTRUM	INSTRUMENT PANELS		
	INSERTS	CENTER SECTION	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP ANO LOWER	STEERING WHEEL		
C	Nylon Viscose Cloth	Nylon Viscose Cloth or	Headlining— Ascot Cloth	Rosewood	Rear Shelf	Control Lever Caps	Trianon & Tyrol Quality	
0		Leather Cushion	Garnish Mouldings	Seat Belt & Shoulder Belt Webbing		Steering Column & Cover	Retractor Housing	
D E		Facings— Expanded Vinyl or	Head Restraints	Moulded Vinyl Parts*			Foot Rests	
S		Cloth Seaming	Assist Strap & Loops	Windlace				
		Laces	A/C Outlets in Headlining	Door Header Lace				
111	BLACK DEVEREAUX	BLACK LEATHER	BLACK	BLACK	BLACK	BLACK	BLACK	
16	LT. GRAY DUBONNET	LT. GRAY DUBONNET	LT. GRAY	LT. GRAY	OK. GRAY	BLACK	DK. GRAY	
19	MED. GRAY DUMONT	MED. GRAY DUMONT	LT. GRAY**	LT. GRAY	DK. GRAY	BLACK	DK. GRAY	
26	DK. BLUE DUBONNET	DK. BLUE Dubonnet	DK. BLUE	DK. BLUE	DK. 8LUE	BLACK	DK. BLUE	
42	MED. FLAX DUBONNET	LT. FLAX DUBONNET	LT, FLAX	LT. FLAX	DK. FLAX	BLACK	MED. FLAX	

<sup>&#</sup>x27;Moulded Soft Viryl Parts Include: Bearview Mirror Support Cover; Coat Hooks.
"'Headlining is Lt. Gray Taffeta Coated Fabric, Head restraints will be Med. Gray.

INTERIOR	DIMENSIONS		
	front	Rear	
Head room	40.4"	38.3"	
Shoulder room	59.9"	58.4"	
Hip room	62.9"	57.8"	
Leg room	41.0"		
Seat height	11.6"	12.8"	

INTERIOR LAMPS		
	SWIT	CHES
LAMPS	Door Jambs	Other
Courtesy-Inst. panel ends	Х	Headlamp
Courtesy rear door	Х	
Reading Spot, on A/C roof grilles	Х	Rear Quarter Trim Panels
Doors, red warning	X	
Map, on inst. panel		Integral

# FLEETWOOD SEVENTY-FIVE SEDAN

# Leather Options at Extra Charge

	AND THE PARTY OF T	SEATS	AND THE PARTY OF T	DOORS	INSTRUMEN	T PANELS	CARPETS
	LE INSERTS	ATHER BOLSTERS	FORMED FRONT SEAT BACK PANEL	INSERTS	TOP AND LOWER	STEERING WHEEL	- Total of the Control of Control
C O D E	Leather Sierra Grain	Sierra Grain Leather  Cushion Facings— Expanded Vinyl  Headlining— Taffeta Coated Fabric  Garnish Mouldings	Laces Head Restraints Assist Strap Moulded Vinyl Parts*	Rosewood  Surrounding Area — Expanded Vinyl  Vinyl Door Pull Seat Belt & Shoulder Belt Webbing	Rear Shelf	Control Lever Caps Steering Column & Cover	Trianon & Tyrol Quality  Cowl Quarter Grille  Retractor Housing Seat Belt Boot
U51 051S	BLACK		BLACK	BLACK	BLACK	BLACK	BLACK
052 052S	WHI	WHITE		WHITE 1	BLACK	BLACK	BLACK
066 066S	DK.	DK. BLUE		DK. BLUE	OK. BLUE	BLACK	DK. BLUE
071 071S	DK.	DK. GREEN		DK. GREEN	DK. GREEN	BLACK	DK. GREEN
082 082S	LT. FLAX		LT. FLAX	LT. FLAX 2	DK. FLAX	BLACK	MED. FLAX
084S	MED. GOLD		MED. GOLD	MED. GOLD	DK. GOLD	BLACK	MED. GOLD
086 086S	DK. CORDOVAN		DK. CORDOVAN	DK. CORDOVAN	DK. CORDOVAN	BLACK	DK. CORDOVAN
087 087 <b>S</b>	DK. MAUVE		DK. MAUVE	DK. MAUVE	DK. MAUVE	BLACK	DK. MAUVE
088 088\$	MEC	J. RED	MED. RED	MED. RED	DK. RED	BLACK	DK. RED

<sup>\*</sup>Moulded Soft Vinyl Parts Include: Rearview Mirror Support Cover; Coat Hooks.

Rear
38.0"
59.6"
62.1"
44.3"
14.3"

INTERIOR LA	MPS		
	SWIT	CHES	
LAMPS	Door Jambs	Other	
Courtesy-Inst. panel ends	X	Headlamp	
Courtesy-rear quarter and rear door	Х		
Doors, red warning	X		
Map, on inst. panel		Integral	
Glove Box and Trunk		Automatic	
Reading Spots, swivel	Х	Rear Quarte Trim Panel	

<sup>1.</sup> Black Seat Beits & Shoulder Beits 2. Med. Flax Seat Beits & Shoulder Beits

Cadillac
TOTAL BODY STYLES

|--|

68247	G	Calais Coupe	129.5"	225"	
68249	N	Calais Hardtop Sedan	129.5"	225″	

### DE VILLE

68367	F	De Ville Convertible	129.5"	225"
68347	J	Coupe deVille	129.5"	225"
68349	8	Hardtop Sedan deVille	129.5"	225"
68369	L	Sedan deVille	129.5"	225"

### FLEETWOOD

69347	н	Fleetwood Eldorado	120"	221"	
68069	M	Fleetwood Sixty Special	133"	228.5"	
68169	P	Fleetwood Brougham	133"	228.5"	
69723	R	Fleetwood Seventy-Five Sedan	149.8"	245.5"	
69733	S	Fleetwood Seventy-Five Limousine	149.8"	245.5"	

				······································	
69890	Z	Commercial Chassis	156"	250.5"	

Deduct pounds when car is not equipped with Automatic Climate Control, as listed weights include this equipment.

Add pounds for Padded Roof (except on Brougham Sedan).

Add pounds for Vinyl Roof.

Add pounds for Automatic Level Control (except Fleetwood series on which it is standard).

# **COLORS**



### 1969 CODES AND IDENTIFICATION

Code	Name	Calais & DeVille Closed Cars	DeVille Convertible	Eldorado	Broughem & 60 Special	Manufacturers Identification
						870-848
10	Sable Black	4.2%	5.5%	5.5%	15.8%	L67 KD 005 926-96459
12	Cotillion White	13.8	14.4	10.8	9.9	870-3967 L67 WD 007 926-99642
16	Patina Silver	4.6	2.7	4.4	4.7	870-3927 L68 AD 007 927-99480
18	Phantom Gray	2.5	1.3	1.8	5.4	870-3926 L68 AD 006 927-99481
24	Astral Blue	6.9	5.4	3.1	4.8	870-3850 L68 BD 023 927-99338
26	Athenian Blue	2.8	2.8	3.7	7.8	870-3932 L68 BD 012 927-99483
28	Persian Aqua	6.6	5.2	3.5	3.2	870-3933 L68 BD 015 927-99484
30	Palmetto Green	8.9	4.4	3.5	4.7	870-3863 L68 GD 017 927-99335
36	Rampur Green	3.5	3.0	2.4	6.1	870-3935 L68 GD 016 927-99486
40	Colonial Yellow	4.9	6.7	3.6	1.8	870-3313 L67 YD 013 926-96908
42	Cameo Beige	5.5	4.2	3.1	3.6	870-3936 L68 ND 011 927-99487
44	Shalimar Gold	14.3	5.8	<b>7.</b> 1	9.5	870-3922 L68 LD 007 927-99333
46	Cordovan	9.3	9.0	8.0	4.5	870-3937 L68 ND 015 927-99488
47	Wisteria					870-3930 L68 RD 015 927-99489
48	San Mateo Red	2.6	11.0	5.2	.8	870-3788 L68 RD 011 927-99014
49	Empire Maroon	2.4	1.4	1.6	3.1	870-3929 L68 RD 013 927-99490

### FIREMIST COLORS

						4		
90	Sapphire Blue	.9	1.7	4.7	3.2	L68 BD	018	927-99491
94	Chalice Gold	2.1	2.3	9.0	3.9	168 LD	006	927-99492
96	Biscay Aqua	2.0	4.1	7.4	2.2	L68 BD	021	927-99493
97	Nutmeg Brown	1.1	1.9	5.8	3.0	L68 ND	016	927-99494
99	Chateau Mauve	.7	1.3	4.1	2.0	L68 PD	007	927-99495

The above percentage figures represent comparable previous model color popularity.

Although regional climate influences color selection, these national averages may be helpful to customers in choosing a color or for ordering stock cars.

A percentage is not listed for Wisteria (code 47), as it is a new color family and does not have a previous

counterpart. The percentage totals will, therefore, not equal 100%.

Three manufacturers supply lacquer for Cadillac cars. Each supplier's indentifying numbers are listed in the right hand column. Those starting with L are Rinshed-Mason; 6 and 7 digit numbers are Forbes; 8 digit are Du Pont. Forbes does not furnish Firemist colors.



# adillac COLOR-TOP

### 1969 RECOMMENDATIONS

COLOR	BROUGHAM PADDED ROOFS	ELDORADO PADDED ROOFS	DE VILLE VINYL ROOFS	CONVERTIBLE TOPS
10 Sable Black	2	2 1	2 1	2 1
12 Cotillion White	2 1 3	2 1 3	2 3 1	1 2 3
16 Patina Silver	2	2 3 1	2 3 1	2 1 3
18 Phantom Gray	2	2 1	2	2 1
<b>24</b> Astral Blue	3 2 1	3 1 2	3 1 2	1 3 2
<b>26</b> Athenian Blue	2 3	2 3 1	2 3 1	1 3 2
<b>28</b> Persian Aqua	2 1	1 2	2 1	1 2
<b>30</b> Palmetto Green	2 1	2 1	2 1	1 2
<b>36</b> Rampur Green	2 4	2 4 6 1	2 4 6 1	2 6 1
<b>40</b> Colonial Yellow	2 4 1 5	2 4 1 5	2 4 1 5	2 5 1
42 Cameo Beige	5 6 2	5 6 2	5 2 6	6 5
44 Shalimar Gold	4 2 1 5	4 2 1 5	4 2 1 5	2 1 5
<b>46</b> Cordovan	6 5 2	6 5 2 1	6 5 2 1	6 5 1
47 Wisteria	1 2	1 2	1 2	1 2
<b>48</b> San Mateo Red	2 1	1 2	2 1	1 2
<b>49</b> Empire Maroon	2 6 1	2 1 6	2 1 6	2 1 6

### Firemist Colors at Extra Charge

90 Sapphire Blue	3	2	1		1	3	2		1		2	3		1	3	2	
94 Chalice Gold	2	4	1	5	2	4	5	1	2		4	1	5	2	1	5	
96 Biscay Aqua	2	1			1	2			2		1			1	2		
97 Nutmeg Brown	5	6	2	<del></del>	5	6	2		5	,	6	2		5	6	1	2
99 Chateau Mauve	2	1		· · · · · ·	2	1			2		1			1	2	-	

	VINYL ROO	
1	White	12J
2	Black	12K
3	Dk. Blue	12L
4	Gold	12R
5	Cordovan	12N
6	Flax	12M

C	ONVERTIBLE	TOPS
1	White	11J
2	Black	11B
3	Dk. Blue	11L
5	Cordovan	11N
6	Flax	11M

# **CLOTH**

### 1969 CADILLAC UPHOLSTERY OPTIONS

Coupe j	DE VILLE SERIES						
Hardtop B	1	nserts Cloth	Bolsters Leather	Sedan L			
311 or 3115	Black	Dardanelle	Black	311			
326 or 3265	Dk. Blue	Delphine/Flair	Dk. Blue	326			
329 or 3295	Med. Aqua	Delphine/Flair	Med. Aqua	329			
331 or 3315	Dk. Green	Dardanelle	Dk. Green	331			
342 or 3425	Lt. Flax	Delphine/Flair	Lt. Flax Ant.	342			
344 or 3445	Med. Gold	Dardanelle	Med. Gold Ant.	344			
346 or 3465	Dk. Cordovan	Dardanelle	Dk. Cordovan Ant.	346			
347 or 3475	Dk. Mauve	Delphine/Flair	Dk. Mauve	347			
On style L, Dual C	omfort Seat is ava	ilable on special ord	ler only.				

Coupe G		CALA	IS SERIES	Hardtop N
		Inserts Cloth	;	Bolsters Vinyl
211	Black		Decameron	Black
226	Dk. B	lue	Decameron	Dk. Blue
229	Med.	Aqua	Decameron	Med. Aqua
231	Dk. C	reen	Decameron	Dk. Green
242	Lt. Fle	3X	Decameron	Lt. Flax Ant.
244	Med.	Gold	Decameron	Med. Gold Ant.
	Exp	anded	Vinyl—Extra	Charge
251	Black	(	282	Lt. Flax Ant.

	Fleetwood Eldorado H								
	Inserts Cloth		Bolsters Vinyl						
410	Gray/Black	Dominion	Black						
411	Black	Dubonnet	Black						
426	Dk. Blue	Dubonnet	Dk. Blue						
429	Med. Aqua	Dubonnet	Med. Aqua						
431	Dk. Green	Dubonnet	Dk. Green						
442	Med. Flax	Dubonnet	Lt. Flax Ant.						
444	Med. Gold	Dubonnet	Med. Gold Ant.						
446	Dk. Cordovan	Dubonnet	Dk. Cordovan Ant						
447	Dk. Mauve	Dubonnet	Dk. Mauve						

		FLEETW	FLEETWOOD SERIES					
Sixty Special M	Brougham P	inserts Cloth		Bolsters Leather	"75" Sedan F Limousine S			
011 or 0115	0115.	Black	Devereaux	Black	711			
029 or 0295	0295	Med. Aqua	Devereaux	Med. Aqua				
031 or 0315	0315	Dk. Green	Dumont	Dk. Green				
044 or 0445	0445	Med. Gold	Devereaux	Med. Gold Ant.	l			
046 or 0465	0465	Dk. Cordovan	Dumont	Dk. Cordovan Ant.				
047 or 0475	0475	Dk. Mauve	Devereaux	Dk. Mauve				
049 or 0495	0495	Dk. Maroon	Dumont	Dk. Maroon				
		All Cloth-I	nserts & Bolst	ers				
016 or 0165	0165		Lt. Gray Dubo	nnet	716			
			Med. Gray Du	mont	719			
026 or 0265	0265		Dk. Blue Dubo	nnet	726			
042 or 0425	0425		Med. Flax Dub	onnet	742			
stered in a ' a leather ce	and Dumont cla "3 pillow back inter section—e 9 the center sect	rest" style with xcept on "75"	back sectio	nnet cloth is upholstered rest" style all cloth (inclu n) with a pique stitch des n and back rest.	ding center			
	cates availability		On Li	imousine style S Sierra er front compartment is	grain Black standarð.			

# **LEATHER**

### 1969 CADILLAC UPHOLSTERY OPTIONS

13

13

t

U

U

U

(H

### DE VILLE SERIES

### **OSTRICH GRAIN LEATHER**

Convertible F	Leather—Extra Charge Except Convertible	Coupe	Hardtop B	Sedan L
351 or 3515	Black	351 or 3515	351 or 3515	351
352 or 3525	White—Black Carpet	352 or 3525	352 or 3525	352
353 or 3535	White—Blue Carpet			
354 or 3545	White—Red Carpet	<u> </u>		
366 or 3665	Dk. Blue	366 or 3665	366 or 3665	366
371 or 3715	Dk. Green	371 or 3715		
382 or 3825	Lt. Flax Ant.	382 or 3825	382 or 3825	382
384 or 3845	Med. Gold Ant.	384 or 3845	384 or 3845	384
386 or 3865	Dk. Cordovan Ant.	386 or 3865	386 or 3865	
387 or 3875	Dk. Mauve	387 or 3875	387 or 3875	]
388 or 3885	Med. Red	388 or 3885	388 or 3885	388

In DeVille cars the seat inserts are Ostrich grain leather and bolsters are Sierra grain. On style L, Dual Comfort Seat is available on special order only.

### FLEETWOOD SERIES

### SIERRA GRAIN LEATHER

Sixty Special M	Brougham P	Leather—Extra Charge	Eldorado H
051 or 0515	0515	Black	451 or 451B
052 or 0525	0525	White—Black Carpet	452
066 or 066S	0665	Dk. Blue	466
071 or 0715	0715	Dk. Green	471
082 or 0825	0825	Lt. Flax Ant.	482 or 482B
084 or 0845	0845	Med. Gold Ant.	484
086 or 0865	0865	Dk. Cordovan Ant.	486
087 or 0875	0875	Dk. Mauve	487
088 or 0885	0885	Med. Red	488

	VINYL ROOFS Styles J-B-L-H-P-R-S				
1	White	12J			
2	Black	12K			
3	Dk. Blue	12L			
4	Gold	12R			
5	Cordovan	12N			
6	Flax	12M			

CO	NVERTIBLE Style F	TOPS
1	White	111
2	Black	118
3	Dk. Blue	11L
5	Cordovan	11N
6	Flax	MIT

Code S following trim number indicates availability of Dual Comfort Seat. Code B indicates Bucket Seats in Eldorado.

# **GENERAL INFORMATION**

### **BODY STYLE REFERENCE**

In this book a reference to "C" cars includes the Calais, De Ville and styles M and P. The following chart shows a list of the eight "C" body styles.

STYLE	SERIES	STYLE	SERIES
F	De Ville	G	Calais
J	De Ville	N	Calais
В	De Ville	M	Fleetwood
L	De Ville	P	Fleetwood

The Eldorado is referred to as Fleetwood Eldorado or code H.

Styles R and S cover the two Fleetwood series "75" body styles known as Fleetwood Sedan and Limousine. Fisher Body refers to them as "D" bodies.

### **OPTIONS AT EXTRA CHARGE**

Unless specifically stated otherwise, it is understood that any reference to option, optional equipment, special request, special feature or special order is at extra charge.

### VINYL ROOFS

### Brougham

A vinyl, cross-grain cover with a halo molding that encircles the perimeter of the roof is standard on the Fleetwood Brougham.

This halo molding has a non-textured surface in color to match the vinyl with a narrow bright outside edge bead. The exposed metal areas around the molding and along side of the windshield pillar are in car color.

### Eldorado

A padded vinyl roof featuring a bright bead and painted type halo molding similar to the Brougham is optional.

Also, instead of two dielectric seams on each side of roof the Eldorado has a single French seam at the center line of the roof. This is most attractive and exclusively on the Eldorado.

### De Ville

Optional on De Ville closed cars is a vinyl roof covering—not padded—with a halo molding treatment similar to the Brougham. The molding, however, is textured and painted to match the vinyl covering.

### Seventy-Five

The special order vinyl cover on "75" cars will include padding.

### Calais and Sixty Special

Vinyl roofs are not available on Calais and Sixty Special cars.

### Colors

A new Gold color has been added to the vinyl roof options for a total of six.

### INFORMATION CHARTS

There are a series of charts starting on page 14 from which additional information may be determined on the following subjects:

Dj.

PAGES	SUBJECT			
14-15	Front Seat Types			
16	Back Rest Release			
17	Adjusters			
18-19	Tires			
21	Floor Mats			
22	Carpets			
23	Headlining			
25	Seat Belts			
27-28	Ornamentation			

### YELLOW-STRIPED PAGES

A summary of general information, pertinent to each body style, is listed on a series of pages with a yellow edge for quick reference.

Their use may be helpful when discussing or checking a specific order. The captions are a reminder of the available options and equipment exclusive to that particular body style. For example, Green leather is not a production option on style B.

### U P C SYMBOLS

The small three-character codes following each option on both the order form 5600A and the option chart on page 13 are called U P C—Uniform Parts Code.

UPC is for Canadian and Export orders. It does not yet involve any domestic Cadillac dealers. However, everyone's familiarity with these codes will be beneficial in the future.

# INTERIOR INFORMATION

### NUMBER OF OPTIONS

rs

1d

yl

nt

ng

ple.

ng nd

18.

AC

ta

1

To list the 205 upholstery and new front seat options with greater clarity, the trim chart has been expanded to two pages. Page 4 lists the cloth fabrics (and Calais vinyl). The next page shows the leather options of which there are 100 combinations.

### OSTRICH AND SIERRA GRAIN LEATHER

Ostrich grain leather has an Ostrich skin pattern. Sierra is a smooth, natural grain without any visible texture.

De Ville cars are upholstered in a combination of the new Ostrich and Sierra grain leathers. Fleetwood styles H, M and P are trimmed with the Sierra grain only. Leather is not available in the Calais series.

Note: As a matter of information, the plastic grain on the back of front seat back in the Eldorado is called Madrid. On all others it is Sierra grain.

### ALL OPTIONS NOT AVAILABLE

You will note that some leather colors offered on the Coupe de Ville, style J, are not available on De Ville Sedans, style B and L.

There is a limitation upon the number of upholstery options that can be handled on a production basis. Therefore, certain seat options and leather colors are not available in all body styles.

The trims or seats that are not offered as regular production options are those for which the demand is limited. i.e., Dk. Green leather in style L.

To prevent any sales loss due to unavailability of an interior satisfactory to the customer, Cadillac has a Special Request order program. Details are explained starting on page 48.

### **DUAL COMFORT SEAT**

Trim numbers suffixed with S have a new divided front seat. This seat is divided at the left of the center arm rest, so that approximately 40% of its width is for the driver and 60% for passengers resulting in room for three occupants. A full center arm rest is attached

to the passenger section of back rest.

This type of front seat is:

Standard in the Brougham.

Optional in De Ville styles F, J, B and Fleetwood Sixty Special.

Not offered in Sedan de Ville style L, but available on special request.

Not available in Eldorado or Calais.

(For additional seat and adjuster information see pages 14 through 17.)

### BUCKET SEATS

Strato type Bucket Seats in Black or Lt. Flax leather are offered in the Eldorado only.

Bucket Seats are not available (even on a special order) in any other body style.

As a matter of information, Recliners are not available on any type of seat—bench or bucket, "C" series or Eldorado. However, a semi-reclining position may be created in a passenger seat equipped with a 6-Way Adjuster by tilting the back rest rearward and lowering rear of cushion to its lowest point.

### UPHOLSTERY FABRICS AND TRIM STYLES

Patterns of ornate cloths may be inspired by various artifacts, ancient and antique designs, Persian rugs. etc.

For example, the artist's conception for De Ville Dardanelle cloth came from a set of antique jewelled beads—or precisely, a single bead.

The graceful form of the small bead was enlarged many times and reproduced on cloth by an intricately woven blend of high sheen and satin finish yarns, resulting in an interesting and beautiful fabric.

This information may be of interest as a conversation piece with customers.

### Calais Fabrics

### Decameron-Scroll Pattern

A cloth fabric and an extra charge expanded vinyl are the Calais upholstery options.

The cloth, called Decameron, is available in six colors. It has an attractive scroll pattern, repeating at  $2\frac{1}{4}$ ".

# INTERIOR INFORMATION

Expanded vinyl is a thick resilient coated fabric having millions of tiny air pillows which create a soft cushiony feel. The colors are Black and Lt. Flax.

### **Calais Styling**

The styling for both cloth or vinyl is 2" pleats which on the cushion extend across the entire seat. This means the distinctive pleated effect is unbroken by a plain center section or bolster. Leather is not available for the Calais.

### **De Ville Cloths**

Dardanelle—Ornate Pattern
Delphine/Flair—Sunburst Design

Two cloths, an ornate patterned Dardanelle and a sateen Delphine/Flair material, are the De Ville closed car options.

The Delphine part of this unique sateen cloth is used on the back rests only. It has three interwoven oval patterns on each side of the center arm rest. An oblong button, in the center of each oval, ties down the cloth and adds a sunburst effect to the design.

Delphine cloth cannot be supplied on any other series because the pattern is made exclusively to the dimensions of the De Ville trim style.

The Flair cloth has a similar type of sateen finish but it is plain without any pattern. It is used on the cushion and across the top of the forward-canted part of the back rest.

### De Ville Cloth Trim Style

When upholstered in cloth, the De Ville trim style has four vertical pleats on each side of the leather center arm rest section on the back rest and seat cushion. There is a plain straight-across forward-canted pillow area at the top of each side of the seat without any vertical seams.

### De Ville Leather Trim Style

The trim style, when upholstered in leather, is different than cloth. Leather trim style has:

 A plain straight-across "pillow" in Sierra grain at top of back rest on each side of center arm rest.

- Four pleats of Ostrich grain below this section with the two end seams angling off to each corner of the back rest. Three oblong buttons are centered on the seams.
- 3) The cushion is divided into two wide pleats on each side of the center section.

### **Eldorado Dubonnet Cloth**

A finely woven tricot knit cloth called Dubonnet is one of two Eldorado cloth options.

ز ن

It has a two-tone weave of fine pin stripe (16 per inch) alternating light and dark tones. In the Eldorado this fabric is offered in eight colors and the pattern is applied horizontally.

### **Herringbone Tweed**

The other material is a herringbone tweed called Dominion cloth code 410. Its construction is a combination of black and white fibers that result in an overall appearance of oxford gray. This is the only color option in the herringbone pattern.

### **Caution in Ordering 410**

Dominion herringbone pattern cloth is unlike last season's black and white check pattern. Special attention is called to this to prevent an assumption that there might be a similarity of patterns because of the carryover 410 code number.

### **Eldorado Trim Styles**

Leather and code 410 Dominion cloth will be upholstered in 2" pleated style.

Dubonnet cloth trims will have narrower 11/4" pleats.

### **Brougham and Sixty Special**

Devereaux-Brocade

Dumont-Cord

**Dubonnet—Pin Stripe** 

Three cloth patterns are offered in styles P and M. They are called Devereaux, Dumont and Dubonnet. (The latter is described under Eldorado, except the pin stripes run vertically.)

# INTERIOR INFORMATION

The Devereaux cloth has a brocade weave and comes in four colors.

Dumont is a cord weave with about 4½ wales per inch. It is offered in three colors.

Note: Dumont cloth is also available in Med. Gray for the "75".

### **Brougham and Sixty Special 3-Pillow Style**

A "three-pillow" back rest style of trim is used when upholstered in Sierra grain leather, Devereaux or Dumont cloths.

### All Cloth-Pique Stitch Design

The three Dubonnet cloth options are "all cloth": code 016-716, 026-726, 042-742.

This means the center section is also in cloth instead of leather or vinyl. The skirt or cushion face of the "all cloth" options, however, will be vinvl.

Other distinctions of the all cloth options are 1) an exposed pique stitch design on both back rests and seat cushions 2) a two-pillow back rest style. (A three-pillow style is used with leather and the other two Fleetwood cloths.)

### **ROSEWOOD PANELS**

The door and rear quarter inserts of (all cloth or leather upholstered) Fleetwood Eldorado, Brougham, Sixty Special and "75" cars feature Rosewood panels (except front doors on style S).

De Ville cars upholstered in leather also have Rosewood paneling.

The door and rear quarter inserts in cloth upholstered De Ville cars will be in body cloth. Calais cars have vinyl inserts.

Note: The reference to Rosewood implies either wood or vinyl applique, depending upon body style and application, i.e., door inserts, instrument panels, steering wheel rim, etc.

### INSTRUMENT PANELS

Both upper and lower instrument panels are now in the same dark tone colors. The instrument panel color also applies to windshield pillar and header moldings and rear view mirror support bracket cover.

### STEERING WHEELS

All steering wheels are black. For details of ornamentation see page 31.

### **COLOR RECOMMENDATIONS**

In addition to color harmony, popular usage is a consideration in the listing of recommendations on pages 10 and 11.

A Convertible buyer is likely to be less conservative in combining colors than a Brougham customer. This factor accounts for certain inconsistencies in recommendations by body styles.

For example, White leather is not recommended with color 18 on styles P and M but it is on all other cars. Another case is Red leather in a Dk. Blue car. This is popular in Convertibles, but does not sell in closed cars. The color compatibility is the same on all cars but the popularity is not.

A similar situation applies to other acceptable combinations which are unlisted due to their limited appeal.

One such example is Aqua upholstery with Silver exterior. The combination is not discordant and will please many individual customers.

### ADDITIONAL INTERIOR INFORMATION

Complete interior color and material specifications may be determined by a reference to a series of charts beginning on page 14.

Also, in the "yellow edge pages" section, a great deal of optional specifications information, especially applicable to each body style, is listed.





this

gling

Three

ams.

wide :tion.

Du-

e (16

s. In

eight

tally.

weed

truc-

ibers

**xf**d

the

s un-

pat-

is to

be a

70ver

ill be

ower

les P

ınder 山y.)

ns.

吐耳

# **COLOR-TRIM**



### 1969 RECOMMENDATIONS

口

1.2

**F** 

**F** 

	CALAIS S	ERIES		DE VILLE SER	IES
COLOR			Cou Hardtop <b>B</b>	pe J	
		Coupe G Hardtop N		Sedan L	Convertible F
	CLOTH	VINYL	CLOTH	LEATHER	LEATHER
10 Sable Black	211 226	251 282	311 326 347	351 388 352 384	351 388 352 384
12 Cotillion White	211 226 229 244 231	251	311 326 329 347 344 331	351 388 352 366	388 351 366 352
16 Patina Silver	211 226	251	311 326 347	351 388 366 352	351 388 366 352
18 Phantom Gray	211 231	251	311 331	351 388 352 371	351 388 352 371
24 Astral Blue	226 211	251	326 311	366 352 351	366 353 351
26 Athenian Blue	226 211	251	326 311	366 352 351	366 353 388
28 Persian Aqua	229 211	251	329 311	351 352	352 351
30 Palmetto Green	231 211	251	331 311	371 351 352	371 351 352
36 Rampur Green	231 244 211	251 282	331 344 311	371 384 351 382 352	371 384 351 382 352
40 Colonial Yellow	211 244 231	251	311 344 346 331	351 384 386 371 352	351 384 386 371 352
42 Cameo Beige	242	282	342 346 311	386 382 351	386 382
44 Shalimar Gold	244 211 231	251	344 311 346 331	384 351 386 371	384 351 386 371
<b>46</b> Cordovan	242 244	282	346 342 344 311	386 382 384	386 382 384
47 Wisteria	211	251	347 311	387 352 351	387 352 351
48 San Mateo Red	211 242	251 282	311 342	352 351 388	354 388 351
49 Empire Maroon	211 242	282 251	311 342	351 352 382	351 352 382

### Firemist Colors at Extra Charge

90 Sapphire Blue	226	251	326 311	366 352 351	353 366 351
<b>94</b> Chalice Gold	244 211	251	344 311 346	384 386 351 352	384 386 351 352
96 Biscay Aqua	229 211	251	329 311	351 352	352 351
97 Nutmeg Brown	242 211	282 251	346 342 311	386 382 351	386 382
99 Chateau Mauve	211	251	347 311	387 352 351	387 352 351

<sup>371</sup> Leather available on special order for style B.

<sup>371, 386, 387</sup> Leather available on special order for style L.



# **COLOR-TRIM**

### 1969 RECOMMENDATIONS

		FLEETWOOL	SERIES	
COLOR	Brougham P	Sixty Special M	Eldore	ido H
	CLOTH	LEATHER	CLOTH	LEATHER
10 Sable Black	011 016 026 049 044	051 088 052 084	411 410 447	451 488 452 484
12 Cotillion White	011 026 029 047 049 044 031	051 052 088 066	411 410 426 429 447 444 431	451 452 488
16 Patina Silver	011 016 026 047 049	051 088 066 052	411 410 426 447	451 488 466 452
18 Phantom Gray	011 016 031 049	051 088 071	411 410 431	451 488 452 471
24 Astral Blue	026 011	066 052 051	426 411 410	466 452 451
26 Athenian Blue	026 011 016	066 051 052	426 411 410	466 452 451
28 Persian Aqua	029 011	051 052	429 411	452 451
30 Palmetto Green	031 011	071 051 052	431 411 410	471 451 452
36 Rampur Green	031 044 011	071 084 051	431 444 411	471 484 451 482 452
40 Colonial Yellow	011 044 046 031	051 084 086 071 052	410 411 444 446 431	451 484 486 471 452
42 Cameo Beige	042 046 011	086 082 051	442 446 411	486 482 451
44 Shalimar Gold	044 011 046 031	084 051 086 071	444 411 410 446 431	484 451 486 471
46 Cordovan	046 042 044 011	086 082 084	446 442 444 411 410	486 482 484
47 Wisteria	047 049 011	087 052 051	447 411 410	487 452 451
48 San Mateo Red	011 042 049	051 052 088	410 411 442	452 451 488
49 Empire Maroon	049 011 042	051 082	411 410 442	451 482 452

### Firemist Colors at Extra Charge

90 Sapphire Blue	026	011		066	052	051		426	411	410	452	466	451
94 Chalice Gold	044	011	046	084	086	051	052	. 444	411	446	484 452	486	451
96 Biscay Aqua	029	011		051	052			429	411	410	452	451	
97 Nutmeg Brown	046	042	011	086	082	051		446	442	411	486	482	451
99 Chateau Mauve	047	049	011	087	051	052		447	410	411	487	452	451

P

P

F

自

t;

H

H

ta

H

U

£3

6 371

1 382

2

352 b

# **EQUIPMENT**

### **ELDORADO TIRE OPTIONS**

See page 19.

### SEAT ADJUSTERS

When code V is wanted, Y must also be ordered.

### **POWER DOOR LOCKS**

On two-door cars, the Power Door Lock option includes Electric Back Rest Release feature. For more information see page 16.

### FLOOR MATS

Rubber floor mats are now included in groups 8 and 9. The colors will be in harmony with the upholstery as listed on page 21.

If a non-standard color should be wanted, mark the floor mat color code number instead of F.

When group 8 or 9 is ordered, and a nonstandard color Floor Mat is wanted, mark the mat code number under Floor Mats in addition to group 8 or 9. This will override the standard combination.

### REAR WINDOW DE-FOGGER

Rear Window De-fogger, which is not available for the Convertible and is standard in the Fleetwood "75," is included in groups 8 and 9. Both groups, however, may be specified on Convertible and "75" orders. The De-fogger price will be deleted in the billing on these three body styles.

# CRUISE CONTROL (Electric) CRUISE CONTROL (Vacuum)

The electric type control is used on all cars except Eldorado.

A new vacuum powered control is used on the Eldorado only.

A feature of the vacuum type is a push button at the end of the turn signal lever that locks the system in at desired speed.

The two types are not interchangeable and can only be installed in cars for which they have been designed.

### HORNS

CAR SERIES	STANDARD	OPTIONAL		
All cars except Calais	A, F, low D Seashell	High C Trumpet		
Calais	A, F	High C Trumpet		

As shown on the chart, three sea shell, electric vibrator type horns are standard on all cars except the Calais series.

### TRUMPET HORN OPTION

A high C Trumpet Horn option is available which adds a third horn to Calais cars and a fourth to all others.

Adding the high C note Trumpet Horn increases the clarity and combines a blend of vibrant sounds producing a more distinctive signal.

### HORN CONTROL

The new steering wheel has a vinyl inner ring around almost the entire circumference of the wheel.

A simple reflex action of the fingers pressing the inner steering wheel rim will sound the horns.

This ease of horn control makes the addition of the Trumpet Horn option even more desirable.

### STEREO TAPE PLAYER

A Tape Player is available from Parts Warehouses for dealer installation (not factory). It is adaptable to any Cadillac radio: Stereo, AM or FM.

### FIELD INSTALLATION OF CLIMATE CONTROL

The Climate Control system is now completely integral with the body and chassis design.

This makes installation impractical after

factory car assembly.

Your attention is called to this to be sure that Climate Control has not been overlooked when ordering new cars.

### UNORDERED OPTIONS

To prevent an inadvertant omission of any optional equipment, it is suggested that customer be informed of the items which have not been ordered.

This negative approach, which is contrary to the usual custom of reciting the things included on the order, could prevent an unforgivable oversight.

### FINAL CHECK OF 5600A

The above procedure can also be used as a final check of the wholesale order form 5600A.

A review of the blank spaces may reveal an omission that should have been ordered.

# FRONT SEAT TYPES

BODY STYLE	Regular Bench	Notch-Back Bench	Dual Comfort	Strato Bench	Strato Bucket
G		STD	N/A		
N	STD		N/A		
F J		STD	OPT	. *	
B Cloth Upholstery	STD		ОРТ		
B Leather Upholstery		STD	ОРТ		
L Cloth Upholstery	STD		S.R.		
L Leather Upholstery		STD	S.R.		
Н			N/A	STD	ОРТ
M	STD		OPT		
P			STD		
R	STD				
5	STD	1	N/A		

### SEAT SPRING TYPES

	FR	TNC	REAR		
CAR SERIES	Cushion	Back Rest	Cushion	Back Rest	
Calais					
De Ville	Z-Z	Z-Z	Z-Z	Z-Z	
Eldorado					
Sixty Special	M				
Brougham		Z-Z	<b>M</b>	Z-Z	
"75" Sedan	M	Z-Z			
"75" Limousine	M	M	M	M	

**Z-Z**—Zig-Zag Spring Construction

**M**—Marshall Type Coil Springs

The above chart shows the types of seat spring construction in the various series. For example, Zig-Zag springs are used in the De Ville Dual Comfort seat cushions, while Marshall type are in the M and P styles. Seat springs are not interchangeable. This chart is a matter of general information. Also, to show some of the differences between car series.

juster be or-

reated ay addand int.

piece It is

ave a

: Seat. 

bench urated open it ( 

ndard H oupes, ard in

dans, o pre-

U across 6 3 back

£3 lucket G : only . Flax

t t eats-

other



# **BACK REST RELEASE**

### A NEW FEATURE-WITH ELECTRIC DOOR LOCKS

In two-door cars the power door lock option includes a new added feature. It is an Electric Back Rest Release.

Opening either door will automatically release both back rest locks. This allows the back rests to be folded forward without the necessity of manually depressing a lock button. The locks remain released while either door is open. Closing of door locks the back rests in their upright position.

With Power Door Locks, this feature applies to all Coupe type seats, notch back, Dual Comfort or Bucket. It is not available with standard door locks.

### MANUAL RELEASE LOCATIONS

In addition to the Electric Back Rest Re-

lease, which is actuated by the door jamb switches, there are also manual release but-

F:1

On all "C" series two-door cars equipped with electric door locks, the manual release buttons are on the lower outer corner on back of seat back inserts. With standard door locks. the buttons are on upper outboard side of seat backs.

### **ELDORADO—NEW LOCATION**

On Eldorado cars the manual release is in a new location. It is on the upper center of the back of each front seat back.

Reference to Eldorado seats includes both Strato Bench and Bucket types.

See chart for summary of all Coupe front seat back rest lock release locations.

### MANUAL RELEASE LOCATIONS

Electric Back Rest Release	Lower Outer Corner of Seat Backs	Upper Outboard Side of Seat Backs	Upper Center of Seat Backs
----------------------------------	--	--	----------------------------

### "C" SERIES

With Electric Door Locks	STD	X		
Standard Door Locks	N/A		X	

### **ELDORADO**

With Electric Door Locks	STD	X
Standard Door Locks	N/A	X



Leather is . . . comfortable and luxurious.



# FRONT SEAT ADJUSTERS

	REGULAR B	ENCH SEAT	
BODY STYLES	2-Way Manual	2-Way Power	6-Way Power
			Code Y
GN	STD	N/A	OPT
FJB	N/A	STD	OPT
L	N/A	STD	OPT
Н	N/A	STD	OPT
М	N/A	STD	OPT
Р			<del></del>
R	N/A	STD	OPT
S	N/A	STD	N/A

	DUAL COM	FORT SEAT		
DRIVER (Left Side)		PASSENGER (Right Side)		
2-Way Power	6-Way Power	2-Way Manual	6-Way Power	
	Code Y		Code V	
N/A	N/A	N/A	N/A	
STD	OPT	STD	OPT	
S.R.	S.R.	S.R.	5.R.	
N/A	N/A	N/A	N/A	
STD	OPT	STD	OPT	
STD	OPT	STD	ОРТ	
N/A	N/A	N/A	N/A	

### **ELDORADO BUCKET SEAT ADJUSTERS**

DR	IVER	PASSENGER		
2-Way Power	4-Way Power Code Y	2-Way Power	4-Way Power	
STD	OPT	STD	N/A	

STD-Standard

N/A—Not Available

**OPT**—Optional at Extra Charge

S.R.—Special Request

### CODE V

or jamb ase but-

quipped release

on back or locks.

e of seat

e is in a er of the

les both

pe front

Center

Backs

43

**E** 3

This is a new code designating the right side front passenger 6-Way Power Seat Adjuster option on Dual Comfort Seat.

### HOW TO ORDER

When a 6-way passenger seat adjuster is wanted on a Dual Comfort Seat, a 6-way driver's seat adjuster must also be ordered.

Mark both Y and V, or V plus a basic group (which includes Y) on the order form 5600A.

### CODE Y

Represents a 6-Way power adjuster (or 4-Way on Eldorado driver's Bucket) for the following types of front seats:

1) Regular Bench.

- 2) Driver's (left side) portion of individually controlled Dual Comfort Seat.
- 3) Eldorado driver's Bucket Seat.

### SWITCH LOCATIONS

All front seat adjuster controls are located at lower left side of seat (including "75" cars)

except passenger dual comfort and bucket seat control is on right side. All seat switches operate independently of the ignition switch.

### FRONT SEAT LOCATION

The brackets that fasten front seats to the floor have forward and rearward locating holes.

At the factory, installation is through the rear holes on all cars except Brougham and Sixty Special.

### ONE INCH MORE LEG ROOM IN M AND P

In the Brougham and Sixty Special, attachment is through the front holes. This provides one inch more leg room in the front of these two styles.

### RELOCATE FOR MORE ROOM

If additional leg room should be wanted in the Calais, De Ville or Eldorado series, the front seat may be relocated through the front

Although this is not a factory option, it is a simple procedure to perform in the Service Department.

# **TIRES**

# **ELDORADO OPTIONS**White Side Wall

Size 9.00-15, double stripe white side wall tires are optional. These are supplied when basic group 1 through 3 or code W is ordered.

### Higher Mileage H. D.

In addition to the above regular white side wall option, a Higher Mileage H. D. single stripe white side wall tire option is available by adding code T on the order form in the space captioned White Wall Tires.

This does not interfere with ordering groups 1, 2 or 3. A Basic Group may be ordered in the regular way and only code T need be added.

These tires are the size J 78-15 glass fiberbelted construction with 2 ply bias polyester cord.

### 4-PLY SPECIAL HIGH SPEED TIRES— NOT RECOMMENDED FOR NORMAL DRIVING

F=1

£≒3

6 3

FI

Cadillac regular option tires are recommended for all normal driving. They combine a balance of performance, handling, traction and smooth-riding qualities.

However, owners whose driving requirements include above normal speeds and loads may be interested in special nylon cord tires designed for high speed driving. They are available at extra charge on special order and are distinguished by a single white stripe. Mark SPECIAL HIGH SPEED TIRES on New Car Order. The make is Goodyear.

Before ordering, however, be sure there is an understanding of the effect upon the riding and handling qualities inherent in tires of this type. The customer should be prepared to accept a tolerance for certain nylon characteristics such as temporary flat spotting after a cold start; a reduction in smoothness and softness of a car's riding qualities and a higher noise level.

NOT RADIAL

### ALL MAKES NOT ALWAYS AVAILABLE

Tires for Cadillac cars are supplied by four manufacturers in a variety of sizes, plys and black or white side walls. This complexity creates storage problems that make a continual inventory of all makes and types difficult to maintain.

Also, availability problems are encountered since all tires must meet the standards of Cadillac's quality control program. It is realized that some customers designate a tire brand preference which dealers understandably wish to accommodate. However, as a relatively small percentage of such requests can be considered without risking a delay in car production, only in case of customer insistence should tire brands be specified on the car order.

Notwithstanding these situations, Cadillac will endeavor to supply a tire brand option, provided such requests do not exceed 5% of a dealer's orders during a model year.

Black side wall tires are standard equipment on all cars. The sizes and plys are listed in the chart on opposite page.

Because of the extremely small demand, it is not feasible to offer a black wall tire brand option even on a limited basis.

# TIRES

### **ELDORADO**

Size	Code	
9.00-15		Black wall is standard equipment. 4 ply rating, 2 ply. Tire brand—Goodyear.
9.00-15	W	Double stripe White Wall option. 4 ply rating, 2 ply. Tire brand—Goodyear.
J 78-15	WT	Single stripe White Wall Higher Mileage H.D. option. Load Range B. Tire brand—Goodyear.

### "C" CARS

9.00-15		Black wall is standard equipment. 4 ply rating, 2 ply.  Tire brand will depend upon availability at time of production without option.
9.00-15	W	Two stripe White Wall option. 4 ply rating, 2 ply.

### "75" FLEETWOOD

8.20-15		Black wall is standard equipment. 8 ply rating, 4 ply.
8.20-15	W	Two stripe White Wall option. 8 ply rating, 4 ply.

Brand	Codes	Eldorado	"C" & "75" Cars
FIRESTONE DeLuxe Champion	F	· N/A	*OPT
GOODRICH Silvertown 660	G	N/A	*OPT
GOODYEAR Power Cushion	Y	STD	*OPT
UNIROYAL Laredo	U		*OPT
GOODYEAR Power Cushion Polyglas	Т	ОРТ	N/A

<sup>\*</sup>OPTION not to exceed 5% of total dealer orders.

Relax . . . in a Dual Comfort Seat.



VING

E3

**E** 

U

£.j

e j

ecombine a n and

quireloads tires availid are

Order. e is an ig and ; type.

Mark

cept a s such

lack or y of all

dillac's which of such stomer

ovided

e chart

option

### **GENERATORS**

Generator Ampere capacities are as follows:

55 Amp-Air Conditioned Cars
42 Amp-Without Air Conditioning

A 63 Ampere capacity generator is available on special request.

Cars equipped with special features, such as a telephone, or used in pulling trailers may have a need for this higher ampere capacity generator.

611

のころので

To order, type 63 AMP GENERATOR in Special Features section of order form.

### **GEAR RATIOS**

GEAR RATIO		CAR SERIES	
	682	Calais	
2.94-1	683	De Ville	
2.94-1	680	Sixty Special	
	681	Brougham	
3.07-1	693	Eldorado	
3.21-1	697	Seventy-Five	

### NO OPTIONS

Gear Ratios are the same for both Automatic Climate Control equipped cars and those without air conditioning.

The chart above lists the ratios for various series and there are no options.

### GLASS

### STANDARD

Plain Glass

### SOLID TEMPERED SAFETY PLATE GLASS

The side and rear windows have curved solid tempered safety plate glass. The rear window in Convertible is also made of curved solid tempered safety plate glass.

### LAMINATED SAFETY PLATE GLASS

Windshield in all cars and the division glass in the Fleetwood Seventy-Five Limousine have laminated safety plate glass.

### **OPTIONAL**

Soft Ray—Code E

### SOFT RAY GLASS IS OPTIONAL

All optional Soft Ray glass is tinted and is used in all windows including the rear window of the Convertible. In addition to the tinting, the upper porition of the Soft Ray windshield is shaded.

The properties of Soft Ray glass absorb some of the infra-red solar heat rays. This has the effect of rejecting a percentage of heat radiation and not allowing it to enter the car. Soft Ray glass is, therefore, recommended whenever Automatic Climate Control is ordered.

such may pacity

n Spe-

ta

H

U

£3

U

U

# **RUBBER FLOOR MATS**

			Twi Front &		One Piece Front & Rear	Twin Front Only	
CODE	COLOR	G N Calais	F J B L De Ville	Brougham P 60 Special M	H Eldorado	R ''75''	S "75"
			352			1	<b> </b>
1	White		353	052	452		
			354				
		211	311	011	411	711	711
	Black				410	1	716
2		251	351	051	451	1	719
		)	347	047	447	1	726
			387	087	487	1	742
			326	026	426	726	
3	Dark Blue	226	366	066	466	1	
		242	342	042	442	742	
_ (		244	344	044	444	1	
4	Medium Beige	282	382	082	482	1	
}			384	084	484		
			346	046	446		
5	Dark Saddle	1	386	086	486		
6	Medium Aqua	229	329	029	429		
_			331	031	431		
7	Dark Green	231	371	071	471	1	
		1	`	049		1	]
•	8 Dark Red		388	088	488		•
	D. J. C			014		716	
9	Dark Gray			016		719	

d and is window tinting, ndshield

absorb
This has
heat rathe car.
if 'ed
if or-

### HOW TO ORDER

Use code F or group 8 or 9 to order Rubber Floor Mats. The color will be according to upholstery as listed.

When group 8 or 9 is ordered and a nonstandard color Floor Mat is wanted, mark the mat code number under Floor Mats in addition to group 8 or 9. This will override the standard combination.

### **NON-STANDARD COLORS**

If a color other than the standard combination on the chart is wanted, type code number instead of F.

For example, if with White upholstery Black

mats are preferred, mark number 2 on the order instead of code F.

### FRONT & REAR SETS

As indicated by the captions at the top of the chart, a set of front and rear mats will be furnished on all cars except front only on the

If less than a complete set should be wanted, order such combinations direct from the Parts Warehouse.

### DARK MAUVE INTERIOR

Please note that Black mats are standard with Dk. Mauve upholstery.

# **CARPETS**

COLORS	CALAIS	DE '	AIFFE	ELDO	RADO		HAM & SPECIAL	"75"
Black	211 251	311	351 352	411 410	451 452	011	051 052	711
Dk. Gray						016		716 719
Dk. Blue	226	326	353 366	426	466	026	066	726
Med. Aqua	229	329		429		029		
Dk. Green	231	331	371	431	471	031	071	1
Med. Flax	242 282	342	382	442	482	042	082	742
Med. Gold	244	344	384	444	484	044	084	
Dk. Cordovan		346	386	446	486	046	086	
Dk. Mauve		347	387	447	487	047	087	
Dk. Red			354 388		488		088	
Dk. Maroon						049		

These charts show the color and type of carpeting used for floor covering and on components above the floor. The areas above the floor include: lower doors, cowl quarters, lower front seat back panel, lower rear quarters on twodoor cars and lower center pillar on four-door styles.

Color of carpet is according to trim code numbers above; type of material is listed below.

·	FLOOR CARPET	CARPET MATERIAL ABOVE FLOOR			
All Cars Except Calais	100% Nylon Cut Pile				
	Trianon	Tyrel			
	80% Rayon—20% Nylon Loop Pile				
Calais Series	Trenton	Travana			



Sell more car per car.



# **HEADLINING**

		BEDI	FORD			T.	AFFETA	1		AS	COT
COLOR	Cord Vinyl			Embossed Perforated Vinyl				Soft Plush All Nylon Tricot Fabric			
Black	211	251	311	351	051	410	411	451		011	711
White				352	052			452			
Lt. Gray		-							719	016	716
Dk. Blue	226		326	366	066	426		466		026	726
Med. Aqua	229		329			429				029	
Dk. Green	231		331		071	431		471		031	<u></u>
Lt. Flax	242	282	342	382	082	442		482		042	742
Med. Gold	244		344	384	084	444		484		044	
Dk. Cordovan			346	386	086	446		486		046	
Dk. Mauve			347	387	087	447		487		047	
Med. Red				388	088	,		488	***************************************		
Dk. Maroon		· · · · · · · · · · · · · · · · · · ·								049	

four-door

"75"

711

716 719

726

742

ti

u

19

E

U

trim code listed be-

### HEADLINING MATERIAL

The type and color of headlining material is indicated by the upholstery number in above chart.

### SUN SHADES

In closed cars the color and fabric of sun shades and headlining is the same.

In Convertible the sun shades are vinyl and match the upper instrument panel.

### LANDAU "75" HEADLINING

Fleetwood "75" Landau cars will have Taffeta headlining with all trims (instead of Ascot as indicated on chart above).

### **GARNISH MOLDINGS**

The windshield pillar and header moldings, rear view mirror support bracket cover are in dark tone to match the instrument panel color.

Garnish moldings along side of headlining and rear window will be in headlining color as indicated on chart under color. This means that there is a color separation at the upper windshield pillar.

For example in a Maroon upholstered Brougham with a special order Lt. Flax headlining, the roof rail and rear window garnish moldings will be Lt. Flax and the header, windshield pillar and rear view mirror bracket support cover will match the instrument panel which is Maroon.

### **ASCOT CLOTH**

The velvet surface of Ascot headlining material reflects a range of light and dark tones depending upon the angle from which light strikes the nap.

This may help explain a seeming contrast in upholstery and headlining colors.



Firemist Chalice Gold goes well with a Gold vinyl roof.



# **SEAT BELTS**

## AUTOMATIC LOCKING SEAT BELT RETRACTOR

A self-adjusting seat belt retractor on the two front outboard belts is standard on all front seats, except the "75" Limousine style S.

This ratchet type retractor automatically adjusts the tension of the belt to a snug fit. A release knob on the housing permits an additional extension of the outboard D-ring strap as desired.

### MINI BUCKLE

The buckles for these two—driver and outboard passenger—seat belts are a new "mini" type which are smaller than all the other seat and shoulder belt buckles in the car. The Shoulder and center Seat Belts slide through their buckles for adjustment. These buckles are, therefore, larger than the "mini" type which utilizes the retractor as the adjuster.

### BELT AND BUCKLE HOLDER

At the rear center of the front seat cushion, depressed below the top surface is a vinyl receptacle for stowage of seat belt straps and buckles when not in use.

This feature, which is in color to match the upholstery, is standard in all cars except the Calais series, "75" Limousine style S, and Bucket Seat Eldorado.

### FRONT SHOULDER BELTS

Shoulder Belts for two occupants are standard equipment on the front seat of all closed cars only. See below for Convertible option.

### REAR SHOULDER BELTS

Two sets of Shoulder Belts for the rear seat are optional on all cars. The ordering code is Z.

### DE VILLE CONVERTIBLE OPTIONS

The Convertible body style does not have any Shoulder Belts as standard equipment, front or rear.

Two sets of Shoulder Belts are optional for the Convertible front seat—code N. Also, two for the rear seat—code Z.

### **AUXILIARY SEATS IN "75"**

Neither lap nor shoulder belts are available for the auxiliary seats in Fleetwood "75" cars.

### STOWAGE

When not in use, the upper part of the Shoulder Belt in all "C" series closed cars and the Eldorado is stowed flat against the roof rail behind two spring clips.

In the "75" Sedan style R, the buckle end of the upper Shoulder Belt, when not in use,

is inserted in a retainer at the lower end of the center pillar.

In the Limousine style S, this retainer is in a space between the side of the front seat back rest and the front door.

### REAR ATTACHMENT AND STOWAGE

Rear Shoulder Belt point of attachment in closed cars is to a welded anchor plate on the package shelf.

When not in use, the Shoulder Belts remain in the corner on the package shelf.

### SHOULDER BELT LENGTHS

Four different lengths of front outboard Shoulder Belts are used according to body style. See chart on next page.

### CLOSED CAR LENGTHS

In all "C" closed and Eldorado bodies, the front outboard belt is anchored to the side roof rail. Two different lengths are used according to body style as shown on the chart.

### DE VILLE CONVERTIBLE

The longest belt is required for the Convertible, as it is fastened to the body in the side top well area in back of the rear quarter panel.

### "75" SHOULDER BELT LENGTH

The shortest length front outboard belts are used on Fleetwood "75" cars as they are attached to the center pillar below the roof rail. Four colors are available in this size.

### COLORS

Shoulder and lap belt colors match the seat inserts except with White leather, they blend with the carpet color.

### SPECIAL ORDERS

Attention is called to these various lengths and colors because in certain special orders, a matching color in the proper size may not be available.

For example, a Maroon Shoulder Belt is not available for a Convertible or Fleetwood "75" car. Maroon is not a standard interior color option in these two types of cars. Therefore, a neutral color should be selected for the Shoulder Belts.

In the Convertible, there are three such non-available colors and seven in the "75", as can be determined from the chart.

### SEAT BELTS (LAP)

Seat Belts are interchangeable between all body styles; therefore, there is no special order color problem.

# SHOULDER BELT COLOR AVAILABILITY

	]	LENGTH OF OUTER BELT					
	Ī	36"	42"	72"	33"		
COLORS		For Styles G N J B	For Styles L H M P	Convertible F	"75" Styles <b>R S</b>		
Black		Х	X	X	Х		
Lt. Gray			X		Х		
Dk. Blue		X	X	X	X		
Med. Aqua		X	X	·	:		
Dk. Green		X	X	X			
Med. Flax		Х	X	X	X		
Med. Gold		X	X	X			
Dk. Cordovan		X	X	X			
Dk. Mauve		X	X	X			
Dk. Red		X	X	X			
Dk. Maroon			X				

### **CENTER ARM RESTS**

STYLES	FRONT	REAR
G-N-F-H	Yes	No
J-B-L-M-P-R	Yes	Yes
S	No	Yes

This chart applies to all seats (bench and Dual Comfort) except Eldorado Bucket Seats with which there is no center arm rest front or rear.



Relax and Recline in a Dual Comfort Seat . . . story on page 14.



end of the

ainer is in seat back

£1

chment in ate on the

lts remain

outboard to body

odies, the the side used ace chart.

the Condy the ir quarter

belts are y are atroof rail.

the seat

s lengths orders, a ny not be

ielt is not ood "75" rior color erefore, a ne Shoul-

uch non-", as can

tween all



# **ORNAMENTATION**

### INTERIOR AND EXTERIOR

In addition to the upholstery material, trim styling, cushion springs, carpets, lighters, interior lights, foot rests, reading lamps, spare tire cover, trunk lining, wheelbase, etc., there are interior and exterior ornamentation differences between car series from Calais to Fleetwood.

### **CHARTS**

These items are charted on the next two pages which may be used to explain some of the exclusive features of the various series or body styles.

For a better understanding, a clarification of captions on the charts follows.

### INSTRUMENT PANELS

The instrument panel has two basic sections: instrument panel lower and instrument cover. Three types of ornamentation are applied to the insert sections of the panels depending upon the body style. They are 1) Rosewood 2) charcoal and silver design metal and 3) black camera grain texture.

### CLUSTER BEZEL INSERT

This is a Rosewood applique that surrounds the accessory switches and telltales in a rectangular depressed area below the speedometer on the instrument panel. It is on all panels except the Calais.

### UPPER PANEL INSERT

A cove insert area above the glove box.

### STEERING WHEEL, ETC.-BLACK

Regardless of upholstery, the steering wheel, column, pad, shroud and a panel on driver's

car door that houses the windshield wiper control are Black.

**S** 

角角に自由

A Rosewood insert is in the rim of the steering wheel on all cars except Calais which is Black.

For minimum eye fatigue, by eliminating contrast, these match the soft black background of the instrument section of the panel on driver's side.

### HORN CONTROL

The new steering wheel includes a horn control which will sound the horns by compressing a vinyl inner ring anywhere along the wheel rim.

### OTHER ORNAMENTATION

The Calais has red warning reflector on all doors. All other cars (except "75" rear doors) have combination white courtesy and red warning lamps.

A Cadillac emblem in script is on right side instrument panel insert on all cars.

A wreath and crest emblem is on right front door ahead of Rosewood insert panel and on back of front seat back on styles M, P and R.

### EXTERIOR CHART

In addition to the items listed on page 28, hood emblems on all cars are as follows:

Calais & De Ville—V & Crest Fleetwood—Wreath & Crest

### SIDE MARKER LAMPS

Front are integral with cornering lamps and the bulb is amber.

Rear are incorporated in the tail lamps, except Eldorado has a separate lamp on the lower rear quarter. It has a crest on a red lens with a bright chrome wreath bezel.

Firemist Chateau Mauve and Dk. Mauve upholstery complement each other.

# INTERIOR ORNAMENTATION

	INSTRUM	ENT PANELS	STEERI	NG WHEEL			
Series or Body Style and Type of Upholstery	Cluster Bozel Insert	Upper Panel Insert	Ped	Rim Insert	Door and Rear Ortr. Inserts	Accelerator Foot & Park Brake Bezels	Body Sill Plates
Calais	Black Camera Grain Texture	Black Camera Grain Texture	Crest	Black	Vinyl	None	Ornate Metal
De Ville closed cars with cloth upholstery	Rosewood	Charcoal & Silver Textured Metal	Crest	Rosewood	Body Cloth	Chrom <b>e</b>	Ornate Metal
De Ville cars with leather upholstery and Convertible	Rosewood	Rosewood	Crest	Rosewood	Rosewood	Chrome	Ornate Metal
Eldorado	Rosewood	Rosewood	Wreath & Crest	Rosewood	Rosewood	Chrome	Ornate Metal
Brougham and Sixty Special	Rosewood	Rosewood	Wreath & Crest	Rosewood	Rosewood	Chrome	Buffed Ornate Metal
"75"	Rosewood	Rosewood	Wreath & Crest	Rosewood	Rosewood	Chrome	Buffed Ornate Metal

F

63

£1

U

E1

U

U

U

U

riper con-

the steer-

which is

minating ck back-

the panel

norn con-

he wheel

or on all ar doors)

red rn-

ight side

ght front

l and on P and R.

page 28,

mps and

1 lamps,

on the

ther.

# **EXTERIOR ORNAMENTATION**

Andr S	Front	Lower Regr	Upper Rear	Side	True	k Lid	Reer
Sody Type	Fenders	Quarters	Quarters	gnibleM	Center	Right Side	insert
G N	Crest at Rear of Cornering Light Lens	Calais in Script	,	Spear	V & Crest	Cadillac in Script	Fully Chromed Bumper
F	Crest at Rear of Cornering Light Lens	De Ville in Script		Spear	V & Crest	Cadillac in Script	Textured Design
J	Crest at Rear of Cornering Light Lens	Coupe de Ville in Script		Spear	V & Crest	Cadillac in Script	Textured Design
8	Crest at Rear of Cornering Light Lens	Sedan de Ville in Script		Spear	V & Crest	Cadillac in Script	Textured Design
L	Crest at Rear of Cornering Light Lens	Sedan de Ville in Script		Spear	V & Crest	Cadillac in Script	Textured Design
н	Crest in Front of Cornering Light Lens Eldorado in Block Letters	Side Marker Lamp		Rocker Panel	Wreath & Crest	Eldorado Plaque	Fully Chromed Bumper
M	Crest at Rear of Cornering Light Lens Fleetwood in Block Letters	Wreath & Crest		Rocker Panel	Wreath & Crest		Fleetwood in Coined Letters on Car Color Insert
P	Crest at Rear of Cornering Light Lens Fleetwood in Block Letters		Wreath & Crest Brougham in Script	Rocker Panel	Wreath & Crest		Fleetwood in Coined Letters on Car Color Insert
R S	Crest at Rear of Cornering Light Lens	Wreath & Crest		Spear	Wreath & Crest		Fleetwood in Coined Letters on Car Color Insert
R S Paddod Roof Landau Roof	Crest at Rear of Cornering Light Lens	Wreath & Crest	Ficetwood Plaque	Spear	Wreath & Crest		Fleetwood in Coined Letters on Car Color Insert



[:]

# INTERIOR OPTIONS

A digest of interior information and trim options by body style is listed on the ensuing 15 pages. This information may be especially useful in selecting specifications of a specific body style and for final checking of the order. A review of the captions will call attention to individual aspects of the body style which should be considered.

Some customers prefer to select the interior of the car first and then choose a harmonizing exterior color. For such situations, exterior color recommendations are listed for each upholstery on the trim option charts. You will note that Firemist colors are given priority in the listing to be sure that they are considered first when selecting the exterior color.

More maxims about selling options . . . the trend toward color uniformity is an appealing reason for the customer to select an exclusive Firemist exterior . . . Power Door Locks add protection . . . order Automatic Level Control for excellent stability, handling and ride . . a Dual Comfort Seat custom fits everyone, tall or short . . . a demonstration sells Cruise Control . . . Twilight Sentinel lights the way . . . leather is comfortable and in a De Ville includes Rosewood ornamentation. The Sierra grain leather is dyed through with full natural grain markings. Ostrich leather has a fine Ostrich pattern texture . . . a fully equipped car adds greatly to driving enjoyment.

Insert

ully romed Imper

xtured esign

ctured esign

iul. romed

Imper

· Color

Ktured esign

ctured esign

1-3

ta

stwood Coined ers on

seri ta

twood Coined tj ers on Color 

serf twood

:oined ers on Color isert

twood

:oined

### CALAIS HARDTOP SEDAN

68249

### COUPE FRONT SEAT

A notch-back bench type front seat is standard. The back rests fold forward for easier entrance to and exit from rear seat.

No other type seat is available in the Calais series.

### SEDAN FRONT SEAT

A bench type, straight-across cushion and back rest front seat is standard without any other option.

### ELECTRIC BACK REST RELEASE

Power Door Locks, which are now electric, include a new feature in Coupes. It is an automatic release of both back rest locks when either door is opened. It permits folding the back rests forward without manually depressing a lock button.

A manual release is standard if Power Door Locks are not ordered.

### SEAT ADJUSTER

Two-way manual adjuster is standard. Sixway power adjuster is optional—code Y.

### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

### VINYL UPHOLSTERY

An all vinyl Sierra grain upholstery in Black or Lt. Flax is an extra charge production option. Other colors are available on special request. See page 58.

### FLOOR MATS

Two-piece front and rear rubber floor mats in harmonizing color with the interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

### TRUMPET HORN

A high C Trumpet Horn option is available which adds a third horn to Calais cars—code H. See page 12.

### SHOULDER BELTS

Front seat Shoulder Belts are standard. Two sets for the rear are optional.

### EQUIPMENT

All optional equipment listed on page 13 is available (except Dual Comfort Seat).

### **CLOTH UPHOLSTERY**

Decameron cloth is available in six color options. This fabric has an attractive scroll pattern repeating at  $2\frac{1}{4}$ ".

### TRIM STYLE

The trim style for both cloth or vinyl is 2" pleats which on the cushion extend across the entire seat. A canted upper bolster section on the back seat is in matching vinyl and is not pleated.

### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

### CENTER ARM REST

A vinyl covered center arm rest is standard in the front (none in rear).

### DOOR INSERTS

This area on upper part of doors is vinyl in color to match the seats.

### **CARPETS**

A loop pile—80% rayon, 20% nylon—carpet called Trenton is used for the floor covering. A Travana quality is applied to carpeted areas above the floor. See page 22 for color information.

### HEADLINING

A ribbed vinyl (called Bedford) is the headlining material. It matches the upholstery color.

### VINYL ROOF

This is not available on the Calais series.

### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful. 87

8249

8 3

1

t<sub>1</sub>

U

U

U

68249

68247

CALAIS COUPE

CALAIS HARDTOP SEDAN

G

N

≥ 13 is

lor op-

l is 2" pss the ion on is not

els are

ndard

nyl in

carpet vering.

infor-

headlstery

es.

us omers com-

CODES	UPHOLSTERY COLOR	SEAT INSERTS	CANTED UPPER BACK REST	INSTRU- MENT PANELS	RECOMMENDED EXTERIOR COLORS
211	Black	Decameron	Vinyl	Black	ALL
226	Dk. Blue	Decameron	Vinyl	Dk. Blue	90 10 12 16 24 26
229	Med. Aqua	Decameron	Vinyl	Dk. Aqua	96 12 28
231	Dk. Green	Decameron	Vinyl	Dk. Green	12 18 30 36 40 44
242	Lt. Flax	Decameron	Vinyl	Dk. Flax	97 42 46 48 49
244	Med. Gold	Decameron	Vinyl	Dk. Gold	94 12 36 40 44 46

### **Expanded Vinyl at Extra Charge**

251	Black	Vinyl	Vinyl	Black	ALL
282	Lt. Flax Ant.	Vinyl	Vinyl	Dk. Flax	97 10 36 42 46 48 49

VINYL is in Sierra Grain.

Application includes: Bolsters

Center Arm Rest Door Inserts

Back of Front Seat Back

Entire Seat on the Two Vinyl Options

INSTRUMENT PANEL INSERTS: Black Camera grain texture.

Serendipity is . . . discovery of the extra driving pleasure with a Tilt & Telescope Steering Wheel.



### FRONT SEAT

A notch-back bench type front seat is standard.

### **DUAL COMFORT SEAT OPTION**

A new Dual Comfort notch-back front seat, providing both driver and passenger with choice of seat adjustment for individual comfort, is optional—code S.

### SEAT ADJUSTERS

Standard Seat: a power 2-way is standard; a power 6-way is optional—code Y.

Dual Comfort Seat: Driver—a power 2-way is standard; a power 6-way is optional—code Y. Passenger—a manual 2-way is standard; power 6-way is optional—code V. However, to order code V, a Y must also be ordered.

Complete seat adjuster information is on page 17.

### ELECTRIC BACK REST RELEASE

Power Door Locks, which are now electric, include a new feature. It is an automatic release of both back rest locks when either door is opened. It permits folding the back rests forward without manually depressing a lock button.

A manual release is standard if Power Door Locks are not ordered.

### LEATHER UPHOLSTERY

Ostrich grain leather inserts and Sierra grain bolsters in 11 color combinations are standard upholstery options at no extra charge.

Inserts in Sierra grain and other leather colors may be special ordered.

### TOPS

Convertible tops are available in the colors indicated below. Liner colors cannot be changed, as the top material is a fusion of four layers of vinyl, fabric, rubber and drill cloth liner. These are bonded into a one-piece fabric at the mill.

Code	Top Color	Liner
1	White	Black
2	Black	Black
3	Dk. Blue	Dk. Blue
5	Cordovan	Flax
6	Flax	Flax

### TOP BOOT

The color of top boot matches the color of upholstery and not the top material. Top boots are made of two-way stretch coated fabric except when special colors are ordered.

### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

### FLOOR MATS

Two-piece front and rear rubber floor mats in harmonizing color with the interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

### SHOULDER BELTS

Front and rear Shoulder Belts are optional. For front Shoulder Belts, order code N; rear Shoulder Belts, code Z. Color information on page 25.

### EQUIPMENT

All optional equipment listed on page 13 is available except Rear Window De-Fogger.

### TRIM STYLE

The De Ville leather trim style is used in the Convertible. Doors and instrument panel have Rosewood insert panels. Details of the trim style are explained on page 8.

### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

Sun Visors are in dark tone vinyl to match the instrument panel.

### CENTER ARM REST

Front Seats, either standard or optional Dual Comfort, include a folding center arm rest. Rear seat does not.

### CARPETS

A fine yarn, all nylon, cut pile carpet called Trianon is used for the floor covering. A Tyrol quality is applied to carpeted areas above the floor. A list of carpet colors is on page 22.

### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful.

68 <sub>2</sub> 07	
color of	
p boots bric ex-	
charge n to the	
n to the	
or mats	
are now 321 for	
ptional. N; rear	
N; rear	
ge is	
d in the rel have	
he trim	H
.1	
nels are	ti
o match	U
_	ti
optional ter arm	U
et called A Tyrol	U
pove the	U
	<b>6</b> _

ill stomers r combi-ıl.

CODES	UPHOLSTERY COLOR	SEAT INSERTS	CANTED UPPER BACK REST	INSTRU- MENT PANELS	RECOMMENDED EXTERIOR COLORS
351 or 351S	Black	Ostrich	Sierra	Black	ALL
352 or 3525	White	Ostrich	Sierra	Black	94 96 99 10 12 16 18 28 30 36 40 47 49
353 or 353S	White	Ostrich	Sierra	Dk. Blue	90 24 26
354 or 354S	White	Ostrich	Sierra	Dk. Red	48
366 or 366S	Dk. Blue	Ostrich	Sierra	Dk. Blue	90 12 16 24 26
371 or 3715	Dk. Green	Ostrich	Sierra	Dk. Green	18 30 36 40 44
382 or 3825	Lt. Flax Ant.	Ostrich	Sierra	Dk. Flax	97 36 42 46 49
384 or 3845	Med. Gold Ant.	Ostrich	Sierra	Dk. Gold	94 10 36 40 44 46
386 or 3865	Dk. Cordovan Ant.	Ostrich	Sierra	Dk. Cordovan	94 97 40 42 44 46
387 or 3875	Dk. Mauve	Ostrich	Sierra	Dk. Mauve	99 47
388 or 3885	Med. Red	Ostrich	Sierra	Dk. Red	10 12 16 18 26 48

BOLSTERS are in Sierra grain leather.

DOOR AND INSTRUMENT PANEL INSERTS are Rosewood.

# J B

### COUPE DE VILLE

68347

### HARDTOP SEDAN DE VILLE

68349

O

### COUPE FRONT SEAT

A notch-back bench type front seat is standard.

### SEDAN FRONT SEAT

A bench type, straight-across cushion and back rest type front seat is standard with cloth upholstery.

A notch-back, coupe type bench seat is supplied in leather trimmed cars. The coupe back rests are secured so they will not fold forward.

### **DUAL COMFORT SEAT OPTION**

A new Dual Comfort notch-back front seat, providing both driver and passenger with choice of seat adjustment for individual comfort, is optional—code S.

Standard bench or Dual Comfort seats are available in either cloth or leather upholstery.

### SEAT ADJUSTERS

Standard Seat: a power 2-way is standard; a power 6-way is optional—code Y.

Dual Comfort Seat: Driver—a power 2-way is standard; a power 6-way is optional—code Y. Passenger—a manual 2-way is standard; power 6-way is optional—code V. However, to order code V a Y must also be ordered.

Complete seat adjuster information is on page 17.

### ELECTRIC BACK REST RELEASE

Power Door Locks, which are now electric, include a new feature in Coupes. It is an automatic release of both back rest locks when either door is opened. It permits folding the back rests forward without manually depressing a lock button.

A manual release is standard if Power Door Locks are not ordered.

### LEATHER UPHOLSTERY

Ostrich grain leather inserts and Sierra grain bolsters in 9 colors in the Coupe and 8 colors in the Hardtop Sedan are offered as standard production options.

Inserts in Sierra grain and other leather colors may be special ordered.

### VINYL ROOF

A cross-grain vinyl covered roof (not padded) with textured halo molding is available in six optional colors.

### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

### FLOOR MATS

Two-piece front and rear rubber floor mats in harmonizing color with the interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

### SHOULDER BELTS

Front seat Shoulder Belts are standard. Two sets for the rear are optional.

### EQUIPMENT

All optional equipment listed on page 13 is available.

### CLOTH UPHOLSTERY

Two cloth patterns are offered in DeVille closed cars. Dardanelle is a damask type fabric available in four colors.

Delphine cloth is also offered in four colors. This is a sateen type material with a woven pattern centered on each back rest pleat seam (three on each side of center section).

### TRIM STYLE

The cloth trim style is different than when upholstered in leather. See page 8.

### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

### CENTER ARM RESTS

Both front and rear seats include a leather covered folding center arm rest. Applies to either standard or Dual Comfort seats.

### DOOR INSERTS

With leather upholstery, the doors and instrument panel have Rosewood inserts. Cloth upholstered cars have cloth door inserts and a charcoal-silver textured insert on the instrument panel.

### CARPETS

A fine yarn, all nylon, cut pile carpet called Trianon is used for the floor covering. A Tyrol quality is applied to carpeted areas above the floor. A list of carpet colors may be found on page 22.

### HEADLINING

A Bedford cord vinyl headlining in color to match the upholstery is standard. See chart on page 23.

### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful.

68349

t 1

R.

68349

## COUPE DE VILLE

HARDTOP SEDAN DE VILLE

oor mats are now 1 for col-

ard. Two

1ge 13 is

**DeVille** pe fabric

ir colors. iven patat seam

an when

inels are

leather plies to

and ins. Cloth ts and a : instru-

et called A Tyrol pove the ound on

color to chart on

ill astomers r combiul.

68347

CODES	UPHOLSTERY COLOR	SEAT INSERTS	CANTED UPPER BACK REST	INSTRUMENT PANELS	RECOMMENT EXTERIOR CO					
311 or 3115	Black	Dardanelle	Dardanelle	Black	ALL					
326 or 326\$	Dk. Blue	Delphine	Flair	Dk. Blue	90	10	12	16	24	26
329 or 329S	Med. Aqua	Delphine	Flair	Dk. Aqua	96	12	28			
331 or 331S	Dk. Green	Dardanelle	Dardanelle	Dk. Green	12	18	30	36	40	44
342 or 342\$	Lt. Flax	Delphine	Flair	Dk. Flax	97	42	46	48	49	
344 or 344\$	Med. Gold	Dardanelle	Dardanelle	Dk. Gold	94	12	36	40	44	46
346 or 346S	Dk. Cordovan	Dardanelle	Dardanelle	Dk. Cordovan	94	97	40	42	44	46
347 or 347\$	Dk. Mauve	Delphine	Flair	Dk. Mauve	99	10	12	16	47	

#### **Leather Options at Extra Charge**

351 or 351S	Black	Ostrich	Sierra	Black	ALL					
352 or 3525	White	Ostrich	Sierra	Black	ALL					
366 or 366S	Dk. Blue	Ostrich	Sierra	Dk. Blue	90	12	16	24	26	
371 or 3715	Dk. Green	Ostrich	Sierra	Dk. Green	18	30	36	40	44	
382 or 3825	Lt. Flax Ant.	Ostrich	Sierra	Dk. Flax	97	36	42	46	49	
384 or 3845	Med. Gold Ant.	Ostrich	Sierra	Dk. Gold	94	10	36	40	44	46
386 or 3865	Dk. Cordovan Antique	Ostrich	Sierra	Dk. Cordovan	94	97	40	42	44	46
387 or 3875	Dk. Mauve	Ostrich	Sierra	Dk. Mauve	99	47				
388 or 3885	Med. Red	Ostrich	Sierra	Dk. Red	10	12	16	18	48	

**BOLSTERS** are Sierra grain leather.

DOOR INSERTS are cloth with cloth trim and Rosewood with leather.

INSTRUMENT PANEL INSERTS: Charcoal-Silver textured pattern with cloth trim and Rosewood with leather.

CAUTION-TRIM 371: Dk. Green leather is not a production option on style B or L.

FLAIR CLOTH: The plain sateen part of Delphine upholstery used on seat cushion and canted part of back rest.



Extra Coupe convenience is an Electric Back Rest Release.
It comes with Power Door Locks.



FI

#### FRONT SEAT

A bench type, straight-across cushion and back rest type front seat is standard with cloth upholstery.

A notch-back, coupe type bench seat is supplied in leather trimmed cars. The coupe back rests are secured so they will not fold forward.

#### DUAL COMFORT SEAT - SPECIAL ORDER

The Dual Comfort seat is not a regular option on this body style. It is available in either cloth or leather upholstery on special request.

#### SEAT ADJUSTERS

Standard Seat: a power 2-way is standard; a power 6-way is optional—code Y.

Dual Comfort Seat: Driver—a power 2-way is standard; a power 6-way is optional—code Y. Passenger—a manual 2-way is standard; power 6-way is optional—code V. However, to order code V a Y must also be ordered.

Complete seat adjuster information is on page 17.

#### LEATHER UPHOLSTERY

Ostrich grain leather inserts and Sierra grain bolsters in 6 colors are offered as standard production options.

Inserts in Sierra grain and other leather colors may be special ordered.

**CAUTION:** Codes 371, 386 and 387 are not production options. They are available on special request.

#### VINYL ROOF

A cross-grain vinyl covered roof (not padded) with textured halo molding is available in six optional colors.

#### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

#### FLOOR MATS

Two-piece front and rear rubber floor mats in harmonizing color with the interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

#### SHOULDER BELTS

Front seat Shoulder Belts are Standard. Two sets for the rear are optional.

#### EQUIPMENT

All optional equipment listed on page 13 is available.

#### **CLOTH UPHOLSTERY**

Two cloth patterns are offered in De Ville closed cars. Dardanelle is a damask type fabric available in four colors.

Delphine cloth is also offered in four colors. This is a sateen type material with a woven pattern centered on each back rest pleat seam (three on each side of center section).

#### TRIM STYLE

The cloth trim style is different than when upholstered in leather. See page 8.

#### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

#### CENTER ARM RESTS

Both front and rear seats include a leather covered folding center arm rest. Applies to standard or special order Dual Comfort seats.

#### DOOR INSERTS

With leather upholstery, the doors and instrument panel have Rosewood inserts. Cloth upholstered cars have cloth door inserts and a charcoal-silver textured insert on the instrument panel.

#### CARPETS

A fine yarn, all nylon, cut pile carpet called Trianon is used for the floor covering. A Tyrol quality is applied to carpeted areas above the floor. A list of carpet colors may be found on page 22.

#### HEADLINING

A Bedford cord vinyl headlining in color to match the upholstery is standard. See chart on page 23.

#### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful.

Therest ...

68369

SEDAN DE VILLE

page 13 is

ur colors.
a woven
leat seam

De Ville ype fabric

han when

anels are

a leather pplies to rt seats.

s and ints. Cloth rts and a e instru-

et called A Tyrol bove the found on T I

Et 3

color to

il raistomers r combiul.

CODES	UPHOLSTERY COLOR	SEAT INSERTS	CANTED UPPER BACK REST	INSTRU- MENT PANELS	RECOMMENDED EXTERIOR COLORS
311	Black	Dardanelle	Dardanelle	Black	ALL
326	Dk. Blue	Delphine	Flair	Dk. Blue	90 10 12 16 24 26
329	Med. Aqua	Delphine	Flair	Dk. Aqua	96 12 28
331	Dk. Green	Dardanelle	Dardanelle	Dk. Green	12 18 30 36 40 44
342	Lt. Flax	Delphine	Flair	Dk. Flax	97 42 46 48 49
344	Med. Gold	Dardanelle	Dardanelle	Dk. Gold	94 12 36 40 44 46
346	Dk. Cordovan	Dardanelle	Dardanelle	Dk. Cordovan	94 97 40 42 44 46
347	Dk. Mauve	Delphine	Flair	Dk. Mauve	99 10 12 16 47

## Leather Options at Extra Charge

351	Black	Ostrich	Sierra	Black	ALL
352	White	Ostrich	Sierra	Black	ALL
366	Dk. Blue	Ostrich	Sierra	Dk. Blue	90 12 16 24 26
382	Lt. Flax Ant.	Ostrich	Sierra	Dk. Flax	97 36 42 46 49
384	Med. Gold Ant.	Ostrich	Sierra	Dk. Gold	94 10 36 40 44 46
388	Med. Red	Ostrich	Sierra	Dk. Red	10 12 16 18 48

**BOLSTERS** are Sierra grain leather.

**DOOR INSERTS** are cloth with cloth trim and Rosewood with leather.

instrument panel inserts: Charcoal-Silver textured pattern with cloth trim and Rosewood with leather.

FLAIR CLOTH: The plain sateen part of Delphine upholstery used on seat cushion and canted part of back rest.

**DUAL COMFORT SEAT:** This is a special request option on this body style.

de Ville options are special request on this body style.



Leather upholstery is ... an extra value now and at trade-in time.



#### FRONT SEAT

A Strato bench seat is standard. It has a notch back with a free standing center arm rest.

Strato refers to the compact styling of the backrest. It is designed similar to aircraft seats.

#### **BUCKET SEATS**

Individual Strato type front Bucket Seats in Black or Lt. Flax leather with a center console are optional.

Bucket Seats in cloth or other leather colors

are available on special request.

Recliners are not available on any type of seat-bench or bucket.

#### SEAT ADJUSTERS

A 2-way electric power seat adjuster is standard.

A 6-way power seat adjuster is optional.

On Bucket Seats, a 2-way power seat adjuster is standard on both seats. An optional 4-way driver's Bucket Seat adjuster is available.

Complete seat adjustment information is on page 17.

#### **ELECTRIC BACK REST RELEASE**

Power Door Locks, which are now electric, include a new feature. It is an automatic release of both back rest locks when either door is opened and permits folding the back rests forward without manually depressing a lock button.

A manual release is standard if Power Door Locks are not ordered.

#### LEATHER UPHOLSTERY

Sierra Grain leather on both inserts and bolsters in 9 colors are offered as standard production options

Inserts in Ostrich grain and other colors may be special ordered.

#### VINYL ROOF

A padded, cross-grain vinyl covered roof with a chrome bead and color halo molding, is optional in six colors.

#### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

#### FLOOR MATS

One-piece front and rear rubber floor mats in harmonizing color with interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

#### SHOULDER BELTS

Front seat Shoulder Belts are standard. Two sets for the rear are optional.

#### EQUIPMENT

All optional equipment listed on page 13 is available.

Because of front wheel drive, the Controlled Differential is not available on the Eldorado.

#### CLOTH UPHOLSTERY

A choice of 9 cloth upholstery options in two patterns are available: code 410 Gray herringbone and 8 colors in striped Dubonnet cloth.

#### TRIM STYLES

Leather and code 410 have 2" pleats. Dubonnet cloth is upholstered in a narrower 1\u03c4" pleat style and stripes are horizontal.

Bucket Seats will be in 2" pleated style with

either cloth or leather upholstery.

#### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

#### CENTER ARM REST

A vinyl covered center arm rest is standard in the front (none in rear).

#### DOOR INSERTS

A Rosewood grain insert is on doors and instrument panel with either cloth or leather upholstery.

#### **CARPETS**

A fine yarn, all nylon, cut pile carpet called Trianon is used for the floor covering. Tyrol quality is applied to carpeted areas above the floor. Carpet colors may be found on page 22.

#### HEADLINING

A perforated Tafetta vinyl headlining in color to match the upholstery is standard. See chart on page 23.

#### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful.

R 3

£3

U

U

lard. T

age 13 is

ontrolled lorado.

ns in two herringcloth.

ats. Duwer 11/4"

tyle with

standard

; and inther up-

et called g. Tyrol pove the age 22.

in color ee chart

ill stomers · combiul.

CODES	UPHOLSTERY COLOR	SEAT INSERTS	INSTRUMENT PANELS	RECOMMENDED EXTERIOR COLORS
410	Oxford Gray	Dominion	Black	ALL
411	Black	Dubonnet	Black	ALL
426	Dk. Blue	Dubonnet	Dk. Blue	90 12 16 24 26
429	Med. Aqua	Dubonnet	Dk. Aqua	96 12 28
431	Dk. Green	Dubonnet	Dk. Green	12 18 30 36 40 44
442	Med. Flax	Dubonnet	Dk. Flax	97 42 46 48 49
444	Med. Gold	Dubonnet	Dk. Gold	94 12 36 40 44 46
446	Dk. Cordovan	Dubonnet	Dk. Cordovan	94 97 40 42 44 46
447	Dk. Mauve	Dubonnet	Dk. Mauve	99 10 12 16 47

Bolsters are Sierra grain vinyl.

Code 442 cloth upholstery presents a darker overall appearance than some of the other interior components such as: doors, head restraints, headlining, laces, front seat back panel. These parts match the light tone stripe of the cloth, creating an attractive semi two-tone effect.

#### Leather Options at Extra Charge

451 or 451B	Black	Sierra	Black	ALL
452	White	Sierra	Black	ALL
466	Dk. Blue	Sierra	Dk. Blue	90 16 24 26
471	Dk. Green	Sierra	Dk. Green	18 30 36 40 44
482 or 482B	Lt. Flax Ant.	Sierra	Dk. Flax	97 36 42 46 49
484	Med. Gold Ant.	Sierra	Dk. Gold	94 10 36 40 44 46
486	Dk. Cordovan Ant.	Sierra	Dk. Cordovan	94 97 40 42 44 46
487	Dk. Mauve	Sierra	Dk. Mauve	99 47
488	Med. Red	Sierra	Dk. Red	10 12 16 18 48

Inserts and Bolsters are Sierra grain leather.



Distinctive is . . . a French seam on the Eldorado padded roof.



## FLEETWOOD BROUGHAM

68169

#### FLEETWOOD SIXTY SPECIAL

68069

E i

#### **BROUGHAM FRONT SEAT**

A new Dual Comfort notch-back front seat. providing both driver and passenger with choice of seat adjustment for individual comfort, is standard at no extra charge.

#### SIXTY SPECIAL FRONT SEAT

A bench type straight-across cushion and back rest front seat is standard.

The Dual Comfort seat is optional.

#### SEAT ADJUSTERS

#### Brougham

Driver: a power 2-way is standard; a power 6-way is optional—code Y.

Passenger: a manual 2-way is standard; power 6-way is optional—code V. However, to order Code V a Y must also be ordered.

#### Sixty Special

Standard Seat: power 2-way is standard: power 6-way is optional-code Y.

Dual Comfort Seat: same as Brougham. Complete seat adjuster information is on page 17.

#### LEATHER UPHOLSTERY

Sierra grain leather is used on both inserts and bolsters. Inserts in Ostrich grain may be special ordered. Three-pillow back rest style is used when trimmed in leather.

#### VINYL ROOF

On the Brougham a padded, cross grain, vinyl covered roof with a chrome bead and color halo molding is standard at no extra charge. Six color options are available. It is not available on style M.

#### FIREMIST COLORS

Five beautifully radiant premium charge Firemist colors are available in addition to the 16 regular option exterior colors.

#### FLOOR MATS

Two-piece front and rear rubber floor mats in harmonizing color with the interior are now included in groups 8 and 9. See page 21 for colors and ordering information.

#### SHOULDER BELTS

Front seat Shoulder Belts are standard. Two sets for the rear are optional.

#### EQUIPMENT

All optional equipment listed on page 13 is available.

#### TRIM STYLES

Two trim styles: 1) an all cloth, two pillow back rest style, and 2) a three pillow back rest type are available.

The all cloth style has pique stitching on both the back rest and cushion. It is offered in

three colors of Dubonnet cloth.

Three pillow styling is used with the other seven cloth or leather options.

#### INSTRUMENT PANELS

The upper and lower instrument panels are now in the same dark tone colors.

Steering Wheels are all Black.

#### CENTER ARM RESTS

Both front and rear seats include a folding center arm rest.

#### DOOR INSERTS

Both cloth and leather upholstered cars have Rosewood inserts on doors and instrument panels.

#### **CARPETS**

A fine yarn, all nylon, cut pile carpet called Trianon is used for the floor covering. A Tyrol quality is applied to carpeted areas above the floor. A list of carpet colors may be found on page 22.

#### HEADLINING

Ascot cloth headlining is used with cloth trims; perforated Taffeta vinyl in leather upholstered cars.

#### **BROUGHAM FEATURES**

Exclusive features without extra charge on the Brougham include: Dual Comfort Seat, padded vinyl roof, Brougham insignia, folding foot rests, adjustable reading lamps in rear quarters.

#### SPECIAL INTERIORS

Listed on pages 52 through 66 are illustrations of special request orders. For customers who may prefer a non-standard interior combination, these suggestions may be helpful.

68169

FLEETWOOD BROUGHAM.

M

68069

68069

FLEETWOOD SIXTY SPECIAL

page 13 is

wo pillow back rest

tching on offered in

the other

panels are

a folding

cars have strument

pet called : A Tyrol above the found on

ith cloth ather up-

charge on ort Seat, a, folding s in rear

are jusr customl interior e helpful.

CODES	UPHOLSTERY COLOR	SEAT INSERTS	INSTRUMENT PANELS	RECOMMENDED EXTERIOR COLORS
011 or 0115	Black	Devereaux	Black	ALL
029 or 0295	Med. Aqua	Devereaux	Dk. Aqua	96 12 28
031 or 0315	Dk. Green	Dumont	Dk. Green	12 18 30 36 40 44
044 or 0445	Med. Gold	Devereaux	Dk. Gold	94 10 12 36 40 44 46
046 or 0465	Dk. Cordovan	Dumont	Dk. Cordovan	94 97 40 42 44 46
047 or 0475	Dk. Mauve	Devereaux	Dk. Mauve	99 12 16 47
049 or 049S	Dk. Maroon	Dumont	Dk. Maroon	99 10 12 16 18 47 48 49

The above trims will be in 3-pillow style with a Sierra grain leather center section.

#### All Cloth Options

016 or 016S	Lt. Gray	Dubonnet	Dk. Gray	10 16 18 26
026 or 0265	Dk. Blue	Dubonnet	Dk. Blue	90 10 12 16 24 26
042 or 042\$	Med. Flax	Dubonnet	Dk. Flax	97 42 46 48 49

All Cloth options will be 2-pillow style with pique stitch design on back rest and cushion.

Code 016 and 042 cloth upholstery presents a darker overall appearance than some of the other interior components such as: doors, head restraints, headlining, laces, front seat back panel. These parts match the light tone stripe of the cloth, creating an attractive semi two-tone effect.

#### **Leather Options at Extra Charge**

		•	_	
051 or 051S	Black	Sierra	Black	ALL
052 or 052S	White	Sierra	Black	ALL
066 or 066S	Dk. Blue	Sierra	Dk. Blue	90 12 16 24 26
071 or 0715	Dk. Green	Sierra	Dk. Green	18 30 36 40 44
082 or 0825	Lt. Flax Ant.	Sierra	Dk. Flax	97 42 46 49
084 or 0845	Med. Gold Ant.	Sierra	Dk. Gold	94 10 36 40 44 46
086 or 0865	Dk. Cordovan Ant.	Sierra	Dk. Cordovan	94 97 40 42 44 46
087 or 0875	Dk. Mauve	Sierra	Dk. Mauve	99 47
088 or 088S	Med. Red	Sierra	Dk. Red	10 12 16 18 48
	1	1	i	I .

Leather options will have 3-pillow back rest trim style.

# "75" FLEETWOOD

#### TWO BODY STYLES

When ordering a Fleetwood "75" be sure the difference between the two available body types is definitely understood and the correct one—R or S—is ordered.

#### LIMOUSINE STYLE S

The Limousine has a glass partition that lowers into the center division. Front seat upholstery is Black leather in 2" pleated styling which is a contrast to the rear compartment trim style.

It does not have a front center arm rest. A power two-way seat adjuster is standard without option. The seat is attached to the center pillars which does not permit an up and down movement of the front seat.

Front doors do not have wood inserts and the door pull strap is shorter than the Sedan style R. A reading lamp, similar to the rear compartment roof lamps, is located in the center of the windshield header. It is controlled by the headlamp switch which also turns the instrument panel lights on and off.

#### SEDAN STYLE R

Front and rear compartments are in matching trim style and cloth material.

The front seat has a center arm rest and a 6-way power adjuster is optional. Front doors have Rosewood inserts and a long pull strap compared to a shorter one in the Limousine.

#### FRONT SEAT BELTS

The Sedan R, has a self-adjusting seat belt retractor on the two front outboard belts. Mini buckles are a part of these belts.

buckles are a part of these belts.

On the Limousine S, the adjustment is at the buckle with spring roller spool-type retractors.

#### MAJOR DIFFERENCES

The preceding are the major differences between the Sedan and Limousine body types. Following information applies to both styles except as indicated.

#### **AUXILIARY SEATS**

Both body types have forward-facing auxiliary seats that fold against the front seat back. They are upholstered in the same material as the rear seat.

#### **AUXILIARY SEAT ADJUSTMENT**

An adjustment to provide more leg room for auxiliary seat passengers is possible.

Turning an Allen adjustment screw at the base of the auxiliary seat supports will pivot the seat rearward, thereby providing more leg room.

When altering the adjustment, a minimum of 61/4" between rear cushion and auxiliary seat is recommended.

The April 1968 issue of the Cadillac Serviceman, page 16, has detailed adjustment instructions.

#### REAR ASH TRAYS

Each rear door arm rest has two ash trays. One is in the forward end for the convenience of auxiliary seat passengers. The second ash tray is at the rear of the arm rest and includes a lighter.

This means there are four ash trays and two lighters in the rear compartment.

#### WOOD PANELS

Rosewood panels are a feature of the rear doors and quarters of both styles. The Sedan also has panels on the front doors and style S has a panel across the center division.

#### **ASSIST STRAPS**

The Sedan has a one piece horizontal assist

strap across the back of front seat. It is anchored in the center. Two individual horizontal straps are on the Limousine.

An assist loop is on each rear pillar post on both R and S styles.

#### OUSIDE REAR VIEW MIRROR

A right side outside rear view mirror is standard on "75" cars and, therefore, factory installed.

It is not available for factory installation on any other body style.

#### **POWER DOOR LOCKS**

In Sedan style R, when Power Door Locks are ordered, the control switches are on both front door arm rests. Either switch will lock and unlock all four doors in the same manner as the other series four-door cars.

In the Limousine S, the switches are on the left front door side arm rest and on the right rear door wood insert. The rear switch will lock and unlock all four doors.

However, the front switch will lock all four doors, but it cannot unlock any door-front or rear. To open either front door from the front compartment, the door lock rod must be raised manually.

When in locked position, the free wheeling Passenger Guard Door Locks prevent opening doors with the inside door handle.

In a Limousine S, with Power Door Locks, the right rear door pull strap is shorter than the strap on left door. This provides space on the Rosewood insert for the Power Door Lock switch.



# **OPTIONS**

## 1969 EQUIPMENT

,	BASIC GROUPS	Group 1	<u>.</u> ;		
1	RADIO, AM-FM STEREO (NOT ON "75") U58	1	Group 2		
2	RADIO, AM-FM U69	1.11.12	2	Group 3	
3	RADIO, AM U65			3	Group 4 ("75" ONLY)
4	RADIO, AM REAR CONTROL ("75" ONLY) U67				4
W	TIRES, WHITEWALL P26	W	W	W	W
E	GLASS, SOFT RAY A01	E	E	E	E
D	DOOR EDGE GUARDS 893	D	D	D	D
K	AUTOMATIC CLIMATE CONTROL C61	K	K	K	STD
Y	SEAT ADJUSTER, POWER FRONT 6-WAY BENCH A42 OR DRIVER'S DUAL COMFORT AG1 4-WAY DRIVER'S BUCKET A46	Y	Y	Y	Y EXCEPT STYLE S

#### **EQUIPMENT GROUPS**

#### Group 8

M	DOOR LOCKS, POWER-4 DOORS AU3
M	DOOR LOCKS & SEAT BACK RELEASE, POWER—2 DOORS AU3
Q	STEERING WHEEL, TILT & TELESCOPE N37
F	FLOOR MATS, RUBBER—FRONT & REAR Y28
J	TWILIGHT SENTINEL T82
5	TRUNK LOCK, REMOTE CONTROL A90
В	DE-FOGGER, REAR WINDOW C50
С	CRUISE CONTROL (ELECTRIC) K30
С	CRUISE CONTROL (VACUUM) Eldorado Only K30

#### Group 9

M	DOOR LOCKS, POWER—4 DOORS AU3
M	DOOR LOCKS & SEAT BACK RELEASE, POWER—2 DOORS AU3
Q	STEERING WHEEL, TILT & TELESCOPE N37
F	FLOOR MATS, RUBBER—FRONT & REAR Y28
J	TWILIGHT SENTINEL T82
5	TRUNK LOCK, REMOTE CONTROL A90
В	DE-FOGGER, REAR WINDOW C50
С	CRUISE CONTROL (ELECTRIC) K30
С	CRUISE CONTROL (VACUUM) Eldorado Only K30
U	HEADLAMP CONTROL, GUIDE-MATIC 180

#### ORDER INDIVIDUALLY

5	DUAL COMFORT SEAT AM6
B	BUCKET SEAT (Eldorado Only) A51
٧	SEAT ADJUSTER, POWER FRONT 6-WAY PASSENGER DUAL COMFORT AG2 (Only when Code Y ordered)
L	LICENSE FRAME—ONE V50
0	LICENSE FRAMES_TWO V51
P	FILLER PLATE VK1
T	HIGHER MILEAGE H.D. WHITEWALL TIRES (Eldorado Only) PT3
G	CONTROLLED DIFFERENTIAL G80 (Not on Eldorado)
L	LEVEL CONTROL, AUTOMATIC G67
Н	TRUMPET HORN UB8
A	SEAT WARMER C33 C34 ("75" REAR)
Z	SHOULDER BELTS, REAR AS4
N	SHOULDER BELTS, FRONT A85 (Convertible Only)

#### NOTICE

- **B**—De-fogger is standard on "75" and not available on Convertible.
- **S**—Dual Comfort Seat is standard on Brougham.
- L—Level Control is standard on all Fleetwood cars.

, elecon all

ti

Ł

E

iilable and a

rn inind of nctive

inner nce of

pressid the addi-

more

Warey). It itereo,

itereo,

comhassis

after

e sure

of any of cushave

itrary gs ininfor-

ed as

eveal ered.

# **SEATS**

#### HIGH BACK RESTS

All cars (except front seat in style S) have new high profile forward-canted back rest seats.

#### FRONT SEAT TYPES

Five front seat types are standard or optional on the various body styles. They are called:

Regular Bench Notch Back Bench Dual Comfort Strato Bench Strato Bucket

The chart on opposite page lists the body styles on which these front seats are available.

#### **DUAL COMFORT**

A new Dual Comfort notch back, divided front seat, providing both driver and passengers with a choice of seat adjustment for individual comfort, is standard on the Fleetwood Brougham.

it is optional on the Sixty Special and all De Ville cars except style L.

Not available on the Eldorado.

This seat is divided at the left side of center arm rest, so that approximately 40% of its width is for the driver and 60% for passengers (room for 3 occupants). A full center arm rest is attached to the passengers' section of back rest with an open space above, creating a "notch back" effect. In coupes, the back rests fold forward; in sedans they are secured.

On coupe styles equipped with power door locks, the back rests include an electric

back rest release.

#### **DUAL COMFORT SEAT ADJUSTERS**

Each side is separately adjustable by a standard 2-way power adjuster for the driver's and a 2-way manual type for the passengers' section. 6-way power adjuster is optional for both driver and passenger sections.

However, to order a 6-way passenger seat

adjuster, code V, a 6-way driver's seat adjuster (code Y or a Basic Group) must also be ordered.

#### RECLINING POSITION

A semi-reclining position may be created in a passenger seat equipped with a 6-way adjuster by tilting the back rest rearward and lowering rear of cushion to its lowest point.

#### REGULAR BENCH

A regular bench seat has a one piece straight-across back rest and cushion. It is standard on all four-door cars except:

Leather upholstered De Villes have a notch back bench.

The Brougham has a Dual Comfort Seat.

#### NOTCH BACK BENCH

This seat has a regular straight-across bench cushion with individual back rests separated by a free standing center arm rest. An open space above the center arm rest gives it the "notch back" appearance. It is also called the "coupe type" seat because it is the standard in two-door cars except Eldorado. In Coupes, the individual back rests fold forward.

The notch back seat is also standard in leather upholstered De Ville four-door Sedans, except that the back rests are secured to pre-

vent folding forward.

#### STRATO BENCH

This Eldorado seat has a straight-across bench cushion with individual strato type back rests.

#### BUCKET SEATS

These are individual strato type Bucket Seats with a center console. They are only available on the Eldorado in Black or Lt. Flax leather.

Recliners are not available on any seats-Bucket or Bench.

Bucket Seats are not available on any other body style, even on special order.



Beauty is . . . a Firemist color.



# "75" FLEETWOOD

#### body types

6-3

R3

turns the

in match-

rest and a ront doors pull strap nousine.

g seat belt belts. Mini

nt is at the retractors.

s. Follow-

eat. It is du hori-

ar post on

mirror is e, factory

illation on

oor Locks e on both will lock te manner

tre on the the right h will lock

k all four front or the front be raised

wheeling t opening

or Locks, rte- than si on loor Lock

#### THIRD KEY FOR LIMOUSINE

The Limousine S has a separate key for the right rear door lock. It is different from the ignition. This means that the limousine has a third exclusive key number for the curb side rear door.

#### **REAR CONTROLS**

The Limousine S has three power window controls plus an overhead lamp button located above the rear quarter arm rests. Following chart shows their location and items they operate.

LEFT SIDE		RIGHT SIDE
	Right Rear Door	
	Left Rear Door	
	Division	
Overhead Left Lamp		Overhead Right Lamp

In the Sedan R, the division switch is omitted, but the remaining buttons operate as shown above.

#### **POWER WINDOW CONTROLS**

In the Limousine style S, four window control switches on the driver's door arm rest operate the car windows.

The front windows can be raised and lowered by these controls, but the rear windows may only be raised and not lowered from the front compartment.

There is a two-position lock-out switch on the left front side arm rest which prevents movement of any windows when in lock position or with ignition switch off.

#### SEDAN CONTROLS

The same window control operations apply to the Sedan style R, except that the rear door windows may be lowered as well as raised.

#### TWO CLIMATE CONTROL SYSTEMS

Standard equipment in the "75" includes two separate front and rear Automatic Climate Control systems with individual controls.

The front installation is similar to "C" series cars with control on instrument panel.

The rear system is entirely separate with its own sensors, blowers and evaporator. It also includes an automatic rear window de-fogger.

#### REAR DE-FOGGER

A built-in feature of the Automatic Climate Control system in "75" cars is a rear window de-fogger.

Two circular openings on the rear shelf cir-

culate air against the inside of rear window when the rear Automatic Climate Control system is in "heater" mode. Air flow blades are automatically activated and are not manually controllable. No rear de-fogger switch is, therefore, necessary.

#### **REAR CONTROL RADIO**

An AM Radio with controls located under a hinged cover in right rear side arm rest is a "75" option.

AM-FM radio is not available with rear controls. Stereo Radio is not available in either front or rear.

A Tape Player is available from Parts Warehouses for dealer installation (not factory). It is adaptable to any Cadillac radio: AM or AM-FM.

#### PADDED ROOF

A choice of six colors is available for a Padded Vinyl Roof option.

#### LANDAU ROOF

A Landau Roof option includes blocked rear quarters, with or without Landau Bows, and small or regular size rear window. See page 45 for order illustration.

#### RUBBER FLOOR MATS

Twin mats for the front compartment are available as a factory equipped option.

#### TRIM STYLES

Two trim styles are available:

- 1. A 3-pillow back rest.
- 2. A 2-pillow style with an exposed pique stitch design on both back rest and seat cushion.

The style depends upon the fabric selection.

3-Pillow	2-Pillow
	716
711	726
719	742

The center section of seats is cloth except 711 is leather.

#### LEATHER FRONT IN R

It is not practical to upholster the Sedan front compartment in leather because the charge would be greater than the price difference between the Limousine and Sedan.

And a leather upholstered Sedan (costing more than the Limousine) will not include a glass division.

#### CLOTH FRONT AND REAR

In a "75" Limousine S, the same cloth fabric used to upholster the rear compartment may be substituted for the Black leather on the front seat. See page 46 for more details.

# FLEETWOOD "75"

## FEATURES AND EQUIPMENT

# Extra Charge Options

		STY	LES
		R	5
	Padded Roof	X	X
	Landav Roof	Х	X
L	License Frame—One	Х	X
0	License Frames—Two	X	Х
W	White Wall Tires	Х	X
2	Radio, AM-FM	X	X
3	Radio, AM	Х	X
4	Radio, AM—Rear Control	X	Х
E	Glass, Soft Ray	X	Х
D	Door Edge Guards	Х	X
Y	6-Way Seat Adjuster	Х	
M	Power Door Locks	Х	X

		STY	LES
		R	S
Q	Tilt & Telescope Steering Wheel	X	X
F	Floor Mats—Front	X	X
J	Twilight Sentinel	X	X
S	Trunk Lock—Remote Control	Х	X
С	Cruise Control	X	X
υ	Headlamp Control	Х	X
G	Controlled Differential	X	Х
Н	Trumpet Horn	X	Х
A	Seat Warmer—Rear	Х	X
Z	Shoulder Belts—Rear	Х	Х
	NOT AVAILABLE		
1	Stereo Radio		

百二

**E**\_3

E 3

E.J

Ea

E 1

F

## Standard Features

	ST	YLES
	R	5
Axle Gear Ratio-3.21-1	X	X
Arm Rest—Front Center	Х	
Arm Rest—Rear Center	X	X
Ash Receivers (2) Lighter (1) in Each Rear Door Arm Rest	x	x
Assist Straps on Division	X	X
Automatic Climate Control	Х	X
Auxiliary Seats—Two Front Facing	X	X
Courtesy Lamps Below Rear Door Armrest	x	x
De-Fogger, Rear Window	Х	X
Division Glass		X
Foot Rests—Two Adjustable	X.	X
Head Restraints	Χ.	X
Leather Front Seat		X
Level Control, Automatic	X	X
Loop Assist Strap on Rear Pillars	Х	Х
Marshall Type Coil Seat Springs	X	X
Outside Left & Right Rear View Mirrors	x	Х

	ST	YLES
	R	S
Reading Lamps in Headlining Air Conditioning Vents	x	х
Reading Spotlight in Front Compartment Header		x
Rosewood Paneling: Front Door Inserts	x	
Rear Door Inserts	X	X
Rear Quarters	Х	X
Back of Division		Х
Instrument Panel	X	Х
Seat Adjuster Front—Power 2-Way	X	Х
Seat Belts: 3 Sets Front 3 Sets Rear	Х	X
Shoulder Belts—2 Sets Front	X	Х
Third Key Operates Right Rear Door		Х
Tires—8.20-15, 8 Ply Rating, 4 Ply Black	X	Х
Warning & Courtesy Lamps on Front Doors	х	X
Window Controls—Power	Х	Х

# **LANDAU ROOF**

Special Request

(B)	HIP 1	00	ODE		AT AM6 SEAT AS!	STER	AMES (1) V50	-	OR I GRO HE	UPS	TIRES EAGE H-D	-2-3-4	TRAY AOI	GUARDS B93	ONTROL C61	ADJUSTER	KS-PWR. AU3	WHEEL N37	TS Y28	SENTINEL T82	K A90	C 50	NTROL K30	CONTROL T&0	FFERENTIAL DORADO GRO	یا ا		MER (75) C34	`	ELTS A
DEALER (	ODE	十	17 LE		S-60-40 SE	EAT	LICENSE FR	FILLER PL	,	,	WHITEWALL HIGHER MIL	RAD10 - 1	6L ASS-SOF	DOOR EDGE	AUTOMATIC	EAT	DOOR LOCK	T. & T. Steering	FLOOR MA	TWILIGHT	TRUNK LOC	DE-FOGGER	CRUISE COI	HE ADL AMP	EXCEPT EL	EVEL CON	TRUMPET	AT WAR	REAR SHOULDER	
ORDER NO.	COLO	ТОР	TR	IM	5-8	٧	L-0	P	1-2 3-4	8-9	W-T	1	٤	D	К	*	м	0	F	3	5		С	υ	G	L	н	A	Z	N
\$	10		<u>'</u>						1-51	ERI	EO	2- A)	M-F1	 							141									
	Vic	NLY	WHE	4 6-1	NAY ORDER		l		3-A	158	4-R	EAR 167	69			Y	6-W	AY	DRI	VER	'5 6	0-4								

PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

# SPECIAL FEATURES TRIM HEADLINING SPECIAL EXTERIOR COLOR PRODUCTION DATE INSTRUMENT PANELS FINANCE THROUGH

INSTRUMENT LACES

CARPETS SEATS
ONLY

INSERTS S.R. NO.

BOLSTERS

Landau Roof 2 Landau Bows

UNDERSIGNED DE ALER
CERTIFIES THAT HE HAS
CURRENT ARRANGEMENT
WITH AN O.D.C. FINANCER
AND THAT SETTLEMENT
SHOULD BE MADE
THROUGH SUCH O.D.C.
FINANCER.

G.M.A.C.

CASH

0.D.C.

#### LANDAU ROOF

8-3

4-1

**E**3

STYLES R S

X

X

X

X

X

X

X

X

X

Х

S

Χ

X

Х

Х

X

Х

X

X

Х

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

To add a distinctive formal appearance to the Fleetwood "75", a Landau Roof option is offered. This treatment includes blocking in the rear quarter windows, padding and covering the roof with vinyl, reducing the size of the rear window and attaching fully chromed Landau bows on the rear quarters.

#### **OPTIONS**

When a Landau Roof is ordered, the following changes may be specified:

- 1. Omit Landau Bows
- 2. Retain regular rear window size

The illustrated order is for a Landau Roof with a Black, code 2, vinyl cover.

#### SMALL REAR WINDOW SIZE

The trapezoid small rear window size is approximately:

Width at top		 			20"
Width at bottom		 			22"
Height					.83/4"

#### HEADLINING

Taffeta perforated vinyl headlining material will be used with all trims on the Landau.

#### **EXTERIOR ORNAMENTATION**

A FLEETWOOD plaque on the vinyl upper rear quarters and a wreath and crest on the lower quarters are distinctive Landau emblems.

The wreath and crest also appears on the lower rear quarters of standard "75" cars.

#### PADDED ROOF


A padded roof only may be ordered by marking a top color number under TOP on the order form.

## **AVAILABILITY**

The availability of Landau Roof cars will vary depending upon the number of unfilled orders at the time compared to production capacity.


This is especially significant early in the model year when the volume of such orders

is usually the largest.



# **CLOTH FRONT**

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

T76  INSTRUMENT PANELS  CIOTH Front and Rear  CARPETS  SEATS ONLY  INSERTS  S.R. NO.  BOLSTERS  FINANCE THROUGH  G.M.A.C.  G.M.A.C.  UNDERSIGNED DE ALE CERTIFIES THAT HE H- CURRENT ARRANGEMEN	TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
Cloth Front and Rear  CARPETS  SEATS ONLY  INSERTS  S.R. NO.  UNDERSIGNED DE ALE CERTIFIES THAT HE H. CURRENT ARRANGEMEN	726		1	
CARPETS SEATS ONLY  CASH  O.D.C.  INSERTS S.R. NO.  UNDERSIGNED DE ALE CERTIFIES THAT HE H- CURRENT ARRANGEMEN		LACES	1	FINANCE THROUGH
ONLY  ONLY  OD.C.  INSERTS S.R. NO.  UNDERSIGNED DE ALE CERTIFIES THAT HE H- CURRENT ARRANGEMEN			Cloth Front and Rear	G.M.A.C.
INSERTS S.R. NO.  UNDERSIGNED DE ALE CERTIFIES THAT HE H. CURRENT ARRANGEME!	CARPETS			CASH
BOLSTERS UNDERSIGNED DE ALE CERTIFIES THAT HE H CURRENT ARRANGEMEI			·	0.D.C.
BOLSTERS CURRENT ARRANGEMEN	INSERTS	S.R. NO.		UNDERSIGNED DE AL ES
BULSIEKS				CERTIFIES THAT HE HAS
WITH AN O.D.C. FINANCI	BOLSTERS			CURRENT ARRANGEMENT
				WITH AN O.D.C. FINANCER AND THAT SETTLEMENT
				SHOULD BE MADE THROUGH SUCH O.D.C

#### **CLOTH FRONT AND REAR**

In a "75" Limousine S, the same cloth fabric used to upholster the rear compartment may be substituted for the Black leather on the front seat.

#### TRIM STYLE

The cloth front seat trim will be 2" pleats similar to the leather style.

#### FRONT DOORS

The front doors will be Sedan R type which includes Rosewood panels and lower carpet in door color.

# CARPETS AND INSTRUMENT PANELS

These will be Black regardless of the seat and door color. The steering wheel is of course Black in all cars.

FINANCER.

The instrument panel could be specified in a color other than Black, however, because there is no carpet option, a Black instrument panel will harmonize with the carpet and steering wheel.

The carpet on lower part of front doors will be in door color which may contrast the Black floor covering.

R 3

R 3

R-3

الصا

**f** 

**F** 

u

seat urse in a here anel ring

lac

# "75" SUPPLY AND DEMAND

The demand for "75" cars is, of course, greatest upon new model introduction. However, there is a ceiling limiting the daily volume that can be produced so that although the highest rate is scheduled during the early months, it does not always meet demand.

#### 8 MONTH CYCLE

Bodies for "75" cars are manufactured in a separate semi-custom plant devoted to low volume production.

It also serves as a pilot plant for all General Motors new models starting about the middle of April each year.

This is a distinct advantage to Cadillac and its dealers because it permits concentrating the production of a year's supply of "75" cars to about 8 months, while retaining a highly skilled work force by providing continuous year round employment.

It also allows an advance "clean up" period compared to other cars.

## SALES PROMOTION

Cadillac is very interested in promoting the sale of these prestigious top-of-the-line cars that actually have no domestic car competi-

Therefore, manufacturing is scheduled to meet maximum demand periods within available production capacity.

This explanation is offered for a better understanding of the objectives and limitations that affect the availability of the "75" Limousine and Sedan.

## TIME AND PRICE FACTORS

The following are facts which are presented to prevent misunderstanding of the price for a special color interior, which in 1968 was \$1700.00 and required a lead time of 3 to 4 months.

## SPECIAL HANDLING

In addition to the basic cloth or leather. many other color-keyed components are required to produce a special color Fleetwood "75" interior. These range from injection molded vinyl to thread and buttons.

Most of these special parts must be machine made on a one-time basis. This means that labor costs for setting up such machines to produce only one or two individual pieces become very costly.

#### MACHINE SET UP

For example, medium Gold, which is not a standard "75" interior color, will need a pair of air duct grille assemblies for installation in the headlining.

These are molded rubber and to make them in Gold, regular production must be interrupted, the machine cleaned, Gold compound mixed and two pieces molded.

After these are made, the machine must be re-cleaned for standard colors.

## PROCUREMENT OF A SINGLE PART INVOLVES MANY PLANTS

Another example of the time and effort required to procure a part which has to be made special concerns an item called "windlace." This is a rope shaped, fabric covered, sponge rubber filler which is used as an air seal around each door.

To secure this in a non-standard color, a small quantity of yarn in the proper color must be ordered from a mill in Carolina. This is then sent to a fabricating company in New England for weaving into a formed lace. Upon completion, it is shipped to the body assembly plant in Detroit.

An occasional small order of this kind is, of course, not the "bread-and-butter" work of these plants and, therefore, has difficulty in receiving priority.

Other such parts that require individual attention are assist straps on the rear pillars, the small door over the controls in the rear side arm rests, carpets, etc. A delay in any one of these will hold up production of the entire car.

#### CONCLUSION

If, notwithstanding these lead time and price considerations, a special color interior is to be ordered, please advise immediately the specifications wanted so that the ordering procedure may be started.

## "75" LEAD TIME

Because more lead time is required to produce "75" cars, standard specification orders for each month's allotment should be submitted during the first third of the previous month.

# SPECIAL ORDERS

#### THE SPECIAL REQUEST PROGRAM

To accommodate individuals who may have a preference for a non-standard interior, a Special Request Order program is available.

Under this plan, a special upholstery combination may be ordered to meet the specifications of the most discriminating customer. This is another example of Cadillac's long established tradition of "serving customer needs." Although most customers will select one of the 205 standard trim options, the fact that a special upholstery can be ordered contributes to the enhancement of Cadillac's prestige as a luxury car with unequalled value and desirability.

This plan is not intended to supplement the total of regular trim options for speculative variety or stock purposes. It is, as mentioned above, designed to provide the most discriminating customer with a means of ordering a non-standard upholstery combination to meet a personal choice. The order will be handled expeditiously within the limits of manufacturing capacity and volume of such orders at any given time.

## **CONQUEST SALES**

Because competition cannot match it, the Cadillac salesman should take advantage of the availability of this custom service to make "conquest sales" which perhaps could not be made otherwise.

#### TIME REQUIRED

Any non-standard order requires special handling and, therefore, is subject to an understandable additional waiting period. Its availability cannot be predicted in advance with the precision of regular option cars.

Also, the number of special orders on hand fluctuates which can vary the production time of the order.

Special orders are released on a "first-come, first-served" basis. This means there is no opportunity for shortening the time required for manufacture.

Completion and delivery of a presold order in the shortest possible time is the prime objective of all concerned.

#### **ELDORADO TAKES LONGER**

Eldorado upholstery is cut and sewed in the Detroit Fleetwood plant. However, the body is now assembled in Ohio.

This entails extra transportation time to transfer materials between Michigan and Ohio. It is a factor that will increase the production time of special Eldorado orders.

#### **ACKNOWLEDGMENT OF ORDERS**

**Ľ**...

中国二十四日

Special orders are acknowledged with an estimated production date marked on a reproduced copy of the order which is returned to dealers via their zone office.

#### FOLLOW-UP YOUR ORDER

To be sure that the special order has reached the Central Office, it is recommended that dealers follow-up if acknowledgment copy not received in 10 days.

#### IT CAN HAPPEN

An order can be overlooked, misplaced and not forwarded to the Central Office. For these reasons, the follow-up procedure is important and recommended.

Due to its custom-oriented manufacturing methods, Cadillac produces more individual special feature cars than any other GM car division.

#### X INSTEAD OF 000

A single X mark in the trim space on the order form now identifies a special interior order. The usual specifications in the special features section are continued.

This change is the result of more sophisticated computer systems which need only one space instead of the 000 previously required to identify a special trim.

Double zero (00) is still applicable for special color orders.

# **LEATHER**

		C	STRICH	GRAIN		SIERR	A GRAIN
			DE VI	LLE		FLEE	TWOOD
Colors	Codes	Convertible F	Coupe	Hardtop Sedan B	Sedan L	Eldorado H	60 Special M Brougham P
Black	351	N/C	STD	STD	STD	STD	STD
White—Black Carpet	352	N/C	STD	STD	STD	STD	STD
White—Blue Carpet	353	N/C					
White—Red Carpet	354	N/C					
White—Aqua Carpet	355						
Gray	356				,, <del></del> ,,	N/A	
Dk. Blue	366	N/C	STD	STD	STD	STD	STD
Med. Aqua	369			·			
Dk. Green	371	N/C	STD			STD	STD
Lt. Flax Antique	382	N/C	STD	STD	STD	STD	STD
Med. Gold Antique	384	N/C	STD	STD	STD	STD	STD
Dk. Cordovan Antique	386	N/C	STD	STD		STD	STD
Dk. Mauve	387	N/C	STD	STD		STD	STD
Med. Red	388	N/C	STD	STD	STD	STD	STD
Dk. Maroon	389					N/A	

#### LEGEND

N/C	No Charge	STD	Standard Option—Extra Charge
N/A	Not Available		Special Request—Extra Charge



Level Control keeps the headlights out of on-coming driver's eyes.



prior, a Special

R

£3

U

**specifications** ıblished tradi-205 standard enhancement

r speculative iscriminating et a personal capacity and

## **ORDERS**

ed with an l on a reproreturned to

ER

has ached enc. that it copy not

placed and For these important

**ifacturing** individual · GM car

e on the interior e special

sophistionly one juired to

able for

# **ORDER EXAMPLES**

#### **EXAMPLES**

The order illustrations on pages 52 through 66 are examples of non-standard upholstery and color orders. They represent some of the most frequently ordered combinations.

Spaces, representing 8 major components of an interior are captioned on the SPECIAL FEATURES section of the order form 5600A.

Upholstery code numbers marked in these spaces will determine the color and type of material to be applied to the area covered by the caption.

When ordering a special interior combination or exterior color, be guided by the illustrations shown on the ensuing pages. This will contribute to a correct understanding of the special features wanted and expedite the processing of the order without further clarification.

#### **BUTTONS**

The following is an explanation of purpose of buttons on certain upholstery styles and why they should not be omitted.

For example, the De Ville trim style includes oblong buttons on the back rest. In addition to their decorative effect, these buttons, which have a 1½" long prong with an oblong shaped head, serve to tie down the upholstery fabric and help retain the original trim design.

#### MACHINE PUNCHED LEATHER

Leather upholstery is "die cut" to size, which means a machine stamps out the various parts in correct shapes for upholstering the seats.

The die includes a cut-out for piercing the button holes. Therefore, to omit such buttons, requires hand cutting the leather to avoid making the holes.

Omitting the buttons would entail extra hand labor to cut the upholstery, plus special handling of the order.

## DOOR PANELS

Door panels which include the arm rest are a molded unit with a framed insert section above the arm rest. This means that except for the insert, the entire interior door panel is a single color of vinyl material.

#### DE VILLE DOORS

Depending upon the upholstery on De Ville cars, the door insert is in cloth or Rosewood.

FO

ابا

## H, M & P DOORS

In the Eldorado, Brougham and Sixty Special the insert is Rosewood and it cannot be replaced by any other material such as cloth or vinyl.

The lower part of door panels is carpeted.

#### PAST MODEL UPHOLSTERY

Interiors in colors or fabrics not currently in production cannot be furnished.

Past model materials, special color fabrics or materials to be supplied by the customer cannot be used unless it should match a current interior color.

In addition to the basic insert upholstery material, many other components are needed to complete a harmonious interior. Vinyl and pre-fabricated plastic parts, carpets, laces—even the thread—are color-keyed to the regular interior color options and small quantities of these parts in special color are not obtainable. For these reasons, the selection of fabrics must be confined to the available options in the upholstery sample book.

# TRIM STYLES NOT INTERCHANGEABLE

Upholstery styling is not interchangeable between series.

#### INITIALS S. R.

The initials S. R. stand for "Special Request." They appear on special orders and invoices, representing a price for invoicing purposes. This is a matter of information.

# COLOR RESTRICTED COMPONENTS

COLORS	① DOOR PULLS	② BUTTONS	③ HEAD- LINING	4 SHOULDER BELTS	⑤ ELDORADO
White	GN				
Lt. Gray	GNFJBL	JBL	Ascot Cloth or Plain Vinyl	G J	See Copy Below
Dk. Cordovan	GN				
Dk. Mauve	GN				
Med. Red	GN				
Dk. Maroon	GNFJBL	JBL	Ascot Cloth or Plain Vinyl	G J	See Copy Below

## ALL COLORS NOT AVAILABLE

Some pre-fabricated, woven or vacuum formed interior components are exclusive to certain body styles.

Consequently, such parts are not available in the full range of interior colors and a neutral

color must be substituted.

The chart above indicates the colors of components and the body styles on which they are not available.

## ① DOOR PULLS

For example, door pulls are different in each series from Calais to Fleetwood. Therefore, in a White vinyl Calais interior an available Calais color such as Black must be used. Note that this applies to Lt. Gray and Dk. Maroon in De Ville cars.

## **② BUTTONS**

A De Ville closed car upholstered in Lt. Gray Dubonnet or Dk. Maroon Dumont cloths will have vinyl covered oblong buttons. Ordinarily, these are cloth covered.

## ③ HEADLINING

As shown on the chart, some colors will have Ascot cloth headlining instead of the standard Bedford or Tafetta vinyl material. The headlining in a cloth trimmed body will be Ascot cloth; with leather or vinyl, it will be a plain coated fabric.

With Gray or Maroon leather upholstery in styles M and P, the headlining will be plain vinyl.

## **4** SHOULDER BELTS

In a Lt. Gray or Dk. Maroon interior, a neutral color for the Shoulder Belts should be selected. If not indicated on the order, choice will be made at the plant.

## **5 ELDORADO LIMITATIONS**

Lt. Gray and Dk. Maroon—colors which are available in the "C" line—can only be furnished for the seat covers in the Eldorado.

This means the remainder of the interior must be in an available Eldorado color. For example, Maroon leather seats could be combined with a basic Black interior. The headlining, garnish moldings, vinyl windshield pillar moldings, doors, back of front seat back panel, carpets, instrument panels, rear shelf, shoulder belts would all be Black. In summary, the body contact seat surface only would be Maroon.

ial Reai 1ng pur-

**igeable** 

cept for unel is a

De Ville ewood.

1 Sixty nnot be as cloth

eted.

ently in

bı( )r

ner can-

current

olstery

needed

nyl and laces—

ne reguantities

obtain-


fabrics

is in the



# LEATHER IN DE VILLE

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

		SPECIAL FEATURES	
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
371	·		į .
INSTRUMENT PANELS	LACES		FINANCE THROUGH
		·	G.M.A.C.
CARPETS	SEATS ONLY		CASH
		·	0.0.C.
INSERTS	S.R. NO.		UNDERSIGNED DE ALER CERTIFIES THAT HE HAS
BOLSTERS			CURRENT ARRANGEMENT
<del></del>			AND THAT SETTLEMENT
			THROUGH SUCH O.D.C.

#### SPECIAL LEATHER COLORS

Non-standard leather colors may be ordered on special request. Some colors or combinations are optional on certain body styles but not others.

The example shown is one such color—Dk. Green. It is optional on the Convertible and Coupe De Ville, but must be special ordered on the Sedan or Hardtop.

#### NOTCH BACK FRONT SEAT

When upholstered in leather, De Ville four door cars will have a notch back Coupe type front seat. Cloth upholstered Sedans have a straight across back rest.

The Coupe seat has a free-standing center arm rest and individual back rests which in

Sedans are anchored to prevent folding forward.

E

E A

#### **DUAL COMFORT SEAT**

Regardless of body style or upholstery (cloth or leather) the Dual Comfort Seat will have a notch back.

#### SEDAN SEAT

A bench type seat with a straight across backrest can be supplied at extra charge in a leather upholstered Sedan if so specified.

#### OSTRICH GRAIN

Unless otherwise requested, Ostrich grain leather inserts and Sierra grain bolsters will be supplied in De Ville cars.

# LEATHER IN P OR M

Special Request

(8)	HIP 1	0 0	ODE		AT AM6 SEAT AS1	TER	AMES (1) V50	-	Į.	DER UPS RE	TIRES P26 EAGEH-DPT3	2-3-4	TRAY AOI	GUARDS B93	CONTROL C61	TER	S-PWR. AU3	WHEEL N37		SENTINEL T82	K A90	C 50	TROL K30	CONTROL T80	FERENTIAL	9 10 H	HORN UBS	ER (7	BELTS AS4	BELTS ABS
DEALER (	ODE	+	816		5-60-40 SE	EAT AG	LICENSE FR	FILLER PL	,		WHITE WALL	RADIO - 1	GLASS-SOFT	DOOR EDGE	CLIMATE C	T ADJU	DOOR LOCK	T. & T. STEERING		TWILIGHT S	TRUNK LOC	DE-FOGGER	CRUISE CON	HE ADL AMP	EXCEPT ELD	EVEL CON	TRUMPET H	SEAT WARM	RE AR SHOULDER	05.8
ORDER NO.	COLO	TOP	TR	М	5-8	٧	L-0	P	1-2 3-4	8-9	W-T	1	E	D	K	Y	м	0	F	7	5	8	С	U	G	L	н	A	z	N
P				X	5	V										Y														
. •	V (0	NLY	PASS WHEN	6-W	AY		1		3-A	158 M 65	4-R	2-A1 U EAR 67	69	- 1				AY AY												

PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

#### SPECIAL FEATURES

TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PROC	UCTION DATE
089				
NSTRUMENT PANELS	LACES		FINA	NCE THROUGH
			1	G.M.A.C.
CARPETS	SEATS ONLY			C ASH
	_			0.0.0.
INSERTS	S.R. NO.		-	IGNED DEALER
BOLSTERS			CURREN	T ARRANGEMENT O.D.C. FINANCER
			AND TH	AT SETTLEMENT
				D BE MADE
			1	H SUCH O.D.C.
			FINANCE	A.

ling for-

E HAS MENT INCER MENT A D E

ZN

y (cloth

1

l have a

across ge in a i.

w e

#### TRIM STYLE

Leather upholstered Brougham and Sixty Special cars will be in three-pillow back rest style.

## FRONT SEAT TYPE

The Brougham front seat will be Dual Comfort type with a notch back; the Sixty Special will have a regular bench type with a straight across back rest unless an extra charge Dual Comfort seat is ordered.

#### LEATHER COLORS

There are three leather colors that are not

standard production options which may be special ordered.

Maroon

089

Med. Aqua

069

Lt. Gray

056

In addition, various carpet and two-tone combinations may be ordered.


#### LEATHER GRAIN

Standard finish on both leather inserts and bolsters in styles H, M and P is Sierra grain.

Ostrich grain inserts may be substituted on special order.

# **MAXIMUM LEATHER**

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

#### SPECIAL FEATURES

TRIM	HEADLINING
451	
PANELS	LACES
CARPETS	SEATS ONLY
INSERTS	S.R. NO.
BOLSTERS	

Maximum Leather

SPECIAL EXTERIOR COLOR

	OBJETTON DATE
FI	NANCE THROUGH
	G.M.A.C.
	CASH
	O.D.C.

F:

K)

f J

6

UNDERSIGNED DE ALER CERTIFIES THAT HE HAS CURRENT ARRANGEMENT WITH AND.D.C. FINANCER AND THAT SETTLEMENT SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

## LEATHER TRIM

Leather implies the use of vinyl for certain interior components. However, if a substitution of leather on all possible areas is desired, "Maximum Leather" may be specified.

## MAXIMUM LEATHER


Leather will be applied in place of vinyl on the seat cushion skirt, sides of back rests, side of center arm rests, front seat back insert and on De Ville Sedans, the section above rear center arm rest and top face of rear seat back rest.

#### EXTRA CHARGE

The extra charge for Maximum Leather is higher than the schedule of M.S.R. prices for regular special leather. It may be ordered on all cars except Calais.

# **DUAL COMFORT SEAT**

Special Request



_	SPECIAL FEATURES											
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE									
351												
NSTRUMENT PANELS	LACES	]	FINANCE THROUGH									
			G.M.A.C.									
CARPETS	SEATS ONLY		CASH									
			0.D.C.									
INSERTS	5.R. NO.		UNDERSIGNED DEALER									
			CERTIFIES THAT HE HAS									
BOLSTERS			CURRENT ARRANGEMENT									
			WITH AN O.D.C. FINANCER									
		}	AND THAT SETTLEMENT									
		<del>-</del>	SHOULD BE MADE									
			THROUGH SUCH O.D.C.									
			FINANCER									

nsert and rear cenack rest.

SHOULDER BELTS FRONT SHOULDER BELTS

z

WARMER (75)

. c. ALER IE HAS EMENT ANCER EMENT I AD E D.C.

E T

eather is rices for all

## **NOT STANDARD**

The Dual Comfort seat is not a standard option in the Sedan de Ville, Style L.

It may be special ordered in either cloth or leather upholstery, code S.

#### FRONT SEAT ADJUSTERS

The Dual Comfort seat, standard and optional adjusters are:

Driver Standard—2-way power Optional-6-way power-code Y

#### Passenger

Standard-2-way manual Optional-6-way power-code V


However, the 6-way passenger option must always include a 6-way driver seat option, codes VY.

## V WITHOUT Y NOT AVAILABLE

A combination of 6-way passenger (V only) with a standard 2-way driver adjuster is not available.

# SEATS ONLY WHITE LEATHER

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

#### SPECIAL FEATURES

TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
351			]
NSTRUMENT PANELS	LACES		FINANCE THROUGH
			G.M.A.C.
CARPETS	SEATS ONLY		CASH
	352		0.D.C.
INSERTS	S.R. NO.		UNDERSIGNED DE ALER
			CERTIFIES THAT HE HAS
BOLSTERS			CURRENT ARRANGEMENT
	,		WITH AN O.D.C. FINANCER
	·	·	AND THAT SETTLEMENT
			SHOULD BE MADE
			THROUGH SUCH O.D.C.
			FINANCER.

#### SEATS ONLY

The seats in White leather with Black or other color doors may be ordered as illustrated on the above Hardtop Sedan de Ville order.

This offers greater contrast by increasing the dark tone areas to include the entire interior except for the seats.

#### HEADLINING

In closed cars, special consideration should be given to the headlining color, as White may be preferred. If so, specify 352 under Headlining.

#### TWO-TONE CONVERTIBLE

An interesting Convertible combination is one in which the doors, etc., are harmonized with the exterior. i.e. No. 47 Wisteria color

with Dk. Mauve doors and White seats.

#### LACES

Another option for consideration are the laces. These may be ordered in a dark tone for contrast on the seats.

# OTHER TWO-TONE SUGGESTIONS

Combinations of Lt. Flax and Cordovan; Med. Gold and Dk. Green with matching tops and exterior colors.

#### EXTRA CHARGE

As a matter of information, the extra charge for a SEATS ONLY upholstery combination will be the same as a complete special leather upholstery interior.

# **TWO-TONE COMBINATIONS**

Special Request

	(8)		7	o c	ODE	-	AT AM6 SEAT AS1	ļ	AMES (1) V50	_	ORI GRO HE	UPS	EAGEH-DPT3	2-3-4	FRAY AOI	GUARDS B93	IC CONTROL C61	ren	-PWR. AU3	WHEEL N37		ENTINEL T82	06A 1	0.50	TROL K30	CONTROL T80	FERENTIAL	ROL G67	HORN UB8	MER (75) C33	BELTS AS4	
DEAL	ER (	COD	E		TYLE		S-60-40 SE/ B - BUCKET	E	LICENSE FR.	FILLER PLA	,		WHITE WALL HIGHER MIL	RADIO - 1-	GLASS-SOFT	DOOR EDGE	AUTOMATIC CLIMATE CO	SEAT ABJUS	DOOR LOCKS	T. & T. STEERING V	OOR MA	TWILIGHT S	TRUNK LOCK	DE-FOGGER	CRUISE CONT	AMP	CONT. DIF	EVEL CON	TRUMPET H	WAR	DER	1
ORDER	NO.	COL	OR	TOP	TR	IM	5-8	٧	L-0	٩	1-2 3-4	8-9	W-T	1	Ε	٥	K	Y	м	0	F	j	5	В	С	υ	G	L	н	A	z	N
J			ļ			X						<b> </b>																				
		V	(0)	4LY	PASS WHEN	1 6-W	AY				3-A	158 M 65	4-R	2-AI EAR 167	69				6- W	AY E	DRI	VER	'5 6	0-4								

PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION

TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
351		1	
STRUMENT PANELS	LACES		FINANCE THROUGH
		<u>-</u>	G.M.A.C.
CARPETS	SEATS ONLY		CASH
			0.D.C.
INSERTS	5.R. NO.		UNDERSIGNED DEALER CERTIFIES THAT HE HAS
BOLSTERS			CURRENT ARRANGEMENT
352			WITH AN O.D.C. FINANCER AND THAT SETTLEMENT
		•	SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

#### **BLACK AND WHITE**

A two-tone interior may be created by specifying a contrasting bolster color. This provides an accent and relief from an over-all monotone effect of a standard interior.

On such combinations, the leather or vinyl center section of the seats, cushion skirt and end facings of back rests will be in the bolster color.

#### MORE CONTRAST

However, if more contrast should be wanted, the back of front seat back panel and seat wings may also be ordered in the bolster color. Order should be marked "Front Seat Back Panel Same as Bolster."

The doors, headlining, inserts and instrument panels will be in the basic trim color. In the example shown, they would be Black.

## OTHER COMBINATIONS

In addition to an interior with the sharp contrast of White and a dark color, other attractive

arrangements of compatible colors may be created by combining such shades as Flax and Gold, or Cordovan, Green and Flax.

# BROUGHAM AND SIXTY SPECIAL TRIM STYLES

Two trim styles are available in body types P and M. 1) A "three-pillow" and 2) a "two-pillow" back rest type.

When a two-tone is ordered in either of these body types, the "three-pillow" style will be furnished unless otherwise requested.

#### **ELDORADO BUCKET SEATS**

The upholstery material on a Bucket Seat extends over the entire top surface of the cushion and face of back rest; therefore, the entire cover will be in a single color.

However, the rear seat in a two-tone combination will have the center section in the bolster color similar to the treatment of a bench seat.

re the

t 1

6

R A


lovan; g tops

:he

ather

# VINYL UPHOLSTERY

## Special Request



		SPECIAL FEAT	URES						
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR		PRODUCTION DATE					
252									
INSTRUMENT PANELS	L ACE 5			FINA	NCE THROUGH				
					G.M.A.C.				
CARPETS	SEATS ONLY				CASH				
				1	0.D.C.				
INSERTS	5.R. NO.			L	GNED DEALER				
BOLSTERS					ARRANGEMENT				
		1		AND THE	AT SETTLEMENT				
				1	D BE MADE				
				THROUGH	4 SUCH O.D.C				

#### FOR CALAIS SERIES

COLORS	CODES
White	252
Dk. Biue	266
Med. Aqua	269
Dk. Green	271
Med. Gold	284
Dk. Cordovan	286
Dk. Mauve	287
Med. Red	288
Dk. Maroon	289

The above special request colors are in addition to Black, 251 and Lt. Flax, 282, which are standard vinyl options at nominal extra charge.

#### WHITE VINYL

With White vinyl, 252, the following will be Black:

1. Instrument panels and rear shelf.

- 2. Carpets.
- 3. Seat Belts.
- 4. Door Pulls.
- 5. Back of front seat back panel in Sedan N (In Coupe G it will be white).

FINANCES.

FI

F

Other colors in place of Black may be ordered for these components. To order, specify the fol-lowing in any standard Calais color:

- 1. Instrument Panels.
- 2. Carpets.
- 3. Seat Belts.

For further component restrictions, see page 51.

## LEATHER NOT IN CALAIS

A single piece of fabric covers the seat cushion in the Calais trim styling. Also a bolster extends across the entire top of the back rest in the Sedan N and rear seat of style G.

This means that a single piece of material is required to upholster these areas and cowhides are not large enough to cover them.

# **ELDORADO BUCKET SEATS**

Special Request

	(8)				ODE		SEAT AM6 KET SEAT ASI	STER	FRAMES (1) V50	LATE VK!	ORI GRO HE		L TIRES LEAGE H-D	1-2-3-4	SOFT RAY AO!	GE GUARDS B93	CONTROL C61		CKS-PWR. AU3	G WHEEL N37	AT S	SENTINEL T82	0СК А90	ER C50	ONTROL K30	CONTR	DIFFERENTIAL	NTROL G67	T HORN USS	RMER (75) C34	_	BELT
(A)	ER C	:00	E		934		5-60-40	EAT AD	LICENSE	FILLER P	,		WHITE WAL	RADIO -	6L ASS-5	DOOR ED	AUTOMAT CLIMATE	-	DOOR LOC	T. & T. STEERING	FLOOR M	TWILIGHT	TRUNK L	DE-FOGGE	CRUISE C	HE ADL AM	CONT. D	EVEL	TRUMPE	AT WA	٥	FRONT
ORDER	NO.	CO	LOR	TOP	TRIN	4	5-8	_	L-0	•	3.4	8-9	W-T	1	E	0	ĸ	Y	м	0	F	-	5	В	c	υ	6	L	н	A	Z	H
H						X	8					ŀ												. 1								
		V	101	(LY	PASS. WHEN I	5-W	AY		}		3-A	TER 158 M	4-R	2-AI EAR 167	69					AY AY												

	The state of the s	SPECIAL FEATURES	eri massi salah di kacamatan di k	era en
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODU	ICTION DATE
429				
NSTRUMENT PANELS	LACES		FINAN	ICE THROUGH
				G.M.A.C.
CARPETS	SEATS ONLY			CASH
				0.D.C.
INSERTS	S.R. NO.		UNDERSI	GNED DEALER
				S THAT HE HAS
BOLSTERS				ARRANGEMENT
			l l	O.D.C. FINANCES
	<u> </u>		3	T SETTLEMENT
		_	1	D BE MADE
			THROUGH	SUCH O.D.C

Sedan N

MENT INCER MENT AD E D.C.

e ordered fy the fol-

FRONT SHOULDER BELTS SHOULDER BELTS

, see page

seat cusha bolster back rest

nah...al is cowhides

#### LEATHER OR CLOTH

Black, 451 B and Lt. Flax, 482 B leather Bucket Seats are production options.

Bucket Seats in other Eldorado leather or cloth colors may be special ordered.

#### TRIM STYLE

Bucket Seats in cloth or leather will be upholstered in 2" pleat styling.

The rear seat will also be in matching 2"

Bench seat Eldorado trim style is narrow 14" pleats when Dubonnet cloth is used and wider 2" pleats with 410 Dominion cloth or leather.

Cloth Bucket Seats will have the rear seat center section and all cushion skirts in vinyl.

FINANCER.

#### CONSOLE

A center console matching color is included with Bucket Seats.

#### SEAT ADJUSTERS


The optional driver's Bucket Seat adjuster is a 4-way type that adjusts back and forth and pivots from a center point.

This means that the front and rear ends of the seat will move up or down but the entire seat does not raise and lower.

The passenger Bucket Seat has a power 2way adjuster without option.

# **CARPETS**

## Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

# SPECIAL FEATURES TRIM HEADLINING SPECIAL EXTERIOR COLOR 352 INSTRUMENT PANELS 366 CARPETS SEATS ONLY 366 INSERTS S.R. NO.

UNDERSIGNED DE ALER
CERTIFIES THAT HE HAS
CURRENT ARRANGEMENT
WITH AN O.D.C. FINANCER
AND THAT SETTLEMENT
SHOULD BE MADE
THROUGH SUCH O.D.C.
FINANCER.

PRODUCTION DATE

FINANCE THROUGH

G. M. A. C

CASH

0.D.C.

#### WHITE LEATHER

Carpets and Instrument Panels in color other than Black may be ordered with White leather (or any other color). The order illustrates a White and Blue combination.

#### **EXTERIOR COLORS**

Changes in carpet colors are made to create a more harmonious combination with the exterior color. This and the instrument panel color should be considered when selecting the carpet.


#### **AVOID THREE TONES**

The instrument panel color is an important consideration, because it appears as an extension of the hood.

It should match or complement the exterior and carpet color. If not, a three-tone interior may result.

# **ALL CLOTH**

## Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

#### SPECIAL FEATURES PRODUCTION DATE SPECIAL EXTERIOR COLOR TRIM HEADLINING 326 NSTRUMENT FINANCE THROUGH LACES PANELS **All Cloth** G.M.A.C. SEATS CARPETS CASH 0.D.C. INSERTS S.R. NO. UNDERSIGNED DEALER CERTIFIES THAT HE HAS CURRENT ARRANGEMENT BOLSTERS WITH AND.D.C. FINANCER AND THAT SETTLEMENT SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

## OMIT LEATHER AND VINYL

To eliminate leather or vinyl from the body contact surfaces of the cushion and back rest, specify "All Cloth" as illustrated on the order above.

Cloth will then be substituted on the areas that would ordinarily be trimmed in leather or vinyl. These are primarily the center arm rest section and cushion skirt.

A discrepancy of patterns may occur in the center where the cloth material is joined. These are separately cut pieces and therefore, may not match exactly.

#### TRIM STYLES

In Calais, De Ville or Eldorado, the standard trim style of the series will be used. The center piece will, of course, be plain similar to the leather or vinyl that it replaces.

In the Brougham and Sixty Special, the "two-pillow" trim style will be supplied but without the pique stitching. However, a "three-pillow" method may be requested.

On the standard Dubonnet all cloth trim in styles P and M, the lower cushion skirt and side facings are vinyl. This is mentioned because heretofore they were cloth.



ALER
HE HAS
EMENT
JANCER
EMENT
JAD E
. D. C.

cting the

mportant in exten-

e ior

# **WOOL BROADCLOTH**

Special Request

(8)	HIP T	0 0	ODE		EAT AM6 T SEAT AS!	NOJUSTER	RAMES (1) V50	1	ORC GRO HE	UPS	L TIRES P26 LEAGEH-DPT3	1-2-3-4	FT RAY AOI	E GUARDS B93	CONTROL C61	STER	KS-PWR. AU3	WHEEL N37		SENTINEL T82	CK A90	R C50	CONTROL K30	CONTROL TBO	FFERENTIAL DORADO GAO	THOL G67	HORN UBS	MER (75) C33	BELTS	BELTS A
DEALER (A)	CODE	_	597		5-60-40 SE	AT.	LICENSE F	FILLER PL		,	WHITE WAL	- 010AR	6L ASS-SOF	DOOR EDG	AUTOMAT CL IMATE	SEAT ADJU	DOOR LOC	T. & T. STEERING	FLOOR M	TWILIGHT	TRUNK LOCK	DE-FOGGER	CRUISE CO	HE ADL AMP	CONT. DI	EVEL C	TRUMPET	SEAT WAR	REAR SHOULDER	FRONT
ORDER NO.	COLOR	TOP	TR	IM	S-B	٧	L-0	P	1-2 3-4	8-9	W-T	A	Ε	D	К	Ÿ	м	0	F	1	5	8	С	v	G	L	н	A	2	H
S				X																										
	V (0	NLY	PASS WHEN	1 6-W	AY				3-A	158	4-R	2-A U EAR J67	69					VAY VAY												

PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

		SPECIAL FEATURES	
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
716	and the second s		en de la la de la
NSTRUMENT PANELS	LACES		FINANCE THROUGH
		Rear Compartment 3347 T 164	G.M.A.C.
CARPETS	SEATS Only	Gray Broadcloth	CASH
			0.D.C.
BOLSTERS	S.R. NO.		UNDERSIGNED DE ALER CERTIFIES THAT HE HAS CURRENT ARRANGEMENT WITH AN O.D.C. FINANCER AND THAT SETTLEMENT SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

## STANDARD FIBRES

All standard option upholstery cloths are a blend of nylon and viscose rayon. On special request a Gray or Beige wool broadcloth can

The order illustrates a Limousine, style S, which includes a Black leather front compartment. On other body styles the reference to rear compartment should be omitted. Orders for other body styles should read: 3347 T 164 Gray Broadcloth, or 3349 T 164 Beige Broad-

cloth.

#### TRIM STYLE

"Two-Pillow" back rest styling will be the mode in a Brougham, Sixty Special or "75" except that the pique stitching is omitted.

The entire top of seat cushion and face of back rest will be cloth covered. There will not be any leather used on the center arm rest section.

E 3

F \_ 3

E 3

E

In Calais, De Ville or Eldorado, the standard trim style of the series is used. In a De Ville or Eldorado, the center leather or vinyl section will be in cloth unless otherwise requested.

## BASIC TRIM CODE

With Gray Broadcloth, the basic trim should be 716 or 016; Beige 742 or 042. This means that except for the seat cushions and back rests which will be broadcloth, the balance of the entire interior from carpets to headlining will be in the standard production combination of materials.

# **TRIM 719**

## Special Request

(8		7	о c	ODE	AT A446		NOJUSTER	RAMES (1) VS0 (2) VS1	_	OR S GRO HE	UPS	0	-2-3-4	T HAY AOI	GUARDS B93	C. CONTROL CE 1		KS-PWR. AU3	WHEEL N37	TS Y28	SENTINEL T82	1K A90	0\$0	NTROL K30	CONTROL T80	FFERENTIAL DORADO G80	TROL G67	HORN UB8	MER (75) C34	BELTS AS4	
DEALER	CODE	E		8169	- 09-09	3	SEAT ADJU	LICENSE FR	FILLER PL			WHITEWAL HIGHER MIL	RADIO - 1	6LASS-50F	DOOR EDG	AUTOMAT!	SEAT ADJU	DOOR LOCK	T. & T. STEERING	FLOOR MA	TWILIGHT	TRUNK LOC	DE-FOGGER	CRUISE CONT	1	CONT. DI	LEVEL COM	TRUMPET	AT WAR	RE AR SHOULDER	
P	. COL	. OR	TOP		X	-8	V	L-0	P	3-4	8-9	W-T	<b>A</b>	E	D	K	Y	7	0	F	J	S	8	С	U	G	L	I	<b>^</b>	Z	•
	V	101	LY	PASS. WHEN S	-WAY	,				3-A	158	4-R	2-A! U EAR 167	69			Y	6-W	AY E	1180	/ER	5 6	0-4				g-g-9e0 *	4.19			

PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

		SPECIAL FEATURES	PRODUCTION DATE
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
016			
NSTRUMENT PANELS	LACES		FINANCE THROUGH
		Three-Pillow Style	G.M.A.C.
CARPETS	SEATS ONLY		CASH
			0.D.C.
INSERTS	S.R. NO.		UNDERSIGNED DEALE
719			CERTIFIES THAT HE HA
BOLSTERS			CURRENT ARRANGEMEN WITH AN O.D.C. FINANCE
719	-		AND THAT SETTLEMEN
			SHOULD BE MADE
			THROUGH SUCH O.D.C
			FINANCER.

nd face of re will not arm rest

SEAT WARMER (75)

DATE

OUGH

D.C.

EALER
HE HAS
GEMENT
INANCER

LEMENT MADE J.D.C.

2

standard De Ville or yl section ested.

im should nis means nack rests ce of the ini will in a of

## TRIM STYLE

Dumont cord trim will be "three-pillow" back rest style when ordered in a Brougham or Sixty Special.

The center section of the seats will also be in the Dumont material—not leather. That is why the bolsters are marked 719 in the order illustration. It means the entire top cover of the seats and face of back rests will be in the cloth fabric.


#### COLOR

This Fleetwood "75" cord material is medium Gray. However, certain prefabricated sections will be light Gray.

Such components as the headlining, back of front seat back panel, doors, door pulls, seat belts will be light tone. Combination 016 is, therefore, specified for the basic trim which represents the light tone color on these parts.

# LEATHER FRONT

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

SPECIAL FEATURES

TRIM	HEADLINING
049	
INSTRUMENT PANELS	LACES
CARPETS	SEATS ONLY
INSERTS	S.R. NO.
BOLSTERS	

Front Compartment 051

SPECIAL EXTERIOR COLOR

PR	ODUCTION DATE
FI	NANCE THROUGH
	G.M.A.C.
	CASH
	0.D.C.

UNDERSIGNED DEALER CERTIFIES THAT HE HAS CURRENT ARRANGEMENT WITH AN O.D.C. FINANCER AND THAT SETTLEMENT SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

#### LEATHER FRONT COMPARTMENT

A Brougham or Sixty Special may be ordered with cloth in the rear and leather in front.

## TRIM STYLE

Both front and rear compartments will be in the "three-pillow" back rest mode. However, if a contrast between the front and rear should be wanted, the rear may be in an optional "two-pillow" back rest style. With this method, if a plain material such as Dubonnet cloth is ordered, it will have the pique stitch design. Deleting the pique stitch is optional.

In addition to the regular Brougham trim, code 719 Dumont material or Wool Broadcloth are favored rear compartment options for this "chauffeur" type combination.

Section 1

#### **COLOR DISTRIBUTION**

When the front and rear compartments are ordered in different colors, it is divided as follows:

#### FRONT COLOR

Seat
Carpet
Doors
Seat Wings
Instrument Panels
Windshield, Garnish
& Header Moldings

#### REAR COLOR

Seat
Front Seat Back Panel
& Assist Straps
Front Seat Back
Inserts
Lower Front Seat Back
Carpet Area
Carpet
Center Pillar
Doors
Windhose
Headlinning
Shelf

# FIREMIST COLORS

(B	SHIP	TC	c ·	ODE	AT AM6	TER	FRAMES (1) V50	-	OR I GRO HE		LTIRES P26 LEAGEH-DPT3	-2-3-4	FT RAY AOI	E GUARDS B93	CONTROL C61	TER	KS-PWR. AU3	WHEEL N37	11.5	SENTINEL T82	A90	R C50	NTROL K30	CONTROL TBO	FFERENTIAL	TROL G67	HORN UBB	MER (75) C33	BELTS AS4	BELTS A
DEALER (A)	CODE		S	TYLE NO.	S-60-40 SE	¥	LICENSE F	FILLER PL	,		WHITEWAL HIGHER MI	R AD10 - 1	GLASS-SOF	8	AUTOMAT I	1 🗂	DOOR LOCK	T. B. T. STEERING	FLOOR MA	TWILIGHT	TRUNK LOC	DE-FOGGE!	CRUISE CO	HE ADL AMP	CONT. DI	EVELC	TRUMPET	WAR	REAR SHOULDER	
ORDER NO	. COL	RT	OP	TRIM	S-8	٧	L-0	P	1-2 3-4	8-9	W-T	4	Ε	D	K	Y	м	0	F	J	5	В	С	U	G	L	н	A	Z	N
	94			2100 6/	1				1-5	TERI	EO.	2- AI	M-F	 				-	251		A 4 3	 	<u> </u>							
	V	ON	LY	PASS. 60 WHEN 6-1	WAY		į.		3-A	J58	4-R	EAR 167	69 CO	NT.				AY AY												

		SPECIAL FEAT	URES		
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR		PROD	DUCTION DATE
er e sam garan nga masan sa		20 M. Steel on May III (Mayor), is C. Marines Agriconical and	· we will be a suppression of the suppression o		
INSTRUMENT PANELS	LACES			FINA	NCE THROUGH
					G.M.A.C.
CARPETS	SEATS				CASH
					0.D.C.
INSERTS	5.R. NO.			UNDERS	IGNED DEALER
				CERTIF	ES THAT HE HAS
BOLSTERS					T ARRANGEMEN' 10.D.C. FINANCE!
				l	AT SETTLEMEN
<del></del>		J			D BE MADE
					H SUCH O.D.C
				FINANCI	ER.

nts are ded as

)R

HOULDER BELTS ASA

; Panel

t Back

PREMIUM COLORS

Five Firemist colors are offered at extra charge on all body styles.

A Firemist color will be appreciated because of its remarkable beauty and also exclusiveness.

The limited number of cars in similar colors enhances the appeal of premium colors.

Firemist code numbers start with 9 and may be ordered by marking the number in the regular color space on the order form as illustrated. Usually, there is no procurement delay in ordering any of these regular production Firemist colors.


#### TWO-TONE EXTERIORS

A two-tone exterior appearance may be obtained by ordering a vinyl roof in a contrasting color. Six colors are available. Vinyl roofs are not offered on the Calais or Sixty Special.

Two-tone paint combinations are not available as the body styling does not provide a separation of roof and lower panels.

# SPECIAL COLORS

Special Request



PLEASE REFER TO OPTIONAL SPECIFICATIONS BOOK FOR ADDITIONAL ORDERING INFORMATION.

		SPECIAL FEATURES	
TRIM	HEADLINING	SPECIAL EXTERIOR COLOR	PRODUCTION DATE
NSTRUMENT PANELS	LACES	1968 Monterey Green Firemist	FINANCE THROUGH
			G.M.A.C.
CARPETS	SEATS ONLY		CASH
			0.D.C.
INSERTS	\$.R. NO.		UNDERSIGNED DEALER CERTIFIES THAT HE HAS
BOLSTERS			CURRENT ARRANGEMENT WITH AN O.D.C. FINANCER
			AND THAT SETTLEMENT
			SHOULD BE MADE THROUGH SUCH O.D.C. FINANCER.

#### **NON-STANDARD COLORS**

Any past model or non-standard color can be supplied on special order at extra charge.

To order, type 00 in COLOR space which denotes that color is not standard option.

In space captioned SPECIAL EXTERIOR COLOR, describe color by name and model year.

Allow four to five weeks for shipment of any special color.

#### HIGH GLOSS ACRYLIC MATERIALS

E I

The previous color, especially if it is a few years old, may have been formulated with now obsolete pigments. The newer chemicals have improved color retention and durability. However, they could produce a variance in appearance between the newer and older colors.

This is a matter of information that may be of special interest to fleet owners who add new cars in the original fleet colors and have noticed a difference in their older and newer vehicles.

# SHOULDER BELTS FRONT SHOULDER

# RIALS

CER

D E

s a few ith now ls have '. Howappearnay be

dd new 10

hicles.

# **WORK SHEET**

#### DEALER AID

A new car order WORK SHEET is a dealer aid available upon request to your zone office.

This is an 8½"x11" sheet which may be utilized for a variety of purposes such as a preliminary order summary, stock sheet, etc.

#### PRELIMINARY SUMMARY

The preliminary order summary, which means listing the specifications of cars to be ordered covering the allotment, is especially recommended.

This permits an overall appraisal and final check of specifications which are easier to evaluate on a composite list than individually.

Any revision can be made before transcribing to individual order forms 5600A.

## **UNORDERED OPTIONS**

It is also suggested that blank spaces under optional equipment be reviewed to prevent an inadvertent omission of any optional equipment.

# X INSTEAD OF 000

Special interior orders should now have an "X" marked on the right side of the regular trim space.

This is a departure from the 000 marking used heretofore.

It is a result of advanced computer programming that requires only a single character instead of the three zeros.

Marking this "X" is important. It identifies the order as non-standard and directs it into the proper special order channels without delay.

	NO.	COLOR	<u> </u>	8349	9 S-60-4	< SEAT	LICENSE	PILLER	1-2 3-4	8-9	WHIT HIGH	B AD IO
DEALER CODE			5	TYLE NO.	ت 0	i in	ISE FRAMES	ER PLATE			EWALL T	0 - 1-2-
		AM6 EAT AS I	œ	(1) V	>	GROU HER	UPS	IRES P2 Gen-opt	3-4			

# L. C. ENGINE

For travel in foreign or low octane areas, a lower compression piston engine is available at a small extra charge.

If the car is to be used in an area such as outside the continental United States where only fuel of less than required octane rating is available, an export type L. C. engine may be advisable.

In the standard high compression Cadillac engine, high octane gasoline is required for maximum performance. Lower octane fuels may cause engine ping which could be damaging.

The policy of General Motors Corporation with respect to the allocation of cars to domestic dealers for export shipment is set forth in General Sales Manager's letter dated November 21, 1958. An excerpt from this letter states:

"The car and truck divisions of General Motors Corporation will not allocate passenger cars and trucks to domestic dealers for export shipment."

# **SPECIAL FEATURES 5600A**

To order a special interior follow these three steps: 1) enter X in regular trim space, 2) under Special Features in the TRIM box type the upholstery code wanted and 3) insert trim code numbers in applicable spaces if other components are to be non-standard.

The following is an explanation of each component of the Special Features (lower part) of the order form.

# 1 TO ORDER

Enter X to right of trim box as illustrated. Do not enter trim code or 000 in this space.

Order optional seats, S or B, and equipment in the standard way.

# (2) TRIM

Enter basic trim desired. This code determines the color and material of all interior components except those items specified individually below.

#### INSTRUMENT PANELS

To change color of instrument panels, place trim code in this section.

The instrument panels will be in carpet color or darker. If possible, they should harmonize with the exterior color, because it appears as an extension of the hood.

#### CARPETS

Carpets match the seat inserts except White.

In addition to floor covering, carpeting is used on lower doors, cowl quarters, center pillars, lower front seat back and lower rear quarters on Coupes.

When changing carpet color, especially with White leather, consider the instrument panels to avoid a three-tone interior.

# 5 INSERTS

The basic seat areas of the cushion and back rest are called inserts. If not specified, they will be according to Trim, item 2.

#### BOLSTERS

The leather, vinyl or cloth center section that separates the seat inserts is called

a bolster. Areas such as center sections are not true bolsters, but for ordering and reference purposes, they are classified as such. Included in this classification are the facings or seat skirt of the cushion which matches the bolster in color.

F 7

£二

E 3

F in

#### 7 HEADLINING

Headlining will match basic trim color. See chart on page 23 for material and color. To relieve a strong interior color, a lighter headlining shade may be specified. For example, in a Black interior, White headlining can be specified to relieve the monotone effect.

# 8 LACES

Contrasting color laces will accent the upholstery. Otherwise the laces will match the bolsters. To order contrasting laces, enter the code number, as 388 (Red), 366 (Blue) in this space.

# 9 SEATS ONLY

One color for the seats only may be specified and the remainder of the interior in a contrasting color.

Trim code will determine the major color, such as 388 (Red), and the Seats Only, code 352 (White) will result in a Red car with White on the seats.

#### S. R. NUMBER

This is the invoicing code used for Special Request items. The number is composed of the body style letter code and a number for the special feature.

#### SPECIAL EXTERIOR COLOR

Identify by name and model year, i.e., 1968 Monterey Green Firemist.

# (12) SPECIAL INSTRUCTIONS


Any information, not covered by the above can be entered here.

# (13) PRODUCTION DATE (ESTIMATE)

Central Office will furnish the date of estimated production on special feature orders.

### SPECIAL FEATURES FORM

· sections are rdering and classified as ation are the shion which trim color. aterial and rior color, a e specified. rior. White relieve the accent the will match ting laces. (Red), 366 y be specterior in a he major the Seats sult in a I for Sper is comde and a ti zear, i.e., by the date of f re



FOR COMPLETE CUSTOMER SATISFACTION ORDER COMPLETELY EQUIPPED CARS

SIGNATURE

GENERAL MOTORS CORP. DETROIT, MICH. 48232

6-68

### **5600A INSTRUCTIONS**

- City and State of ordering dealer. If there is more than one dealer in a city, insert an additional reference such as Stonestown, Rush Street, etc.
- Shipment destination, if delivery is other than selling dealer. Enter city and state. See page 74 for detailed instructions.
- 3 Date order is typed. If replacement order, enter new date.
- Allotment month name (not number) against which order will apply.
- Enter CWC if delivery is to be at factory in Detroit. See page 75.
- 6 Factory confirmed date of Customer Will Call.
- Enter status code in one of four spaces. If S or R, indicate purchaser.
- 8 Purchaser's name.
- 9 Code of delivering dealer, if other than selling dealer. CWC if factory delivery.
- 10 Six digit identifying code of selling dealer.
- Five digit body style code which can be found on page 1.
- Order number is composed of body style alpha code, followed by sequential number from 1 at start of model year, e. g., J1, B2, etc.
- Two digit exterior color code.
- Single digit vinyl roof or Convertible top color code.

Three digit trim code that applies to body style ordered.

H


白

5

F

FI

- Optional Dual Comfort seat or Bucket seats.
- 6-way power seat adjuster for Dual Comfort passenger seat. Only if code Y, 6-way driver's adjuster is ordered.
- 18 License frames: L for one, O for two.
- Filler plate, if needed, when only one license frame is ordered.
- Basic group 1, 2, 3 or 4. See page 13 for content.
- Equipment group 8 or 9. See page 13 for content.
- Itemize only if Basic group 1, 2, 3 or 4 not ordered.
- 23 Itemize only if Equipment group 8 or 9 not ordered.
- Items not included in any group; to be ordered individually.
- Special interior specifications: see page 68 for instructions.
- Special color name and model year, i.e., 1959 Seminole Red.
- Production date (estimate) by Central Office on Special Orders.
- 28 If other than by established methods, specify.
- Authorized signature. Rubber stamp acceptable.



### REPLACEMENT ORDERS

CHARGE CITY	TO DEA	LER	AT:												\$1	ATE												
SHIP TO:	(LEAV	E BL	ANK IF S	AME)																			-					-
(8)			·											_					_									
	OF	PDER	STATUS					DATE	0-3	-68	3				LLO	T. N	ION.	гн			TOM L C		10.	ATE				
SOLD-S	5	STO	ck-u	REN' B LEAS		R	T	DEMO	)-D								_											
PURCHAS		loh	n J. Jo	nes						· · · · ·					ter	ola	: er	ne	nt						1			
				<b>-</b>		*											-											
(S)	HIP T	о c	ODE	AT AM6	1158	FRAMES (1) V50	ATE VK!	ORDER GROUPS HERE	TIRE	-2-3-4	T RAY AOI	E GUARDS 893	IC CONTROL CÉ!	ADJUSTER	LOCKS-PWR. AU3	WHEEL N37	ATS Y28	SENTINEL T82	.K A90	020	CONTROL K30	CONTROL T80	DIFFERENTIAL	1.7	HORN UBS	WARMER (75) C34	BELTS ASA	
DEALER	CODE	5	TYLE NO.	XET X	3		2	- 1	1	17	So	EDGE	1 1	3	Įġ	1 2	ž	Ę	LOCK	GE	8	¥	تَ مَ	ŝ		¥	E	
(A)		6	8347	S-60-40 SE	SEAT A	LICENSE	FILLER		WHITEV	R AD10	GL ASS-SOFT	DOOR E	AUTOMATIC	SEAT A	DOOR L	T. & T. Steering Wheel	FLOOR	TWIL IGHT	TRUNK	DE-FOGGER	CRUISE	HEADLA	CONT.	ا د ا	TRUMPET		REAR	FRONT
ORDER NO.	COLOR	TOP	TRIM	5-8	-	L-0	P	1-2 8-9 3-4	W-T	4	ε	0	K	Y	м	0	F	7	S		c	Ū	G	L	н	A	Z	N
J	90	2	352					19																				

#### POLICY

It is a basic policy to accommodate any reasonable customer request for a change in new car order specifications including body style.

If a need for a body style change occurs communicate the request to your Zone Office who will make

the change if at all possible.

#### PROCEDURE

To change an order, type a complete new order with a new date and mark it REPLACEMENT as shown above. A new date is important, as repeating the original one could be confusing in determining the valid order.

#### STANDARD TO SPECIAL

An order changed to a non-standard upholstery or color should be marked REPLACEMENT OF STANDARD ORDER.

This added identification will expedite handling and precludes a search for a previous order assumed to be special. It will be an assurance that the replacement order is in fact a new special order that can be processed without a risk of duplication.

#### ATTENTION ZONE OFFICES

Whenever a standard order is changed to a special, it is the responsibility of the zone office to remove it from the Daily Model Status Report of Car Orders (commonly referred to as Master Print Out). This is accomplished with a No. 5 card.

It will be presumed that any non-standard ordernew or replacement-received at the Central Office has been cleared from previous records.

#### IMMEDIATE REQUEST

A telephone request to hold up an order that is to be replaced may prevent it from being started in the original specifications while the replacement is in the

#### ACKNOWLEDMENT

Provided the car has not been released for production, the replacement order will supplant the original or previous copy on file which will then be returned to the dealer as an acknowledgment. If the replacement order is received after the car has been started, it will be returned marked T L (too late).

#### AVOID VERBAL INSTRUCTIONS

A telephone call to stop production of an order that is to be replaced is highly recommended as previously explained. But due to the risk of error, only in extraordinary circumstances should verbal requests be made to change orders.

Correctly typing a replacement order at the dealer's office insures the quickest handling. The new order flows through an established procedure and avoids any verbal misunderstanding. It permits a final check for accuracy and provides a formal acknowledgment which would not be available otherwise.

#### SUMMARY

- 1. Telephone to hold order.
- 2. Type a relacement.
- 3. Double check for accuracy.
- 4. Mail.

### PREFERENCE LIST

FRIDAY MAILING

end for transit.

#### **ORDER STATUS**

Each new car order 5600A requires a status classification in one of these categories:

	Code
Sold	s
Stock	U
Rental & Leasing	R
Demo	D

Sold orders will receive preference in production scheduling when there is a choice between a sold and stock order.

RE-LIST UNSCHEDULED ORDERS

Dealers should mail a new list every Friday.

This is a desirable cycle, as it utilizes the week-

When received at the zone office, the new preference list will supersede the previous one; therefore, any orders for which production notices have not been received should be relisted. This presents an opportunity for revising the sequence of unscheduled orders as latest demands may dictate.

#### TO EXPEDITE

In addition to the above automatic priority, the most effective method for expediting urgently needed cars is through the medium of a Preference List.

#### REPLACEMENT ORDERS

If a Replacement Order (especially a recent one) is being listed, a worth while precaution is to mention the date of the replacement order to prevent the original or previous order from being scheduled.

#### **PRIORITY**

Order numbers should be listed in descending sequence based upon their relative importance.

Do not group by body styles. Unsold orders, to balance stocks, should also be considered and listed. Mark the classification of each order according to one of the four order status categories.

#### OTHER MARKINGS

Do not use the Preference List for other messages or requests to change specifications, as they are likely to be overlooked.

### SCHEDULING

Subject to availability of materials, orders on the Preference List will be given priority in as nearly the sequence listed as possible.


#### PRODUCTION NOTICE

Do not list orders for which a notice of production has been received. This notice indicates that the car is in the final stages of as-

sembly and no further action is required.

#### **FORMS**

A supply of Preference Lists, form 1541A, is available upon request.



that is to ted in the it is in the

or produce original returned e replacen started,

order that reviously in extrauests be

at the The new lure and its a final acknowlrwise.

### **COURTESY DELIVERIES**

Prior to requesting shipment of a new Cadillac car to another Cadillac dealer in the United States for "Courtesy Delivery", consent must be obtained by the selling dealer, preferably in writing, from the dealer who is to receive the car for delivery. A specific release is to be obtained for each car involved. An agreement for one or the first car will not constitute blanket courtesy delivery approval of subsequent or additional vehicles.

After such permission is granted, complete arrangements should be made and delivery instructions furnished to the delivering dealer including the following:

- 1. On New Car Order form 5600A state that approval of dealer to whom shipment is to be made has been secured. Furnish name of individual giving such approval.
- 2. In spaces captioned (B) SHIP TO CODE insert correct dealer code number, dealer name and city. This is most important, as a single incorrect digit may cause the vehicle to be shipped to a wrong destination.
- 3. Furnish in writing to the dealer who is to make the courtesy delivery the following minimum information:
  - a) Car Specifications: A copy of the 5600A Order Form or complete specifications.
  - b) Customer Contact: Customer name and address—both home and business—also telephone number if available. If this is not available, advise where customer can be reached.
  - c) Delivery Date: Estimate of customer arrival or delivery date.
  - d) Service instructions: List of any extra equipment to be installed or special services performed prior to delivery.

e) Financial: All financial transactions are to be directly between the participating dealers and not through third parties. It shall be the selling dealer's responsibility to remit to the delivering dealer the suggested delivery and handling charges, plus any other expenses which may be incurred in the process of making the courtesy delivery. EJ

仁当

FT

- f) Collections: Any money to be received from the customer is to be for the account of the selling dealer or delivering dealer and not any other parties.
- g) Registration: Advise if license plates will be furnished or are they to be secured by delivering dealer. Such arrangements to be made in advance whenever possible to prevent delay when the car is ready.
- h) Sales Tax: Clarify the sales tax responsibilities according to the various state laws that may be involved. Establish a clear understanding as to who will make such payment.
- i) Insurance: Customer should be reminded of insurance coverage.
- j) Storage Charges: In case unexpected delays are encountered in delivery, storage charges may be incurred that will be the obligation of the selling dealer.

Acceptance of a car for delivery on a courtesy basis is an accommodation that entails responsibilities which the selling dealer should faithfully discharge in order to facilitate and expedite the registration, handling and "courtesy" delivery of the car.

### **CUSTOMER WILL CALL**

nsactions are
participating
hird parties.
r's responsiering dealer
id handling
enses which
less of mak-

f a

**E** 3

be received for the acr delivering rties.

hey to be : Such arn advance ent delay

ax responious state stablish a who will

l be re-

delivery, red that

t entails r should tate and d " vrFacilities are available for "Customer Will Call" which means delivery of a new car in Detroit, Michigan to a retail customer for the account of a Cadillac dealer.

Arrangements for such deliveries must be booked well in advance of the wanted date. This date, or one as close to it as possible, will be confirmed by the Central Office through the Zone Office.

Cars for "CWC" delivery are prepared in a facility into which cars are scheduled on a continuous basis. Reservations must, therefore, be made according to a time schedule in order to maintain a uniform flow of work. Also, the order selected must be one that has not yet

been released for production. The reason for this is that some preparation work is done on the conveyor during final assembly.

This means, too, that a car already built cannot be re-routed and prepared as a CWC because it would actually take longer than scheduling a new order from the beginning.

Be sure to furnish pertinent information such as customer's name, address and properly completed release forms CAD. 3868. The blue copy of the form must be mailed prior to customer arrival at the factory. Customer must present the pink copy to secure delivery.

Regular factory delivery and handling charges will apply.

### CALIFORNIA COURTESY DELIVERIES

Courtesy delivery of an automobile by any California dealer for the accommodation of another dealer is subject to a tax under Section 6007 of the California Sales and Use Tax Law.

#### ATTENTION CALIFORNIA DEALERS

A procedure approved by the California State Board of Equalization for the reporting of such tax liability by California auto dealers follows:

The tax should be computed, collected and remitted in precisely the same manner that governs the California dealers' own local sales and deliveries. The tax base is the actual selling price as reported to the delivering dealer by the selling dealer or as revealed in an invoice submitted by the customer (plus the selling price of any accessories added by the delivering dealer). If the actual selling price is unavailable, it should be assumed to be the list price. The California State Board of Equalization auditors, when examining dealers sales and use tax returns, will look for the inclusion of courtesy deliveries on the above basis.

#### CALIFORNIA TAXES

Cars shipped to the State of California by Cadillac Motor Car Division for delivery in California, as a courtesy to dealers elsewhere, are subject to California Sales Tax and in certain localities additional local taxes. This should be carefully explained to the customer, as it will apply in addition to any other taxes that may have been paid to another state or local government agency. The fact that the car will be licensed in another state or that other state and local taxes are levied will not exempt the payments of California taxes.

#### CUSTOMER NAME AND ADDRESS

When Cadillac Motor Car Division is requested to make such courtesy shipment, the ordering outlet must furnish with the New Car Order the retail purchaser's name and address, as the Manufacturer is required to report such information to the California Bureau of Motor Vehicles.

### **NEW CAR DELIVERY REPORT**


#### **DELIVERY RECORDS**

Complete and correct reporting of new car delivery information is essential for many important reasons. The New Car Delivery Report Card is used to credit the dealer for delivering a car, to obtain information required by the National Traffic and Motor Vehicle Safety Act, to provide for the mailing of Protect-O-Plate and "Thank You" card, to verify service documents, to provide an accurate listing for direct mail and sales prospect programs and to furnish data for many sales and service reports.

Your cooperation in promptly submitting complete and correct information will result in better service to Cadillac dealers and customers.

#### RECEIPT OF CARD

A yellow-striped New Car Delivery Report Card is mailed to the CHARGE TO dealer after the car is shipped. Pre-printed on this card, as illustrated below, are the Vehicle Identification Number, Outlet Code, Body Style, Order Number and Shipment Date.



#### REPORTING RETAIL DELIVERY

After a new Cadillac is delivered at retail, type in required information as follows and forward card to Zone office. (Letter codes refer to illustration.)

### **DELIVERY INFORMATION**

- Delivering outlet code. It is important that the correct six-digit numerical code is used to assure that the proper dealer imprint appearing on "Thank You" card.
- B Purchaser's name, address, zip code and county. Incomplete or incorrect purchaser data often causes mail to be undeliverable. Purchaser should be the owner of the car. If purchaser is a rental or leasing company, show only the company name and address; do not include the lessee.
- Customer classification. Check one box. If purchaser is a rental or leasing company, only the LEASING box should be checked.
- Date of delivery must be the date the retail purchaser actually accepts delivery of the vehicle by taking physical possession of it personally or through his agent. Thus, the date of delivery may vary from the dealer invoice date or actual payment date.
- Delivering dealer's name, address and salesman assists in the identification and handling of the cards.

- Demonstrator date. If car had been in demonstrator service at any time, enter the date that it was placed in service in addition to the retail delivery date.
- Trade-in data. Identify trade-in by typing last two digits of model year next to the proper make or X for "no-trade". The "Chrysler Other" and "Ford Other" designations can be used for all cars of these manufacturers, except those shown separately. No other identification is necessary.
- Mailing services. Dealers participating in the "Thank You Calendar program and/ or the Service Reminder program" may exclude the purchaser from either or both programs by placing an X in the appropriate space. This new feature provides a convenient means for informing Cadillac that the particular purchaser is not to be enrolled. If the purchaser has traded a Cadillac, entering the Vehicle Identification Number of the used car will discontinue mailing services, thus avoiding duplicate mailings and unnecessary dealer expense.

#### RED-STRIPED DELIVERY REPORT CARDS

If the original yellow-striped card is incorrect or unavailable due to any cause such as: being mislaid, submitted in error, spoiled in preparation, etc., a red-striped card should be substituted and the same information filled in as previously illustrated. The red-striped card will not be preprinted, so this information must also be filled in. These cards should be used to submit address corrections for original owners. A supply of the revised red-striped cards are available upon request from the Zone Office.

ry Report FO dealer

icle Iden-

dy Style,

ubmitting

vill result

and cus-

ME OFFICE 6

'ISION 7' RATION BROMPTLY

l fo. ..ard

# FIELD TRANSFER AND DEMONSTRATOR

		SALMON STRIPE	
		***	Padillas
1 ENGINE NUMBER		(2) DATE	_ Cadillac
IMPORTANT:	THE SELLING DEALER, ONLY, SHOUL	D REPORT A FIELD TRANSFER.	
CHECK ONE	INST	RUCTIONS	FIELD TRANSFER AND
FIELD TRANSFER	I. IF ITEM 3 IS CHECKED, F		DEMONSTRATOR REPORT
DEMONSTRATOR	3. TYPE ALL INFORMATION	OO NOT FILL IN ITEMS 7 OR 8 WITHIN ALLOTTED SPACES	CADILLAC MOTOR CAR DIVISION SENERAL MOTORS CORPORATION DETROIT, MICHIGAN 48232
REPORTING OUTLET NUMERICAL CODE	® REPORTING OUTLET	RECEIVING OUTLET NUMERICAL CODE	RECEIVING OUTLET
FIRM NAME		FIRM NAME	
ADORESS		ADDRESS	
CITY	STATE	CITY	STATE
AB 100\$4			

#### **DEMONSTRATOR**

Whenever a car is placed in demonstrator service, a salmon-striped card must be submitted to the Zone Office. The card should contain the information designated 1 2 4

5 6 on the above illustration. Retain the vellow-striped Delivery Report Card and com-

yellow-striped Delivery Report Card and complete it when the demonstrator is sold at retail, being sure to include the demonstrator date.

#### FIELD TRANSFER

A field transfer occurs when a new Cadillac is sold by one Cadillac dealer to another. Only the selling dealer should report the transfer to the Zone Office on a salmon-striped card. All items except 4 are to be completed. The original yellow-striped card should be forwarded to the dealer receiving the car. A supply of cards is available upon request from the Zone Office.

E 3

#### GENERAL INFORMATION-IMPORTANT

It would be appreciated if all cards are typewritten. This assures clarity, avoids incorrect interpretation and unnecessary delays in processing the cards.

A New Car Delivery Report Card must be received at the Zone Office for each car reported delivered on a Dealer 10-Day Report. Credit can be given for the delivery only when the card is received.

Prepare cards promptly after physical delivery and mail them daily to the Zone Office. This will result in prompt credit and mailing of the Protect-O-Plate and "Thank You" card.

A Demonstrator Report Card must be received at the Zone Office for each car placed into demonstrator service. Yellow- or red-striped cards should not be used to report demonstrators. Do not wait until a car is delivered at retail to indicate that it was in demonstrator service.

If a card is submitted for a purchaser who did not take delivery of a car, advise the Zone Office immediately.

Incomplete and incorrect cards will be returned to the dealer with the reason checked on the back of the card.

Cadillac ier. Only ansfer to card. All ted. The

C

ISION IATION

be for-· A supfrom the

ct interreported

This will

e card is

ed into trators. œ. e Office

lon ne

ALL NEW APPEARANCE . . . including Radiator Grill, Hood, Fenders and Bumpers.

HORIZONTAL HEADLAMPS . . . on "C" and "75"-same as Eldorado which are now exposed.

WINDOWS . . . single glass in door windows on "C" and "75" (no vent windows). Rear window on styles G, N, J and B has Eldorado "vee" type.

FRONT DISC BRAKES . . . standard on all cars.

DUAL COMFORT FRONT SEAT . . . with separate adjusters for driver and passenger.

**HEAD RESTRAINTS** . . . on front seat are standard for all cars.

**IGNITION SWITCH...** now on steering column. also locks electrical system, transmission and steering mechanism. Selector must be in PARK to lock and remove

STEERING WHEEL . . . with rim horn controlall wheels are Black.

INSTRUMENT PANEL AND GLOVE BOX . . . the lock is recessed with an easy opening bar.

ELECTRIC BACK REST RELEASE IN COUPES .... when equipped with Power Door Locks -an exclusive Cadillac feature.

HALO MOLDINGS ON VINYL ROOFS . . . textured on De Ville, combination chrome bead and color type on Eldorado. Brougham and "75" also have chrome bead type. Eldorado has a french center seam.

TANDEM WINDSHIELD WIPERS . . . both swing in unison from right to left. Control is

### **NEW FOR 1969**

on left door panel for greater convenience.

TURN INDICATORS ON INSTRUMENT PANEL . . . instead of fenders.

SELF-ADJUSTING RETRACTORS AND "MINI" **BUCKLES** . . . for front outboard seat belts.

SEAT BELT BUCKLE HOLDER . . . on front seat in all cars except Calais and Limousine S.

INSIDE REAR VIEW MIRROR . . . 12" width.

CRUISE CONTROL . . . vacuum type on Eldorado-electric on all other cars.

POWER DOOR LOCKS AND TRUNK LOCK RELEASE . . . are electric, instead of vacuum.

WHEEL DISCS . . . newly designed on Eldorado.

BACK-UP LIGHT ON ELDORADO FUEL FILLER DOOR . . . two reflectors on lower rear bumper.

WINDOW LOCK-OUT SWITCH . . . is two position - Normal and Lock. Ignition key must be turned on to operate any window.

BUILT-IN "GUARD RAILS" ... in "C" and "75" body doors for side impact collision protection.

AIR FLOW VENTILATION . . . Calais and De Ville cars without air conditioning have upper ventilation through instrument panel outlets and interior pressure relief valve on body lock pillar (rear pillar on Sedans). This is in addition to the lower cowl quarter outlets. Two push-pull control knobs at each end of lower instrument panel control both systems.

### **OPTIONS**

# Cadillac

#### 1969 EQUIPMENT

		CALAIS			DE VILLE						
		CAL		Com	DE V						
		Coupe G	Hardtop Sedan N		Coupe	Hardtop Sedan B	Sedan L				
BAS	(Includes Factory D & H and IC CAR manufacturer's suggested dealer delivery and handling charges	\$	\$	\$	\$	\$	\$				
FIRE	MIST COLOR										
VIN	YL ROOF C08 or C09	N/A	N/A	N/A							
EXP	ANDED VINYL UPHOLSTERY—Std. Options										
LEA	THER UPHOLSTERY—Standard Options	N/A	N/A	STD							
5	DUAL COMFORT SEAT AM6	N/A	N/A								
B	BUCKET SEATS—Inc. Std. Opt. Leather A51	N/A	N/A	N/A	N/A	N/A	N/A				
V	SEAT ADJUSTER-DUAL COMFORT PASSENGER AG2	N/A	N/A								
L	LICENSE FRAME—One V50										
0	LICENSE FRAMES-Two V51										
P	FILLER PLATE VK1	N/C	N/C	N/C	N/C	N/C	N/C				
1	RADIO—AM-FM Stereo U58	1 7 3			10,0						
2.	RADIO—AM-FM U69	<del>                                     </del>									
3	RADIO—AM U65										
4	RADIO—AM Rear Control U67	N/A	N/A	N/A	N/A	N/A	N/A				
W	TIRES—White Wall (5) P26	+ : /	,	11/1	14/14	14/2	1.7.2				
	TIRES - WHITE WALL (5) HIGHER MILEAGE H.D. PT3	N/A	N/A	N/A	N/A	N/A	N/A				
E	GLASS—Soft Ray A01	17/~	13/2	17/7	13/2	17/2	17/2				
<del>D</del>	DOOR EDGE GUARDS 893	+		<del> </del>	-		<del>                                       </del>				
K	AUTOMATIC CLIMATE CONTROL C61	<del> </del>					<b> </b>				
	6-WAY FRONT—BENCH A42	+					<del> </del>				
y .	SEAT ADJUSTERS—6-WAY DRIVER'S DUAL COMFORT	N/A	N/A								
	4-WAY DRIVER'S BUCKET A46	N/A	N/A	N/A	N/A	N/A	N/A				
M	DOOR LOCKS* INCLUDES ELEC. BACKREST RELEASE AU3	*	-17/~	*	*	/.~	1.7/2				
Q	STEERING WHEEL—Tilt & Telescope N37										
F	FLOOR MATS—Rubber Y28										
<u>;                                    </u>	TWILIGHT SENTINEL T82	-									
<u>.</u>	TRUNK LOCK—Remote Control A90						L				
B	DE-FOGGER—Rear Window C50		· · · · · · · · · · · · · · · · · · ·	N/A							
C	CRUISE CONTROL K30	<del> </del> -	<del></del>	N/A							
U	HEADLAMP CONTROL — Guide-Matic T80										
G	CONTROLLED DIFFERENTIAL G80	<del>                                     </del>									
<u>.</u>	LEVEL CONTROL—Automatic G67	<del> </del>									
H	TRUMPET HORN UB8	├		· ·							
A	SEAT WARMER C33										
Ž	SHOULDER BELTS—Rear AS4	1									
N	SHOULDER BELTS—Front A85	STR	ETD		STO	STD	STD				
	SHOULDER BELIS—FRONT ABS	STD	STD		STD	טוכ	310				
ADD	ITIONAL DEALER INSTALLED ITEMS					,					
	TINATION CHARGE										
	TE AND LOCAL TAXES	<del> </del>									
	NSE AND REGISTRATION	<del>                                     </del>									
TOT		<del>                                     </del>	-								
	· •										

#### Legend

	No Charge	Extra Charge Option
N/A	Not Available	
STD	Standard—No Charge	Special Order—Extra Charge

Cadillac

中

5

社事

an Sedan L

N/A

N/C

N/A

N/A

STD

N/A

### **OPTIONS**

#### 1969 EQUIPMENT

	FLEETWOOD					
		Eldorado H	60 Special M	Brougham P	"75" Sedan R	"75" Limousine S
_	Includes Factory D & H and IC CAR manufacturer's suggested dealer delivery and handling charges	\$	\$	\$	\$	\$
	MIST COLOR					
	YL ROOF C08 or C09		N/A	STD		
	ANDED VINYL UPHOLSTERY—Std. Options					
LEA	THER UPHOLSTERY—Standard Options					
5	DUAL COMFORT SEAT AM6	N/A		STD		N/A
В	BUCKET SEATS—Inc. Std. Opt. Leather A51		N/A	N/A	N/A	N/A
V	SEAT ADJUSTER-DUAL COMFORT PASSENGER AG2	N/A				N/A
L	LICENSE FRAME—One V50					
0	LICENSE FRAMES-Two V51					
P	FILLER PLATE VKI	N/C	N/C	N/C	N/C	N/C
1	RADIO—AM-FM Stereo U58				N/A	N/A
2	RADIO-AM-FM U69					
3	RADIO-AM U65					
4	RADIO—AM Rear Control U67	N/A	N/A	N/A		
W	TIRES—White Wall (5) P26					
WT	TIRES - WHITE WALL (5) HIGHER MILEAGE H.D. PT3		N/A	N/A	N/A	N/A
E	GLASS—Soft Ray A01					
D	DOOR EDGE GUARDS 893					
K	AUTOMATIC CLIMATE CONTROL C61				STD	STD
	6-WAY FRONT—BENCH A42			-		
Y	SEAT ADJUSTERS - 6-WAY DRIVER'S DUAL COMFORT	N/A				N/A
	4-WAY DRIVER'S BUCKET A46		N/A	N/A	N/A	Ī
M	DOOR LOCKS* INCLUDES ELEC. BACKREST RELEASE AU3	*				
Q	STEERING WHEEL—Tilt & Telescope N37	<b></b>				
F	FLOOR MATS—Rubber Y28					
1	TWILIGHT SENTINEL T82					
5	TRUNK LOCK—Remote Control A90					
В	DE-FOGGER—Rear Window C50				STD	STD
C	CRUISE CONTROL K30					
U	HEADLAMP CONTROL—Guide-Matic T80					
G	CONTROLLED DIFFERENTIAL G80	N/A				
L	LEVEL CONTROL—Automatic G67	STD	STD	STD	STD	STD
H	TRUMPET HORN UB8					
A	SEAT WARMER C33 or C34 (75)					
Z	SHOULDER BELTS—Rear AS4					
N	SHOULDER BELTS—Front A85	STD	STD	STD	STD	STD
ADI	DITIONAL DEALER INSTALLED ITEMS					
DES	TINATION CHARGE					
STA	TE AND LOCAL TAXES		<u> </u>			
	ENSE AND REGISTRATION					
TO						
		1	1			

#### Legend

N/C N/A	No Charge Not Available	Extra Charge Option
STD	Standard—No Charge	Special Order—Extra Charge

### **INDEX**

A	Brougham, Sixty Special Trims 8
Accessories—See Options	Brougham Trim
Acknowledgment of Special Orders 48	Bucket Seats, Eldorado7, 14, 59, 57
Acknowledgment, Replacement Orders . 72	Buckle, Mini 24
Acrylic Color Materials	Bumper Inserts
Additional Leg Room	Buttons
Adjusters, Front Seat	
All Cloth Trim Style	C
All Cloth Upholstery Options41, 61	"C" Cars 6
Alternator—See Generator 20	Calais Options Information30, 31
Ampere 63, Generator	Calais Recommended Exterior Colors 31
Applique, Rosewood 9	Calais Trims
Arm Rests, Center	Calais Trim Style 8
Ascot Cloth Headlining 23	Calais Trumpet Horn
Ash Trays, Rear "75" 42	Calais Upholstery Fabrics
Assist Straps "75"	California Courtesy Delivery 75
Automatic Climate Control12, 43	Car Series
Automatic Adjusting Seat Belt Retractor . 24	Card, New Car Delivery Report
Auxiliary Seats	Carpets, Codes & Colors
Axle Gear Ratios	Carpets, Special
B	Center Arm Rests
Back Rests, High	Change an Order—How?
Back Rest Release, Electric	Chauffeur Front Compartment 64
Basic Groups	Climate Control, Automatic
Belts, Lap & Shoulder	Cloth Composition
Belt & Buckle Holder	Cloth Front & Rear "75"
Belt Colors	Cloth Patterns
Belt Stowage	Cluster Bezel Insert
Bench Seat Adjusters	Code X Instead of 000 67
Black & White Interior	Codes, Body Style 1
Black Wall Tires	Color Availability, Shoulder Belt 25
Body Style Numbers	Color Codes
Bolsters	Color Identification, Manufacturer's 2
Boot, Convertible	Color Usage 2
Broadcloth, Wool	Color Recommendations
Brocade—Devereaux	Color Recommendations
Brougham Options Information 40, 41	Calais
	De Ville Convertible
Brougham Recommended Exterior  Colors	Coupe & Hardtop Sedan de Ville 35

FJ

F 3

巨山

f i

63

£ 78

E ...

中

(		Sedan de Ville	37	Door Inserts	9
V		Eldorado	39	Door Locks, Power	12
0		Brougham & Sixty Special		Door Locks, Power "75"	
8		Color Restricted Components		Door Panels	
5, 41		Color-Top Recommendations	3	Door Pulls	51
59, 57	-	Color-Trim Recommendations10,		Driver Seat Adjuster	17
24		Colors, Exterior		Dual Comfort Seat	
28		Colors, Past Model		Dual Comfort Seat on L	
50, 51		Colors, Belt		Dual Comfort Seat Adjusters 14,	17
		Component Color Restrictions, Interior		Dubonnet Tricot Knit	
6		Conquest Sales		Dubonnet is Two-Tone	
30, 31		Console, Bucket Seat			•
31		Conversation Piece		E	
5, 31		Convertible Options Information 32,		Eldorado Body Assembly	
8	-	Convertible Exterior Color	33	Eldorado Bucket Seats14,	59
30		Recommendations	22	Eldorado Color Recommendations	39
7		Convertible Shoulder Belts		Eldorado Options Information38,	39
75		•		Eldorado Limitations	51
. 1		Convertible Top Boot		Eldorado Made in Ohio	48
		Convertible Tops		Eldorado Takes Longer	48
(		Cord Trim	03	Eldorado Tire Options	18
. 60		Coupe & Hardtop de Ville	25	Eldorado Trims	39
. 25		Options Information		Electric Back Rest Release	16
. 72		Coupe Back Rest Release		Electric Door Locks12,	16
. 64		Courtesy Deliveries		Engine, L. C	
		Courtesy Delivery, California		Equipment12, 13, 80,	
2, 43 62		Cruise Control		Equipment Options & Groups	
		Customer Will Call	<b>75</b>	Expanded Vinyl8,	
3, 46	_	D		Expediting Orders	
. 7		Dardanelle Cloth	7	Export Policy	
. 26		Decameron Cloth		Exterior Colors	
. 67	T	De-Fogger, Rear Window		Exterior Ornamentation26,	
. 1		De-Fogger, "75"		Exterior Recommendations	
. 25		Deliveries, Courtesy		Calais	31
. 2	_ ]	Delivery Information		De Ville Convertible	
. 2		Delphine/Flair Cloth		Coupe & Hardtop Sedan de Ville	
. 2		Demand & Supply, "75"		Sedan de Ville	
0, 11		Demonstrator & Field Transfer		Eldorado	
		De Ville Interior Information 32 thru		Brougham & Sixty Special	
•(		De Ville Special Leather		Extra Charge Statement	
. 33	_	De Ville Trims4, 5		Extra Charge	
. 35		Door Carpet	22	Extra Charge Maximum Leather	54
					83
					-

F	Herringham T I
Fabric Material	Herringbone Tweed 8
Factory Delivery	4
Features & Equipment—"75" 4	1
Field Transfer and Demonstrator 7	
5600A Order Illustration 7	3
5600A Instructions	24
Firemist Colors	0 Horn Control
Flair/Delphine Cloth	o 1
Fleetwood Brougham	
Interior Information40, 4	Ignition Switch
Fleetwood Sixty Special	
Interior Information	Inserts, Seat
Floor Covering	70
Floor Mats	
Follow-Up Special Orders	20, 27
Four Wass Addison	
Front Compartment, "75" Cloth 46	Interior Information
Front—Leather or Cloth	Calais
Front Seat Adjusters	De Ville Convertible
Front Seat, Leather	Coupe & Hardtop Sedan de Ville 34
Front Seat Location	Sedan de Ville
Front Seat Types	Eldorado
Front Shoulder Belts	Brougham & Sixty Special 41
24	Interior Options—205 7
G	Interior Ornamentation26, 27
Garnish Moldings	L
Gear Ratios	
General Information	L. C. Engine
Generator, 63 Amp. 20	Laces
Glass 20	Laminated Safety Plate Glass 20
Grain, Leather	Lamps, Side Marker
Grain, Sierra or Ostrich Leather 53	Landau "75" Headlining
Groups, Equipment	Landau Roof, "75"
	Lead Time, "75" 47
H The state of the	Leather, Standard & Special
Halo Moldings 79	Leather in De Ville, Special
Hardtop Sedan de Ville34, 35	Leather Front
Headlining	Leather Front in R
Headlining, Landau	Leather, Machine Punched 50
Headlining Color & Materials	Leather, Maximum
	Leather Not In Calais

E

£ 3

H

**F** 

**[** ]

E)

EI

f J

			- ~		
8			53	Bucket Seat	
. 14			5	Carpet	
12		Leg Room, Additional		Cloth Front	
18	_	Length, Overall		Dual Comfort Seat on L	-
18, 19		Length of Shoulder Belts24, 2		Firemist Colors	
24		Light Dubonnet Stripe		Landau Roof	
12, 26		Limitation of Trims		Leather Front	
		Limousine Features 4		Leather in de Ville	-
79		Limousine, Style S		Leather in P or M	
79		Liner, Top 3	32	Maximum Leather	
				Seats Only	
4, 5		M		Special Colors	
70		Madrid Grain	7	Trim 719	63
68		Manual Back Rest Release	6	Two-Tone	57
26, 27		Manufacturers Color Numbers	2	Vinyl Upholstery	58
.7, 8, 9		Marshall Springs 1	5	Wool Broadcloth	62
		Mats, Rubber Floor		Order Status	73
30		Maximum Leather 5		Ornamentation	26
32		the state of the s	4	Ornamentation, Interior	27
34				Ornamentation, Exterior	28
. (36		<b>N</b>		Ostrich Grain Leather	7
39			·	Outside Rear View Mirror	42
41		New Car Delivery Report Card 7		Overall Length	1
7		New for 1969			
.26, 27				P	
		Notch Back Bench		Padded Roof5	•
,		Number of Trim Options—205		Padded Roof—"75"43,	45
67		Nylon Carpet	. 2	Passenger Seat Adjuster	
56				Past Model Colors	66
20				Past Model Upholstery	
26	_ 1 -	Optional Equipment12, 80, 8	1	Pique Stitch Design	9
23		Optional Equipment—"75" 4	4	Ply Rating, Tire	19
43, 45		Optional Seats14, 1	5	Power Door Locks	12
47		Options, Extra Charge Statement	6	Power Door Locks—"75"	42
49		Options80, 81, 1		Power Window Controls—"75"	43
52		Options "75" 4		Preference List	73
64	_ ]	Order Changes 7	2	Premium Colors	65
43		Order Examples71,5		Price & Time—"75" Special Interior	47
50		Order Form Instructions	0	Priority, Preference List	73
		Order Illustrations		Production Notice	73
8, 58		All Cloth 6	1	Production Scheduling	<b>73</b>
					85
					J

R .	Seat Descriptions
Ratios, Gear	Seats Only 56
Rayon Carpet 22	Sedan de Ville—Dual Comfort Seat 55
Rear Ash Trays 42	Sedan Seat 52
Rear Bumper Insert	Scheduling Priority 73
Rear Control Radio 43	Seats & Adjusters14, 15
Rear Controls—"75"	Seat Belts & Retractors
Rear Shoulder Belts	Seat Springs
Rear Window De-Fogger 12	Sedan de Ville
Rear Window Size, Landau 45	Exterior Recommendations 37
Recliner Not Available	<b>—</b>
Reclining Position	Sedan, "75" 42
Recommendations	Series, Car 1
Color-Top 3	Seventy-Five Features
Color-Trim10, 11	Seventy-Five, Fleetwood
Red-Striped Delivery Report Card 77	"75" Special Interior—Time & Price 47
Regular Bench Seat	"75" Optional Equipment 44
Replacement Orders & Policy 72	"75" Trim4, 5
Restricted Component Colors 51	Ship To, Courtesy Delivery 74
Retail Delivery	Shipment to California
Retractors, Automatic Seat Belt 24	Shoulder Belts51, 24
Roof, Landau 45	Shoulder Belt Colors & Lengths 25, 24
Rosewood Applique 9	Side Marker Lamps26, 28
Rosewood Inserts9, 27	Side Moldings
Rubber Floor Mats	Sierra Grain Leather 7
	Six-Way Seat Adjuster17, 14
S	60-40 Seat
S. R. Meaning	Sixty Special Option Information 40
Safety Plate Glass, Laminated 20	Sixty Special Trims
Seat Adjuster, Bucket	Soft Ray Glass 20
Seat Adjusters, Dual Comfort 55	Special Carpets 60
Seat Adjusters, Information 17	Special Exterior Colors
Seat Materials	Special Features Illustrations 69
Brougham 41	Special Features Instructions—5600A 68
Calais 31	Special Leather 49
Convertible	Special Leather, P or M 53
Coupe de Ville	Special Order Illustrations 52 thru 66
Eldorado	Special Request Program
Hardtop Sedan de Ville 35	Special Request Leather 52
Sedan de Ville	Special Trim Instructions
Sixty Special 41	Springs Seat

**F** 3

FI

E-1

EI

f J

F 4

딥

, F **1** 

14		0. 1 15 1 1 1750 44	T 11110
56		Standard Equipment, "75" 44	Trunk Lid Ornamentation
		Standard Seats	Turn Indicator
55		Steering Wheel	Two-Tone Cloth Dubonnet
52		Steering Wheel/Horn Control 12	Two-Tone Exteriors
73		Stereo Tape Player 12	Two-Tone Interiors55, 57
.14, 15		Stowage of Belts 24	Types of Upholstery Fabrics 9
24		Strato-Bench Seat	Tyrol Quality Carpet
15	草	Stripe of Dubonnet Cloth 39	
		Style Numbers 1	U-V
37	4	Sunburst Design 8	UPC Codes13, 80, 81
36, 37		Sun Shades 23	UPC Symbols 6
42		Supply and Demand, "75" 47	Uniform Parts Codes
1	中	Switch Locations, Front Seat	Unordered Options 12
44			Upholstery Chart
42		<b>T</b>	Upholstery Charts
47		Taffeta Headlining	Brougham & Sixty Special 41
44		Textures, Interior	De Ville
4, 5		Third Key, "75" Limousine 43	Eldorado
74		Three-Pillow Style 9	Upholstery Composition
. 75 5 , 24		Time and Price—"75" Special Interior 47	Upholstery Fabrics
51, _4		Time Required—Special Orders 48	Upholstery Options, 205
25, 24		Tires18, 19	Upholstery Recommendations 10, 11
26, 28		Top Boot 32	Vinyl Roof Codes & Colors
28		Top-Color Recommendations 3	Vinyl Upholstery, Special Colors 58
<b>7</b>		Top Liner	viiiyi opiioisiciy, opodiai colois
17, 14		Tops, Convertible	W
.7, 14		Travana Quality Carpet	Weights, Car
40		Trenton Quality Carpet	Wheelbase
, 5, 41		Trianon Quality Carpet	White Side Wall Tires
20		Tricot Knit Dubonnet	Will Call, Customer
60		Trim Chart	Windows, No I.C.V
66		Trim—Color Recommendations10, 11	Wool Broadcloth
69		Trim Options—205 7	Work Sheet
68		Trim Options	Work Sheet
49		Trim 719	X-Y-Z
53		Trim Styles	X Instead of 000
hru 66			X Order Instructions
48		Trim Styles Not Interchangeable 50	
., 52		Trim Color Possesses delications 23 de 20	Yellow-Edged Pages31 thru 45
		Trim Color Recommendations31 thru 38	Yellow-Striped Card
15		Trumpet Horn	Yellow-Striped Pages6, 9, 31 thru 45
13		Trumpet Horn in Calais	Zig-Zag Springs
			87

#### NOTICE

This book provides facts and information concerning 1969 Cadillac car colors, upholstery and equipment options—both regular production and special request.

Unless specifically stated otherwise, it is understood that all reference to options, optional equipment, special request, special feature or special order is at extra charge.

All information is based upon the latest product knowledge available at time of publication.

Cadillac Motor Car Division, General Motors Corporation, reserves the right to make changes at any time, without notice, in colors, materials, options, accessories, special equipment, specifications and body types and also to discontinue or add body types.

Any questions may be referred to:

Sales Distribution Department
CADILLAC MOTOR CAR DIVISION—GENERAL MOTORS CORPORATION
Detroit, Michigan 48232
August 8, 1968

#### EXTERIOR ACRYLIC PAINT COLOR CHART

Refer to Body name plate on cowl of car for Paint Color No. and Roof Top Code. The two digit number on the name plate indicates exterior paint color, and the single letter, if any, indicates color of roof top cover. For example, "12K" indicates exterior paint color white with black roof top covering, whereas "12" indicates paint color white on entire car exterior.

Use Stock No. shown in this chart to order paint from local paint suppliers.

#### BODY AND SHEET METAL

Exterior Paint Color No.	Color Name	Original Color No.	Mfr.	Stock No. R-M	Stock No. Dupont	Stock No. Ditzler
10	Sable Black	870-848	<b>▲Forbes</b>	A-946	88L	DDL-9400
12	Cotillion White	{ *L-67-WD007 } =926-99642	R-M } Dupont }	A-2080	5033L	DDL-2058
16	Patina Silver	/ *870-3927   =927-99480	▲Forbes \ Dupont	A-2108	5032L	DDL-2059
18	Phantom Gray	L-68-AD006	R-M	A-2090	5031L	DDL-2060
24	Astral Blue	*L-68-BD023 =927-99338	R-M Dupont	A-2100	5015L	DDL-2077
26	Athenian Blue	L-68-BD012	R-M	A-2084	5037L	DDL-2062
28	Persian Aqua	927-99484	Dupont (	A-2085	5039L	DDL-2063
30	Palmetto Green	{ *L-68-GD017 { =927-99335	R-M Dupont	A-2103	5012L	DDL-2080
36	Rampur Green	L-68-GD016	R-M	A-2087	5041LH	DDL-2065
40	Colonial Yellow	L-67-YD013	R-M	A-1715	5036L	DDL-81500
42	Cameo Beige	870-3936	<b>▲Forbes</b>	A-2088	5042L	DDL-2066
44	Shalimar Gold	{ *L-68-LD007 { =927-99333	R-M } Dupont }	A-2106	5010L	DDL-2082
46	Cordovan	927-99488	Dupont	A-2089M	5043L	DDL-2067
47	Wisteria	L-68-RD015	R-M	A-2082R	5035L	DDL-2068
48	San Mateo Red	927-99014	Dupont	A-2092F	5069LM	DDL-71642
49	Empire Maroon	927-99490	Dupont	A-2081F	5034LH	DDL-2069
90	Sapphire Blue Firemist	L-68-BD018	R-M	A-2093G	5059L	DDL-2070
94	Chalice Gold Firemist	L-68-LD006	R-M	A-2097G	5048L	DDL-2071
96	Biscay Aqua Firemist	L-68-BD021	R-M	A-2094G	5045L	DDL-2072
96 97	Nutmeg Brown Firemist	L-68-ND016	R-M	A-2096G	5047L	DDL-2073
99	Chateau Mauve Firemist	L-68-BD007	R-M	A-2095G	50 <b>46</b> L	DDL-2074

- 1969 exc. Eldorado 1969 Eldorado
- Ditzler supplier for Forbes refinishing materials.

#### PAINTED MOLDINGS USED WITH ROOF TOP COVERINGS

(Note: For proper gloss use flattening agent)

Roof Top Code	Color Name	Stock No. R-M	Stock No. Dupont	Stock No. Ditzler
J	White	1-69-C93	9673L	DDL- 8778
ĸ	Black	1-69-C41	88L	DDL- 9348
ī.	Dk. Blue	1-69-C29	9674L	DDL-13818
M	Lt. Flax	1-69-C84	9675L	DDL-23190
N	Dk. Cordovan	1-69-C85	9678L	DDL-23192
Ř	Med. Gold	1-69-C79	9679L	DDL-23191

WHEELS

Color Name	Stock No. R-M
Black	P403

FOR INTERIOR COLORS SEE CHARTS ON FOLLOWING PAGES

#### TRIM CODE COLOR REFERENCE CHART

Reference Chart for Determining Paint Colors on Interior Parts from the Paint Charts by Trim Code No. (Trim Code No. is stamped on Metal Plate Attached to Left Side of Cowl Under Hood near Hood Hinge).

The letter (S) suffixed to a trim comb. number refers to the Dual Comfort 60/40 sectional front seat assembly for styles 68069, 68169, 68347, 49 and 67 only.

Styles 68069(M),68169(P)	
Styles 68069(M),68169(P)  Trim Comb. 011,011S	Black Devereaux (Cloth) w/Black (Leather) Light Gray DuBonnet (Cloth) Dark Blue DuBonnet (Cloth) Med. Aqua Devereaux (Cloth) w/Med. Aqua (Leather) Dark Green Dumont (Cloth) w/Dark Green (Leather) Light Flax DuBonnet (Cloth) Med. Gold Devereaux (Cloth) w/Antique Med. Gold (Leather) Dark Cordovan Dumont (Cloth) w/Antique Dark Cordovan (Leather) Dark Mauve Devereaux (Cloth) w/Dark Mauve (Leather) Dark Maroon Devereaux (Cloth) w/Dark Maroon (Leather) Black (Leather) White (Leather) w/Black Carpet Dark Blue (Leather)
071,0718	Dark Green (Leather) Antique Light Flax (Leather) Antique Med. Gold (Leather) Antique Dark Cordovan (Leather) Dark Mauve (Leather) Med. Red. (Leather)
Trim Comb. 211	Black Decameron (Cloth) w/Black (Coated Fabric).  Dark Blue Decameron (Cloth) w/Dark Blue (Coated Fabric).  Med. Aqua Decameron (Cloth) w/Med. Aqua (Coated Fabric).  Dark Green Decameron (Cloth) w/Dark Green (Coated Fabric).  Light Flax Decameron (Cloth) w/Antique Light Flax (Coated Fabric).  Med. Gold Decameron (Cloth) w/Antique Med. Gold (Coated Fabric).  Black (Coated Fabric).  Antique Light Flax (Coated Fabric).
Styles 68347(J),49(B),69(L)  Trim Comb. 311,311S	Black Dardanelle (Cloth) w/Black (Leather)  Dark Blue Delphine (Pattern Cloth) and Flair (Plain Cloth) w/Dark Blue (Leather)  Med. Aqua Delphine (Pattern Cloth) and Flair (Plain Cloth) w/Med. Aqua (Leather)  Dark Green Dardanelle (Cloth) w/Dark Green (Leather)  Light Flax Delphine (Pattern Cloth) and Flair (Plain Cloth) w/Antique Light Flax (Leather)
344,344S	Med. Gold Dardanelle (Cloth) w/Antique Med. Gold (Leather).  Dark Cordovan Dardanelle (Cloth) w/Antique Dark Cordovan (Leather).  Dark Mauve Delphine (Pattern Cloth) and Flair (Plain Cloth) w/Dark Mauve (Leather).  Black (Leather).  White (Leather) w/Black Carpet.  Dark Blue (Leather).  Dark Green (Leather).  Antique Light Flax (Leather).  Antique Med. Gold (Leather).  Antique Dark Cordovan (Leather).  Dark Mauve (Leather).  Med. Red (Leather).
(A) Exc. styles (B) Exc. styles	68369 68369
Trim Comb. 351,351S	Black (Leather) White (Leather) w/Black Carpet White (Leather) w/Dark Blue Carpet White (Leather) w/Med. Red Carpet Dark Blue (Leather) Dark Green (Leather) Antique Light Flax (Leather) Antique Med. Gold (Leather) Antique Dark Cordovan (Leather) Dark Mauve (Leather) Med. Red. (Leather)

#### TRIM CODE COLOR REFERENCE CHART (Cont'd)

Style 69347(	<u>H)</u>	
Trim Comb.	410	Black Dominion (Cloth) w/Black (Coated Fabric)  Black Dubonnet (Cloth) w/Black (Coated Fabric)  Dark Blue Dubonnet (Cloth) w/Dark Blue (Coated Fabric)  Med. Aqua Dubonnet (Cloth) w/Med. Aque (Coated Fabric)  Dark Green Dubonnet (Cloth) w/Dark Green (Coated Fabric)  Light Flax Dubonnet (Cloth) w/Antique Light Flax (Coated Fabric)  Med. Gold Dubonnet (Cloth) w/Antique Med. Gold (Coated Fabric)  Dark Cordovan Dubonnet (Cloth) w/Antique Dark Cordovan (Coated Fabric)  Dark Mauve Dubonnet (Cloth) w/Dark Mauve (Coated Fabric)  Black (Leather)  White (Leather) w/Black Carpet  Dark Blue (Leather)  Dark Green (Leather)  Antique Light Flax (Leather)  Antique Med. Gold (Leather)  Antique Dark Cordovan (Leather)  Dark Mauve (Leather)
Style 69723(	488 R)	Med. Red (Leather)
Trim Comb.	711	Black Devereaux (Cloth) Light Gray Dubonnet (Cloth) Med. Gray Dumont (Cloth) Dark Blue Dubonnet (Cloth) Light Flax Dubonnet (Cloth)
Style 69733(	S) Leather Front C	ompartment and Cloth Rear Compartment
Trim Comb.	711	Black (Leather) w/Black Devereaux (Cloth)

#### CONVERTIBLE TOP COLOR OPTIONS

#### Style 68367(F)

Option J White
Option B Black
Option L Dark Blue
Option M Light Flax
Option N Dark Cordovan

#### 1969 ROOF COVERING OPTIONS

#### Styles 68169(P),68347(J),49(B),69(L),69347(H)

Option J White
Option K Black
Option L Dark Blue
Option M Light Flax
Option N Dark Cordovan
Option R Med. Gold

#### INTERIOR COLOR COMBINATIONS

Steering Column Jacket, Steering Wheel Lower Cover Shift Lever Bowl and Signal Switch Housing

All Trim Codes	••••••	. Black	R-M Dupont Ditzler	1-68-C41 4428-L DIA-9317
	For Metal Windshield Garnish Moldings, Seat Adjuster Track Covers, Carpet Ret Seat Back Compartment Shelf Molding u	ainer Covers and Eldora	do Rear	
	For Instrument Panel Radio Speaker Gr indicated.	illes, use "0"% Gloss	Paint as	
To Match Trim Code No.		Color		(Formula No.) Matching Colors
011.0118.051.0518.0	052,0528,211,251,311,3118,351,3518,			
	451,451B,452,711,*716,*719,*726,*742	. 20% Black	R-M Dupont Ditzler	A-946 88-L DIA-9248
		"0"% Black		1-68-C41 4428-L
*69733 Frt. C	ompartment.		Ditzler	DIA-9317
016,016S,*716,*719		. 20% Dark Gray	R-M Dupont Ditzler	1-69-C13 9633-L DIA-32790
		"0"% Dark Gray		1-69-C15 9651-L
*Exc. 69733 H	rt. Compartment.		Ditzler	DIA-32792
	226,326,326S,353,353 <i>S</i> ,366,366S,			
426,466,*726	•••••	. 20% Dark Blue	R-M Dupont Ditzler	1-69-C26 9626-L DIA-13794
		"0"% Dark Blue	Dupont	1-69-C27 9648-LH
*Exc. 69733 F	rt. Compartment.		Ditzler	DIA-13798
029,0295,229,329,3	29S,429	. 20% Dark Aqua	R-M Dupont Ditzler	1-69-C25 9630-LH DIA-13795
		"0"% Dark Aqua		1-69-C28 9650-LH DIA-13799
031,0318,071,0718,	231,331,3318,371,3718,431,471	. 20% Dark Green	R-M Dupont Ditzler	1-69-C33 9640-LH DIA-44015
		"0"% Dark Green		1-69-C34 9656-LH

Ditzler

DIA-44019

### INTERIOR COLOR COMBINATIONS (Cont'd)

For Metal Windshield Garnish Moldings, Rear Window Defogger Grilles, Seat Adjuster Track Covers, Carpet Retainer Covers and Eldorado Rear Seat Back Compartment Shelf Molding use  $20\,\%$  Gloss Paint as indicated.

For Instrument Panel Radio Speaker Grilles, use "0" % Gloss Paint as indicated.

To Match Trim Code No.	Color		(Formula No.) Matching Colors
042,0425,082,0825,242,282,342,3425,382,3825,442,			
482,482B,*742	(1) 20% Dark Flax	R-M	1-69-C73
		Dupont	9637-L
		Ditzler	DIA-23170
	(2) 20% Med. Flax	R-M	1-69-C74
		Dupont	9638-L
		Ditzler	DIA-23171
	''0'' % Dark Flax		1-69-C78
		Dupont	9654-L
		Ditzler	DIA-23177
*Exc. 69733 Frt. Compartment.			
<ol> <li>Exc. Seat Adjuster Track and Carpet Retainer Covers.</li> <li>Seat Adjuster Track and Carpet Retainer Covers.</li> </ol>			
(a) some majabour arabin sina om por atominor sovers.			
	2007 Damin Call	D 34	1 00 050
044,044S,084,084S,244,344,344S,384,384S,444,484	20% Dark Gold		1-69-C76
		Dupont Ditzler	9628-LH DIA-23168
	"0" % Dark Gold		1-69-C77
	υ η Daik Gold	Dupont	9649-LH
		Ditzler	DIA-23143
046,0468,086,0868,346,3468,386,3868,446,486	20% Dark Cordovan	R_M	1-69-C82
010,0100,000,0000,0100,0000,0000,110,100	-0,0 Darii 001 (10 talii	Dupont	9634-LH
		Ditzler	DIA-23172
	"0" % Dark Cordovan.		1-69-C83
	70 20111 0014014111	Dupont	9652-LH
		Ditzler	DIA-23178
047,0475,087,0875,347,3475,387,3875,447,487	20% Dark Mauve	R-M	1-69-C53
		Dupont	9635-LH
		Ditzler	DIA-50817
	"0" % Dark Mauve	R-M	1-69-C55
		Dupont	9653-LH
		Ditzler	DIA-50820
049.0498	20% Dark Maroon	R_M	1-69-C64M
010,0100	20% Dark Marton	Dupont	9639-LM
		Dupont	DIA-50818
	"0" % Dark Maroon		1-69-C63M
	70 Danie 1910 1 0011	Dupont	9655-LM
		Ditzler	DIA-50821
	0000 4 4		
088,088S,354,354S,388,388S,488	20% Med. Red		1-68-C51R
		Dupont	9528-LH
	//O11 07 - 2 - 3 - 3 - 3	Ditzler	DIA-71644
	"0" % Med. Red		1-69-C56R
		Dupont	9647-LH
		Ditzler	DIA-71752

#### INTERIOR COLOR COMBINATIONS

Side Roof Rail Moldings, Side and Back Window Garnish Moldings, Seat Side and Back Panels, Front Seat Center Arm Rest Finish Covers and Door Locking Knob Ferrules.

To Match Trim Code No.	Colors		(Formula No.) Matching Colors
011,011S,051,051S,211,251,311,311S,351,351S,410,411, 451,451B,711,*716,*719,*726,*742	Black	R-M Dupont Ditzler	A-946 88-L DIA-9248
016,016S,*716,*719	Alt Grav		1-69-C14
*Exc. 69733 Frt. Compartment A Exc. 69723 Seat Side Panels for trim 719.	oray	Dupont Ditzler	9631-L DIA-32788
026,0268,066,0668,226,326,3268,3668,426,466,*726	Dark Blue	R-M Dupont	1-69-C26 9626-LH
*Exc. 69733 Frt. Compartment.		Ditzler	DIA-13794
029,0295,229,329,3295,429	Med. Aqua	R-M Dupont Ditzler	1-69-C24 9636-LH DIA-13796
031,0315,071,0715,231,331,3315,371,3715,431,471	Dark Green	R-M Dupont Ditzler	1-69-C33 9640-LH DIA-44015
042,0425,082,0825,242,282,342,3425,382,3825,442,			
482,482B,*742	Light Flax	R-M Dupont Ditzler	1-69-C72 9629-L DIA-23169
044,0445,084,0845,244,344,3445,384,3845,444,484	Med. Gold	R-M Dupont Ditzler	1-69-C75 9627-L DIA-23167
046,046S,086,086S,346,346S,386S,386S,446,486	Dark Cordovan	R-M Dupont Ditzler	1-69-C82 9634-LH DIA-23172
047,0478,087,0878,347,3478,387,3878,447,487	Dark Mauve	R-M Dupont Ditzler	1-69-C53R 9635-LH DIA-50817
049,0498	Dark Maroon	R-M Dupont Ditzler	1-69-C64M 9639-LM DIA-50818
052,0528,352,3528,353,3538,354,3548,452	White		1-69-C92 9625-L DIA-8774
088,0885,388,3885,488	Med. Red	R-M Dupont Ditzler	1-68-C51R 9528-LH DIA-71644
719	Med. Gray	R-M Dupont Ditzler	1-69-C10 9632-L DIA-32789
▲ 69723 Seat Side Panels.			



### **RINSHED-MASON PRODUCTS**

#### INMONT CORPORATION


5935 Milford Ave. 1244 N. Lemon St. Detroit, Michigan 48210

Anaheim, California 92803

CODE

CODE

CODE



CHATEAU MAUVE FIREMIST

A-2095G

BLACK

ATHENIAN BLUE DARK CORDOVAN LIGHT FLAX

MEDIUM GOLD

169C41

169C29

169C85

169C84 169C79

NUTMEG BROWN FIREMIST

A-2096G

### 1969 CADILLAC INTERIOR COLOR COMBINATIONS

NOTE—Alpha-Cryl formulae containing No. 849 Suede Concentrate produce material of approximately a zero gloss as required.

#### Steering Column Jacket, Steering Wheel Lower Cover, Shift Lever Bowl and Signal Switch Housing.

Combination No.	Color	Fisher Code	Tintometer Formula No.
(ALL COMBINATION NO's.)	BLACK	WOA848	168C41
Instrumer	nt Panel Radio Speaker		
011, 011S, 051, 051S, 052, 052S, 211, 251, 311, 311S, 351, 351S, 352, 352S, 410, 411, 451, 451B, 452, 711, 716, 719, 726, 742	BLACK	WOA848	168C41
088, 088S, 354, 354S, 388, 388S, 488	MEDIUM RED	WOA3738	169C56R
026, 026S, 066, 066S, 226, 326, 326S, 353, 353S,	DARK BLUE	WOA3837	169C27
366, 366S, 426, 466, 726			
044, 0445, 084, 0845, 244, 344, 3445, 384, 3845,	DARK GOLD	WOA3841	169C77
444, 484		,	1
029, 0298, 229, 329, 3298, 429	DARK AQUA	WOA3843	169C28
016, 016S, 716, 719	DARK GRAY	WOA3846	169C15
046, 046S, 086, 086S, 346, 346S, 386, 386S, 446,	DARK CORDOVAN	WOA3847	169C83
486			
047, 047S, 087, 087S, 347, 347S, 387, 387S, 447,	DARK MAUVE	WOA3849	169C55R
487			
042, 042S, 082, 082S, 242, 282, 342, 342S, 382,	DARK FLAX	WOA3869	169C78
382S, 442, 482, 482B, 742			
049, 049S	DARK MAROON	WOA3875	169C63M
031, 031S, 071, 071S, 231, 331, 331S, 371, 371S,	DARK GREEN	WOA3890	169C34
431, 471			1

NOTE—R-M Tintometer Formulae as listed produce standard gloss colors. R-M No. 850 Universal Flatting Concentrate should be added to the Tintometer - Mixed Colors to achieve the desired degree of gloss.

### Windshield Upper Garnish Moldings, Rear Window Defogger Grilles, Seat Adjuster Track Covers, Carpet Retainer Covers and Rear Seat Back Compartment Shelf Molding.

track covers, curps, moralite, cover	T WITH MOUT OOUT DUCK T		
011, 011S, 051, 051S, 052, 052S, 211, 251, 311, 311S, 351, 351S, 352, 352S, 410, 411, 451, 451B,	BLACK	W20A848	A-946
452, 711, 716, 719, 726, 742	<b>1</b>	1	· ·
088, 088S, 354, 354S, 388, 388S, 488	MEDIUM RED	W20A3738	168C51R
026, 026S, 066, 066S, 226, 326, 326S, 353, 353S,	DARK BLUE	W20A3837	1 169C26
366, 366S, 426, 466, 726	1	i	
044, 0445, 084, 0845, 244, 344, 3445, 384, 3845,	DARK GOLD	W20A3841	169C76
444. 484			
029, 0298, 229, 329, 3298, 429	DARK AQUA	W20A3843	169C25
016, 016S, 716, 719	DARK GRAY	W20A3846	169C13
046, 046S, 086, 086S, 346, 346S, 386, 386S, 446,	DARK CORDOVAN	W20A3847	169C82
486			1
047, 0478, 087, 0878, 347, 3478, 387, 3878, 447,	DARK MAUVE	W20A3849	169C53R
487	i	1	1
042, 0425, 082, 0825, 242, 282, 342, 3425, 382,	DARK FLAX	W20A3869	169C73
382S, 442, 482, 482B, 742	1	1	
049, 049S	DARK MAROON	W20A3875	169C64M
031, 0315, 071, 0715, 231, 331, 3315, 371, 3715,	DARK GREEN	W20A3890	169C33
431, 471	4	1	
046, 046S, 086, 086S, 346, 346S, 386, 386S, 446, 486 047, 047S, 087, 087S, 347, 347S, 387, 387S, 447, 487 042, 042S, 082, 082S, 242, 282, 342, 342S, 382, 382S, 442, 482, 482B, 742 049, 049S 031, 031S, 071, 071S, 231, 331, 331S, 371, 371S,	DARK CORDOVAN  DARK MAUVE  DARK FLAX  DARK MAROON	W20A3847 W20A3849 W20A3869 W20A3875	169C82 169C53R 169C73 169C64M

### Side Roof Rail Moldings, Side and Back Window Garnish Moldings, Seat Side Panels, Front Seat Center Arm Rest Finish Covers and Door Locking Knob Ferrules.

011, 011S, 051, 051S, 211, 251, 311, 311S, 351, 351S, 410, 411, 451, 451B, 711, 716, 719, 726,	BLACK	W20A848	A-946
742			
088, 088S, 388, 388S, 488	MEDIUM RED	W20A3738	168C51R
052, 052S, 352, 352S, 353, 353S, 354, 354S, 452	WHITE	W20A3835	169C92
026, 026S, 066, 066S, 226, 326, 326S, 366, 366S.	DARK BLUE	W20A3837	169C26
	DARK BLUE	W 2023037	103020
426, 466, 726		l	
044, 044S, 084, 084S, 244, 344, 344S, 384, 384S,	MEDIUM GOLD	W20A3840	169C75
444, 484			
042, 042S, 082, 082S, 242, 282, 342, 342S, 382.	LIGHT FLAX	W20A3842	169C72
382S, 442, 482, 482B, 742			İ
016, 716, 719	LIGHT GRAY	W20A3844	169C14
719	MEDIUM GRAY	W20A3845	169C10
046, 046S, 086, 086S, 346, 346S, 386, 386S, 446,	DARK CORDOVAN	W20A3847	169C82
486			Į.
047, 047S, 087, 087S, 347, 347S, 387, 387S, 447,	DARK MAUVE	W20A3849	169C53R
487			ł
029, 029S, 229, 329, 329S, 429	MEDIUM AQUA	W20A3868	169C24
049, 049S	DARK MAROON	W20A3875	169C64M
		W20A3890	169C33
031, 0318, 071, 0718, 231, 331, 3318, 371, 3718,	DARK GREEN	W 20A3830	103033
431, 471			

## AMA Specifications—Passenger Cor

The information contained herein is prepared, distributed by, and is solely the responsibility of the automobile manufacturing company to whose products it relates. Questions concerning these specifications should be directed to the manufacturer whose address is shown below. This uniform specification form was developed by the automobile manufacturing companies under the auspices of the Automobile Manufacturers Associations.

			7
MANUFACTURER	THE PROPERTY OF THE PROPERTY OF THE PARTY OF	CAR NAME AND THE STATE OF THE S	A STATE OF THE PARTY OF THE PAR
Cadi	llac Motor Car Division	Cadillac Carrier	
MAILING ADDRESS	A secretary and the second second	MODEL YEAR	ISSUED: 10-15-68
	Clark Street	1 1969 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PRVICED (A) 2 to 2 t

#### NOTES

- 1. The General Specifications herein are those in effect at date of compilation and are subject to change without notice by the manufacturer.
- 2. UNLESS OTHERWISE INDICATED:
  - a. Specifications apply to standard models without optional equipment. Significant deviations are noted.
  - b. Naminal design dimensions are used throughout these specifications.

#### TABLE OF CONTENTS

Car & Body Dimensions 1,2	Drive Units	21
Engine - Mechanical 4	Brakes 18, 19 Weights	24
Electrical12	Steering	27

BODY - TYPES AND STYLE NAMES -	Body type, style names; use manufacturer's code for series & body style.							
DESCRIPTION	NO. PASS. STYLE NO. VEHICLE ID NO.							
Fluetwood Sixty-Special Sedan	6 68069 M9100000							
Fleetwood Brougham Sedan	6 68169 P9100000							
Calais Hardtop Sedan	6 68249 N9100000							
Calais Coupe	6 68247 G9100000							
DeVille Coupe	6 68347 J9100000							
DeVille Convertible	6 68367 F9100000							
DeVille Hardtop Sedan 💉	6, 68349 B9100000							
DeVille Sedan	6 } 68369 L9100000							
Fleetwood Sedan	9 69723 R9100000							
Fleetwood Limousine	9 69733 5 S9100000 S							

to the contract of the contrac

### AMA Specifications—Passenger Car

Page 1

MAKE OF CAR Cadillac MODEL YEAR 1969 DATE ISSUED 10-15-6 REVISED

#### **CAR AND BODY DIMENSIONS**

See Pages 25, 26 for SAE Dimension Definitions

(All dimensions in inches unless otherwise indicated)

All dimensions to ground are for comparative purposes only. Dimensions are to be shown for: 4-Dr. Sedan, 2-Dr. H.T., 4-Dr. H.T., Convertible and Station Wagon.

		1 44 5							
		SAE Ref.							
MODEL		No.		ALL					
<del></del>				- ALLI					
WIDTH									
Track - Fr	ont	W101		63.0					
Track - Re	ar	W102		63.0					
Maximum o	verall car width	W103		79.9					
Body width	at No. 2 pillar	W1 17		. • •					
LENGTH									
Body "O"	to front of dash	L 30							
Wheelbase		L101	129.5 (680-6	81) 133.0	(75) 149.8				
Overali car	length	L. 103	225.0 (680-6	81) 228.5	(75) 245.3				
Overhang -	front	L104		37.5					
Overhang -	rear	L 105		58.0					
Body upper	structure length	L123	105.5 (68369)(10	6.2) 49-47)	107.3 - 68367*				
Body "O"	line to <b>E</b> of rear wheel	L 127	105.0						
Body "O"	line to w/s cowl point	L130	7.0						
EIGHT	•								
Passenger l	Distribution (front & rear)		3 Pass	. F - 3 Pass.	R				
Trunk/Cara	o load (lbs.)								
Overall hei	ght	H101	*	54.4					
Cow! height		H114		38.3					
Deck height		н138							
Rocker	To ground	H112							
panel — front	From front wheel &								
Rocker	To ground	нии							
panel – rear	From rear wheel								
Windshield slope angle H122				55 Degrees					
GROUND C	LEARANCE	-	Std. Car	680 & 681	75 Limousine				
Bumper to g	Bumper to ground - front H102		10.4	10.5	11_1				
Bumper to o	Bumper to ground - rear H104		11.8	10.7	12.9				
Angle of ap		H106	18.4 Degrees	18.4	19.6 Degrees				
Angle of departure H107			13.5 Degrees	12.0	15.1 Degrees				
Angle of de	parture	H10/	TOO DERIEES	12.0					
Angle of de Ramp break		H107	11.4	10.9	11.6				

\*\* 56.6 60 Spec & Brougham

55.5 68369

54.4 68367

58.1 Limousine

126.8 75 Limousine \*

106.8 60 Spec.

## AMA Specifications—Passenger Car

Page 2

Page 2

MAKE OF CARCadill	ac	M	ODEL Y	EAR	<u>1969</u> D	ATE ISS	UED 10	<u>-15-68</u> RE	VISED_	(0)
		CA	D AND D	ODV DIM	ENICIONIC	•.				
				BODY DIM						
		-		r SAE Dime	•					
	(A)	ldimensio	ons in incl	es unless	otherwise i	ndicated)				
MODEL	SAE Ref. No.	58069 58169	68249	68349	68247	68347	68367	68369	7523	7533
FRONT COMPARTMENT								· · · · · · · · · · · · · · · · · · ·		
Effective head room	H6 1	38.0			38.2		39.0	39.3	40	.4
Max. eff. leg room — accelerator	L34					. 2			1	40.3
H Point to Heel point	H30									<del></del>
H Point travel	L17									
Shoulder room	W 3	59.9	61.0	60.6	58.4	60.	8	60.6	59	. 9
Hip room	W 5	1			62.8					. 9
Upper body opening to ground	H50	1					<del></del>			
REAR COMPARTMENT										
H Point couple distance	L50	1								
Effective head room		42.2	3	7.2	37	.3	38.1	38.4	1 3	8.3
Min. effective leg room	L51	_		).1		. 7	38.7	41.8		
ti Point to Heel point	H31		· · · · · · · · · · · · · · · · · · ·	<del>/                                    </del>		<u> </u>	1 2007	17419		
Min. knee room	L48		was a second of the second	COMPANY TO COMPANY OF THE COMPANY OF	e de la transferior de la companya d		area tarrista a constant			2
Pear Compartment room	L 3									<del></del>
Shoulder room	W. 4	59.6	50	9.7	T	. 59.	3	59.6	58	.4
Hip room	W 6	61.2		2.7		55.		62.3		8
Upper body opening to ground	H51	1	<u> </u>		······································		<u> </u>	<del> </del>	<del> </del>	<u> </u>
LUGGAGE COMPARTMENT										
Usable luggage capacity	V 1	1								
Liftover height	H195									· · · <del></del>
Position of spare tire storage		1								•
Method of holding lid open		1				····				
TATION WAGON - THIRD SEAT										
Shoulder Room	W85	1			N.	A .	<del></del>			··· <del>-</del>
Hip room	W86				N.					
Effective leg room	L86				No.					_
Effective head room	H86				N.					
Seat facing direction				***************************************	N.					
STATION WAGON - CARGO SPA	\CE									<del>* · · · · · · · · · · · · · · · · · · ·</del>
Cargo length at floor - front seat	L202	1			N.	Δ				
Cargo length at belt - front seat	L 204	<del></del>			N					
Cargo width - Wheelhouse	W201	<del></del>		<del></del>	N		<del></del>			
Opening width at belt	W204	<b>4</b>			N					
Maximum cargo height	H201				No.					•
Rear opening height	H202				N					····
Cargo volume index (cu. ft.) W4 x L204 x H201	V2				N. 4					

Page 3

## AMA Specifications—Passenger Car

Page 3

MAKE OF CAR \_\_\_\_Cadillac

MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)

#### **POWER TEAMS**

(Indicate whether standard or optional)

MODEL	ENGINE						AXLE RATIO
AVAILABILITY	Displ. cu. in.	Carburetor	Compr. Ratio	BHP RPM	Torque RPM	TRANSMISSION	(Std. first) (Indicate A. C. ratio)
All Exc. Eldorado	472	4BBL	10.5:1	. <b>375</b> @ 4400	525 @ 3000	Hydramatic	2.94 682-683 680-681
							3.21 697
					!		A/C & Non A/C
e de la companya della companya della companya de la companya della companya dell	- - -						
					·.		
·			:				
e <sup>r</sup>							
			i				
			. !		: !		
					*		
			· •				
	:						

MAKE OF	CAR Cac	1111ac MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (+)
AODEL		Std. Car
NGINE - G	ENERAL	
Type, no. cyl	s., valve arr.	90°- V8 - 0.V.
Bore and stro	ke (nominal)	4.30 X 4.06
Piston displa	cement, cu. in.	472
Bore spacing		5.00
No. system	L. Bank	2 - 4 - 6 - 8
(front to rear)	R. Benk	1 - 3 - 5 - 7
Firing order		1 - 5 - 6 - 3 - 4 - 2 - 7 - 8
Compres, rati	o (nominal)	10.5:1
Cylinder Head		Cast Iron
Cylinder Bloc		Cast Iron
Cyl. Sleeve-W		None
Number of	Front	2
mtg. points	Rear	1
Engine instal	lation angle	6° 24' 6° 1 20" (Limo)
	ia <sup>2</sup> ×No. Cyl. 2.5	59.2
Publishing mo	ox, bhp*	375 @ 4400
Publishing mo (lb. ft. @ RPM		525 C 3000
Recommended regular — prei	i i	Premium
NGINE - PI	STONS	
Material		Aluminum
Description a	nd finish	Slipper Type Cam Ground Control Expansion
Weight (pistor	only) oz.	27.28
	Top land	.031039
Clearance	Skirt Top	.00060010
(limits)	Bottom	.0014 - + .0005
	No. 1 ring	.210
Ring groove	No. 2 ring	.210
depth	No. 3 ring	. 195
	No. 4 ring	None

 $<sup>^{\</sup>star}$  Max. bhp (brake horsepower) and max. torque corrected to 60  $^{\circ}$  F and 29.92 in. Hg atmospheric pressure.

Page 5

## AMA Specifications—Passenger Car

Page 5

MAKE C	F CARCadillac	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED ()
MODEL		Std. Car
	DINCC	
ENGINE -	- KINGS	
Function	No. 1, oil or comp.	Comp.
top to	No. 2, oil or comp.	Comp.
bottom)	No. 3, oil or comp.	Oil
	No. 4, oil or comp.	None
Compres-	Description - material, coating, etc.	#1 Molybdenum Filled Cast Iron #2 Phosphate Coated Cast Iron
	Width	.07700785
	Gap	.013025
Oil	Description - material, coating, etc.	Multi-Piece Steel Chrome Plated Rail
	Width	.17951880
	Gap	.015055
Expanders		Yes
Material	- PISTON PINS	SAE 1019 Steel
Length -		3.030
Diameter		.99949997
	Locked in rod, in piston, floating, etc.	Locked in Rod
Туре	Bush- In rod or piston	None
	ing Material	None
	In piston	.0000500015
Clearance	In rod	Press Fit
Direction 8	amount offset in piston	.060 Toward Max. Thrust Side
NGINE -	CONNECTING RODS	
Moterial		GM 84M Arma Steel
Weight (oz.	.)	28.86 oz.
	nter to center)	6.75
· .	Material & Type	M-400 Alum Steel Backed
Bearing	Overall length	.826
	Clearance (limits)	.00050028
	End ploy	.008016 (Total Two Rods)

MAKE	OF CAR	Cadil	ac MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)				
MODEL			Std. Car				
	- CRANK						
Material			Nodular Cast Iron				
Vibration	damper ty	pe	Rubber Absorption				
Fod these	t taken by	bearing (No.)	#3 Center Main				
	ft end play		.002012				
	Material		M-400 Aluminum Steel Backed				
	Clearance	e	.00010026				
	0.00	No. 1	3.250 - 1.1925				
	Journal	No. 2	3.250 - 1.0595				
Main bearing	dia, and	No. 3	3.250 - 1.0670 (Inside) 1.258 (Outside)				
bearing	bearing	No. 4	3.250 - 1.0595				
	overall	No. 5	3.250 - 1.1925				
	length	No. 6	None				
		No. 7	None				
		nt. cyl. offset	R.H. Forward .47 L.H. Rearward .47				
Crankpin	journal die	meter	2500				
ENGINE	- CAMSI	HAFT	andre de la companya de la companya de la com <del>unicación de la comunicación de la comunicación de la comunicació</del> La comunicación de la comunicación				
Location			Center of V				
Material			G.M. 120M Cast Iron				
	Material		Steel Backed Babbitt				
Bearings	Number		5				
	Gear or	chain	Silent Chain				
	Cranksh	aft gear or					
Type of	sprocket	material	Sintered Iron G.M. 3884 M				
Drive	1	ft gear or					
	sprocket	material	Die Cast Alum Nylon Gear				
	Timing	No. of links	<u>48</u> .750				
	chain	Pitch	.500				
ENGINE	– VALVE		. 300				
		rd., opt., NA)	Std.				
		(d., opi., (A)	Stu.				
Valve rote (intake, e		1	None				
Rocker ro			1.65:1				
Operating							
tappet	11111		Auto				
clearance iindicate		aus'					
or cold)			Auto				

(Continued)

MAKE C	OF CAR	Cadillac	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (+)
MODEL			Std. Car
ENGINE -	- VALVE	SYSTEM (cont.)	
		Opens (°BTC)	18° .001 Lift
Timing	intak•	Closes (*ABC)	114° .001 Lift
(based on		Duration - deg.	312° .001 Lift
top of	<u> </u>	Open's (°BBC)	70° .001 Lift
ramp points)	Exhaust	Closes (°ATC)	58 .001 Lift
po 27		Duration - deg.	308° .001 Lift
	Valve ope	ning overlap	
	Material		1041 Alum. Steel
	Overali le	ength	5.230
	Actual ov	erall head dia.	2.000
	Angle of	seat & face	Seat In Head 45 Degrees Valve Face 44 Degrees
		t material	None
	Stem diam	eter	.34123425
	Stem to gu	vide clearance	.00050025
Intake	Lift (@ ze	ro lash)	.440
intake	Outer	Valve closed	
	spring	(lb.@in.)	60-65 @ 1.946
	press. &	Valve open	
a	length	(lb.@in.)	155 - 165 @ 1.496
-	lnn er	Valve closed	
	spring	(lb. € in.)	None
e Mily ge	press. & length	Valve open (lb.@in.)	None
	Material		21-2 & G.M.R. 241-M
	Overall la	ength	5.245
	Actual ov	erall head dia.	1.625
		seat & face	Seat 45 Degrees Face 44 Degrees
		rt material	None
	Stem dian		.34153420
		uide clearance	.00100025
Exhaust	Lift (@ ze	<del></del>	.454
	Outer spring	Valve closed (1b.@in.)	60-65 @ 1.946
	press. & length	Valve open (lb.@in.)	155 - 165 @ 1.496
	Inner spring	Valve closed (lb.@in.)	None
	press. & length	Valve open (lb.@in.)	None
ENGINE -	- LUBRICA	ATION SYSTEM	
	Main bearings		Pressure
Type of	Connection		Pressure
lubrica-	Piston pi	ns	Splash
tion (splash,	Camshaft		Pressure
(spiash, pressure,	Toppets		Pressure
nozzie)		ear or chain	Metered Centrifugal Flow
	Cylinder	walls	Splash

# AMA Specifications—Passenger Car

MAKE	OF CAR	Cadillac	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)				
MODEL			Std. Car				
ENGINE	- LUBRIC	ATION SYSTEM (co	nt.)				
Oil pump Normal oi		(lb. engine rpm)	Spur Gear 35-40 @ 30 MPH				
		nit (elect. or mech.)	Electric Stationary				
Oil filter system (full flow, part., other) Filter replacement (element, complete)			Full Flow Element				
		less filter-refill (qt.)	4 Qts. + 1 Qt. Filter				
	recommend erature rang	ded (SAE viscosity ge)	+ 32°F SAE 20W-IOW30 0 -+ 32°F SAE IOW-IOW30 Below 0°F SAE 5W-5W20				
Engine Se	ervice Regr	nt. (MM, MS, etc.)	MS-GM 6031M				
ENGINE	– EXHAU	st system					
Type (sin dual, othe		with cross-over,	Single with Crossover				
straight t	hru, separa	reverse flow, ite resonator)	Reverse Flow Exhaust System				
Exhaust p (O.D., wai		Branch Main	Exhaust 2.24 - 2.50 Intermediate 2.50 .036048 Laminated				
Tail pipe	dia. (O.D.	& wall thickness)	2.50 Aluminized				
		CASE VENTILATIO	N SYSTEM				
Type (ven	tilates to	atmos., Standard	Induction				
indu	Make and	em,other) Optional	None AC Spark Plug				
	Location						
Control Unit	į	ource (manifold carburetor air ther)	Manifold Vacuum				
į		ethod (variable xed orifice,	Spring Loaded Valve Variable Orifice				
	Discharge manifold, intake, ai intake, ot	r cleaner	Intake Manifold				
Complete system	1 .	breather cap, air cleaner,	Air Cleaner				
	Flame arro	estor (screen, ve, other)	Check Valve				

Page 9

MAKE O	F CAR_	Cadillac	MODEL YEAR 1969 DATE ISSUED REVISED (6)			
MODEL_			Std. Car			
_	EXHAUST	EMISSION CO	NTROL			
	njection, en lications, ot		Air Injection Type			
	Туре		Saginaw Steering Gear			
	Displaceme	en f	19.3 Cu. In.			
Air	Drive ratio		1,2:1			
Injection Pump	Drive type		Belt			
. ср	Relief valv	e (type)	None			
	Filter (des	cribe)	Centrifugal Seperator			
	Air distribu (head, man		Manifold			
Air .	Point of en		Cylinder Head			
Injection	Injection to	be I.D.	.579			
Sy st em	Check valv	e type	Diaphram (Delco)			
		otection (type)	RPD Diverter and Integral Relief			
	Make		Rochester			
	Model		4 BBL 4MV			
Carburetor	Barrel size		Pri. 1.375 Sec. 2.250			
	Drive		550 Drive (A/C Off)			
٦	idle speed	Neutral	•			
	Idle A/F m	ixture				
*	Aux. Adv. S	ystems (type)	* None			
******	Make		Delco Remy			
	Model		1111239			
	Cent'fgal	Start (rpm) Intermed,	O Degrees @ 600 RPM			
	crank	points	1/ 5 Dec 10 5 Dec @ 1050 PM			
Disabilities	degrees i eng. rpm	deg. : rpm Max.deg. : rpm	14.5 Deg 18.5 Deg. @ 1950 RPM 26 Degrees - 30 Degrees @ 4400			
Distributor	eng. rpm	max.deg.: rpm				
		C (:- H-)	Start 8" - 10"			
	Vacuum adv. in	Start (in Hg) Intermed.	Int. 12° - 25.5° @ 13"			
	crank	points	22.5° - 25.5° @ 16"			
	degrees : eng. rpm	deg. in. Hg Max. deg. in.	Max 25.5° @ 16"			
	Vacuum So	nice	Carburetor			
Timing - C	rank degree:	s '- rpm	5 Degrees BTDC			
Cooling Sy			-			
Exhaust System			-			

e .... D ... 7 40

<sup>\*</sup> A thermostatic Vacuum Advance Switch Mounted in Cyl. Block water passages on all A/C Equipped Cars.

## AMA Specifications—Passenger Car

ODEL			Std. Car				
	- FUEL SYSTEM			(See supplementa Supercharger, etc.	page for Details (	of Fuel Injection	n,
	type: Carburetor, , supercharger.	fuel	Carbureto	r			***************************************
	Refill capacity (U	.S. gals.)	Approx. 2				· · · · · · · · · · · · · · · · · · ·
Tank	Filler location		<u> </u>	icense Plate			
Fuel	Type (elec. or me	ch.)	Mechanica				
Pump	Locations			t Side of Eng. 50 @ 1800 RPM			
Vasuum	Pressure range pooster (std., option	nal nane)	None	30 @ 1800 RFM			
Fuel	Type	101, 1101(07	A.C.				
Filter	Locations		Frt. of E	ng. in Line at		mp	<del></del>
<del></del>	Choke type			cket in Manifo			
	Intake manifold he	at control	·				
	(exhaust or water)		Exhaust	01. 7.1.	·		
	Air cleaner	Standard	<del>                                     </del>	Single Inlet			
tor		Optional Manual	-				
	Idle speed (spec.	Automatic	1	(A/C off)			
		Idle A F mix.	<del></del>	So that is the second companies proper assembly a person of a page of	Market designation of the production of the control	man i sa a a coma a com	
			ARBURETOR SUPPL	EMENTARY INFORM	MATION		
		Engine	Transmission	Carburet	ors	No. Used	Barrel
	lodel Usage	Displ.	Iransmission	Make	Model	and Type	Size
						1	
			.				
						1	
						]	
						İ	
			1		1	}	
			İ			1	
					<u>'</u>	]	
						4	
					•		
						1	
			ĺ			] [	
						}	
		1			<u> </u>	1	
		1 . 1			1	1 1	

MAKE OF CARCadillac				MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)									
MODEL				Std. Car									
ENGINE -	- COOLII	NG SYSTEM											
Type syste	_	ore, pressure ve	nted,	Pre	essure								
		ralve pressure		13.	5 - 16	5.5				<del></del>	·		
Circula-		oke, bypass)		Ву	Pass	· · · · · · · · · · · · · · · · · · ·							
tion thermostat			•F)		- 199								
		ntrifugal, other)	)	Cer	itrifug	3 <b>al -</b> I	Oual Ou	utlet					
• •	GPM @ 1	000 pump rpm		19									
Water	Number o	fpumps		One									
bnwb	Drive (V	-belt, other)			Belt								
	Bearing	lype				ow Ball	Bear:	ing					
By-pass re		n type (inter., e:	xt.)	Int	ernal								
Radiator co		n other)		Tub	oe & Ce	enter							-
	With heat			21.			24.	8 on 3	Limo A	/C Std	•		
system		eater (qt.)		Hea	ter St	td. Equ							
capacity	Opt. equi	pment-specify (	qt.)		8 With								
Water jacks		ngth of cyl. (yes		Yes	3		***************************************		•				
Water all a	round cyli	nder (yes, no)		Yes	3								
A CAMPAGNA	10 m 10 m	Number and ty (molded, straig		1-Molded									
w <sub>i</sub> :	Lower	Inside diamete	er .	1.5	50			•					
Radiator		Number and ty (molded, straig	. 1	1-Molded									
hose	Upper	Inside diamete	or ·	1.5	50								
		Number and type (molded, straight)		None									
	By-pass	Inside diamete	r .	Nor			***************************************						·
	Number o	f blades & spac	ing 🔭	₹7 @ 64	0 - 48	30 - 40	0 - 4	50 - 50	00 - 5	40 - 5	90		
	Diameter			**7 @ 64° - 48° - 40° - 45° - 50° - 54° - 59°									
Fan		to crankshaft r	ev.	1.1	1:1							·	
	Fan cuto			None									
	Bearing	ype		Nor	ıe		<del></del>						
	Fan			A									
*Drive	Generato	r or alternator		В									
belts	Water Pu	mp		A									
(indicate	Power St	eering		С									
belt used by letter)	Air Cond	itioning		D	Match	ned 2 1	Belts						
by letter,		<u></u>		A	<del></del>	<del> </del>						·	
												·	
			<del>,</del>	· · · · · ·	<del> </del>	1		т	·	1	<del></del>	т	<del></del>
* Drive Belt Dimensions A		A	В	С	D	E	F	G	н	ı	J	К	
Angle of	٧		38°	38°	38°	38°							
Nominal	length (S/	NE)	45.5	35.5	48.0	59.0							
Width .40			.460	.460	. 380	. 380							

MAKE O	F CAR_	Cadilla	ic	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (4)			
MODEL				Std. Car			
	AI - SUPP	LY SYSTEM					
	Make and			Delco Remy			
•	Voltage Rtg. & Total Plates			12 Volt 15 Plate			
_	SAE Designation & Amp. Hr. Rtg.			74 Amp. Hrs. @ 20 Hr. Rate			
Battery	Location			Right Hand Side - Underhood			
	Terminal grounded			Negative			
	Make			Delco Remy			
Generator	Model			1100734 1100803 Limo & A/C			
or	Type and			42 Amp. 55 Amp.			
Alternator	Output at	engine idle	(neutral)	Charge @ Idle			
	Ratio-Ge	n. to Cr/s r	ev.	2.75:1 2.86:1 A/C			
	Make			Delco Remy			
	Model			1119515			
	Туре			Double Contact			
	Cutout	Closing voltage generator rpm		None			
Regulator	relay	Reverse current to open		None			
	Regu- Voltage			13.8 - 14.8 @ 100 Degrees			
	lated	Current		None			
	Voltage	Temperature Load		100 Degrees			
	test			10 Amps.			
	condition	S Other		•			
ELECTRICA	AL – STAR	TING SYST	EM				
	Make			Delco Remy			
Starting	Model			1108371			
Motor	Rotation end view)	•		Clockwise			
	Switch (s	olenoid, mar	rual)	Solenoid			
Motor control	Starting procedure			Place Trans. in Park Position:			
	Engageme	ent type		Spiral Spline & Over Running Clutch			
		shes (front,	rear)	Front			
	]	Pinion		9			
Motor Drive	Number		Manual	N.A.			
fIA6	of teeth	Flywheel	Auto.	.166			
	Flywheel	tooth	Manual	N. A.			
	face widt		Auto.	.500			

### AMA Specifications—Passenger Car

Page 13

MAKE C	F CAR_	Cadillac	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (4)				
MODEL			Std. Car				
		TION SYSTEM					
			T Std.				
		nal — Std., Opt., N.A. rized — Std., Opt., N.A.	N.A.				
Туре	Other (spe		•				
	Make (spi	BC1197	Delco Remy				
	Model		1115295				
Coil	Moder	Engine stopped	2.40 Amps.				
	Amps	Engine idling	1.25 Amps.				
	Make	12.1gillo 10.11.g	Delco Remy				
	Model		1111939				
		Start (rpm)	0° @ 600 RPM				
	adv. in c/shaft degrees@ engine	Intermediate points deg.@rpm	14.5° - 18.5° @ 1950 RPM				
	rpm	Max. deg.@rpm	26° - 30° @ 4400				
Distributor		Start (in. Hg.)	8" - 11"				
	adv. in c/shaft degrees@ in. Hg.	Intermediate points, deg.@in. Hg.	12° - 25.5° @ 13" 22.5° - 25.5° @ 16"				
	(nominor)	Max. deg. in. Hg.	25.50° @ 16"				
9.4	Breaker g		.016				
1-	Cam angle		280 - 320				
		rm tension (oz.)	19 - 23 Oz.				
Timing		ft deg.@rpm	5 Degrees BTDC				
	Mark loca	tion	Crankshaft Pulley				
	Make Model		A, C,				
Spark	Thread (m		R-44N 14MM				
Plug		g torque (lb. ft.)	25 Lb. Ft.				
	Gap	g torque (ID. II.)	.035				
	<del>+</del>		Resistant Core				
Cable	Conductor		Neoprene				
Copie		g protector	Neoprene				
ELECTRICA	AL – SUPP	RESSION					
Locations	& type		I -				

Packard Electric - Dist. Resistance Wire
.3 MFD on Coil Feed Terminal
.5 MFD on Gen. Reg. Feed Terminal
Two Ground Straps - Rear of Cylinder Head

Two Ground Straps - Upper Control Arms

### AMA Specifications—Passenger Car

MAKE (	OF CAR Cadi	11ac MODEL YEA	R 1969 DATE ISSUED LU-13-00 REVISED (+)
MODEL		Std. Car	
	AL - INSTRUMENTS	AND EQUIPMENT	
Speed-	Туре	A.C.	
ometer	Trip odometer (yes,no)	Yes	
Charge in	dicator - type		
	ure indicator — type	Tell-Tale	
	ure indicator – type	Tell-Tale	
Fuel indi	cator — type	Gauge	
Other			
Wind-	Type - Standard	Electric	
shield wiper	Type - Optional	-	
Wind-	Type - Standard	Vacuum	
shield washer	Type - Optional	-	
	Туре	F & A Calais	FA & D DeVille & Fleetwood
Horn	Number used		
	Amp draw (each)	Op	t, A.C.
DRIVE UI	NITS - CLUTCH (Man	ual Transmission)	
Make & t	ype	No	t Available.
Type pre	ssure plate springs		
	ing load (lb.)		
No. of ch	atch driven discs		
	Material		
	Outside & inside dia.		
Clutch	Total eff. area (sq.in.)		
facing	Thickness		
	Engagement cushion- ing method	_	
Release bearing	Type & method of lubrication		
Torsiona damping	Methods: springs, friction material		

# AMA Specifications—Passenger Car

MAKE OF CAR Cadillac			MODEL YEAR 1969 DATE ISSUED REVISED (6)
MODEL			Std. Car
DRIVE UN	IITS — TRA	ANSMISSIONS	
Manual 3-s	peed (std.	or opt.)	N.A.
Manual 4-s	peed (std.	or opt.)	N.A.
Manual wit	h overdriv	e (std. or opt.)	N.A.
Automatic	(std. or o	pt.)	Standard
DRIVE UN	lits – MA	ANUAL TRANS.	
Number of	forward sp	peeds	None Available
	In first		
Transmis-	In secon	d	•
sion ratios	In third	**************************************	
	In fourth		
	In revers		
Synchronou	s meshing	, specify gears	
Shift lever	location	ente de la companya de la companya de la companya de la companya de la companya de la companya de la companya d La companya de la co	
***	Capacity	(et.)	
		ommended	•
Lubricant	SAE vis-	Summer	-
		Winter	
	unuper	Extreme cold	
DRIVE UN	IITS — MA	ANUAL TRANS. W/C	VERDRIVE sion section)
Type (plan			None Available
Manual loc	kout (yes,	no)	•
Downshift	accelerate	or control (yes, no)	•
Minimum cut-in speed		d	
Gear ratio			
		pt.) (Overdrive only)	
		filler (yes, no)	•
Lubricant		ommended  c	
	SAE vis-		
	cosity	Winter	
number   Extreme cold			

Page 16

Page 16

MAKE OF CARCadillac		MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)				
		Std. Car				
DRIVE UN	NITS - AUTOMATIC TRANSA	MISSION				
Trade na	me	Turbo-Hydramatic				
Type des	cribe	3 Element Fixed Converter With	Step Shifts.			
Selector	location	Strg. Column P-R-N-'D'-L Low Gear 2.				
List gear ratios Selector Pattern and indicate which are used in each selector position		Inter Gear 1. High Gear 1.	.48 .48 .00 .09			
Max. upsi	nift speed-drive range		MPH (Limo.)			
Max. kick	down speed—drive range		5 MPH (Limo.)			
	Number of elements	3				
Torque	Max, ratio at stall	2.03:1				
convertor	Type of cooling (air, liquid)	Liquid - Water to Oil				
	Nominal diameter					
Lubricant	Capacity—refill (pt.)	Approx. 3 1/2 Qts.				
	Type recommended	Fluid Type Dexron				
Special tr features	ansmission					
DRIVE UN	NITS - PROPELLER SHAFT					
Number u	sed	1 2	(Limo.)			
	aight tube, tube-in-tube, external damper, etc.)	Exposed				
	Manual 3-speed trans.	N.A.				
Outer diam. x !ength' x wall thick- ness	Manual 4-speed trans.	N.A.				
	Overdrive transmission	N.A.				
	Automatic transmission		eetwood Sedan & Brougham and 63 Series			

(Continued)

2.75 - 2.25 X 37.80 - .083 (75 Limo.) 2.75 - 2.25 X 43.65 - .083

<sup>\*</sup> Center to center of universal joints, or to centerline of rear attachment.

# AMA Specifications—Passenger Car

MAKE OF CARCadillac		Cadillac	MODEL YEAR_1969DA	ATE ISSUED 10-15-68 REVISED (+)			
MODEL .			Std. Car				
•		PELLER SHAFT (cont.					
Inter-	Type (pla anti-fricti		None on Std. Car Roller Brg. (Limo.)				
bearing	Lubrication prepack)	on (fitting,	Prepack				
	Туре		Internally Splined				
Slip Yoke	Number of	teeth	32				
	Spline 0.0	). 	1.395 (Major Dia.)				
	Make and	Mfg. No.	Saginaw				
	Number us	ed	2 (Std. Car)	3 (Limo)			
		and trunnion, cross)	Cross-Double Cardon				
Universal	Rear attac	h.(u-bolt,clamp,etc.)	"U" Bolt				
oints	Bearing	Type (plain, anti-friction)	Needle - Roller				
	Jes	Lubric. (fitting, prepack)	Prepack				
or arms, sp		-	Four Link Arm				
orque tak or arms, sp		(torque tube	Four Link Arm				
ORIVE UN	IITS — AXL	E	,				
Type (fron	t, rear)		Rear				
Descriptio	n		Hypoid				
Limited SI	ip different	ial, type	Cone Clutch				
Drive Pini			2				
	erential pin		None				
<u> </u>	ustment (sh	<del></del> }	Collapsable Spacer				
Wheel bear	aring adj. (s	nim, other/	Ball				
Wileer Dear	Capacity	(a.)	5 Pt.				
	Type reco		M11-L-21058 (Contr. D	iff. Spec. Lub)			
Lubricant	SAE vis-	Summer	90				
	cosity	Winter	90				
	number	Extreme cold	90				
			AXLE RATIO TOOTH COMBINATIO	DNS			
Axle ratio			2.94 (Incl. A/C)	3.21 (Limo.)			
No. of	Pinion		47	45			
teeth	Ring gear		16	14			
Ting Gear	O.D.		9.424	9.422			

### AMA Specifications—Passenger Car

MAKE OF CAR Cadillac		dillac	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)						
MODEL			Std. Car						
_	TS - WHEELS								
			Drop Center - Steel						
Type & mo	aterial	Std.	15-6JJ						
Rim faire f	& flange type)	31d.	12-011						
Vim (2156 c		Opt.	None						
	Type (bolt o		Stud						
Attachment	Circle diame	ter	5"						
	Number and	size	5 1/2 X 20						
MODEL									
DRIVE UNI		11							
	Size, ply rat		9.00 X 15	8.20 x 15					
Standard	Type (bias, radial, etc.)		Rayon - Polyester						
	Full rated	Front	25	28					
	Press.	Rear	25	*					
	Rev./Mile a	50 MPH	714	713					
	e de più e ma		9.00 X 15 White 8.20 X 15 White in Limousine						
Optional	Size, ply rating, & ply			•					
BRAKES - P									
Type of co			Foot Operated - Vac. Released						
Location o	f control		Left Side Below Inst. Panel						
Operates o	n		Rear Service Brakes						
If sepa-	Type (internal		N.A.						
rate from	Drum diamete		N.A.						
service brakes	Lining size (I width x thickn		N.A.						

(\* Tire Pressure)

1-5 Pass. 28# Rear (750# Load) 1-9 Pass + 200 Lb. Trunk Load 38# Rear (1550# Load)

AKE C	F CAR_	Cad	illac	MODEL YEAR 1969 DATE ISSUED 0-15-68 REVISED ()					
MODEL.				Std. Car					
BRAKES -	SERVICE								
Type (dru	m) or (disc	& no. of pi	stons)	Disc Frt. Single Piston - Drum Rear					
Self adjus	ting (std.,			Std.					
Special Valving	Type (prometering,	oportion, de other)	lay,	Metering					
	ke make &			Moraine & Bendix Direct Hyd. Vacuum F R T					
	ote, int., et								
	area (sq. i			38.36 In 101.75 140.1 42.28 In 116.8 159.08					
	ng area (sa a (sq. in.)		*****	240 In <sup>2</sup> 188.5 428.5					
	e (sq. in.) Rear Effecti			240 jii					
Relations		14611633		61% Frt. 39% Rear					
	Diameter			None					
Drum	(nominal)	Rear		12"					
. '	Type and material			Composite Cast Iron - Finned					
	Outer wor	king diame	ter	11.90					
- 200	Inner wor	king diame	ter	- 1 187 <b>8.06</b> 111 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Rotor	Working width			1.24					
		type (ven	ted/solid)	Full Cast Iron - Vented					
Wheel cyl	Front			None					
inder bore	Rear			13/16 7/8 Limo.					
Master	Bore			1.00					
C7:::::00: ;	displaceme		%	70 30					
Pedal arc	distribution	n   Kear	76	3.1:1					
		lb. pedal le	oad	1050 PSI-Std. 1650 PSI-Limo.					
Shoe	Front			None					
Clearance	Rear			,015					
	Bonded or	riveted		Riveted					
		Material		Molded Asbestos					
		Size	Prim. or out-	5.4 X 1.92 X.41					
	Front	(length x	board						
	Wheel	width x thickness)	Second. or in-	5.4 X 1.92 X.43					
Brake			board						
ining		Segments	per shoe	1 Molded Asbestos					
		Material	Prim, or	11.00 X 2.5 X .24					
	9	Size	out-	11.00 A 2.3 A .24					
	Rear Wheel	(length x width x	board Second.	12 26 8 2 5 8 26					
		thickness)	or in- board	12.36 X 2.5 X .26					
		San As	*	1					
		Segments	per snoe						

<sup>\*</sup> Excludes rivet holes, grooves, chamfers, etc. \*\* Includes rivet holes, grooves, chamfers, etc.
\*\*\* Total swept area for four brakes. (Widest lining contact width for each brake x its contact circumference.)

MAKE O	F CAR_	Cadi	llac	MODEL YEAR190	69 DATE	ISSUED_10-1	15-68 REVISED (+)			
MODEL ,				Std. Car			75 Limousine			
STEERING				<b>;</b>						
Monual (st	d., opt., N.	A)	1	N.A.						
Power (sta	., opt., NA	.)		Std.						
Adjustable steering w	heel	Type and description	B	Tilt & Telesco	oe					
(tilt, swin	g, other)	(std., opt	., NA)	Opt.						
Wheel dian	neter	Manual		N.A.						
		Power		15.5						
T	Outside		all (1. & r.)	47.7	48.8	(60&61)	57.3			
Turning diameter	front		urb (1. & r.)	44.8	45.8	(60&61)	54.5			
(feet)	Inside		rall (1. & r.)	26.5		(60&61)	35.7			
	rear	Curb to c	urb (1. & r.)	27.1	28.0	(60&61)	36.3			
		Туре		N.A.						
		Make		N.A.						
Manual	Gear	Ratios	Gear	N.A.			<u> </u>			
			Overall	N.A.						
	No. whee	l turns (sto	op to stop)	N.A.	<del></del>					
		xial, linka		Linkage - Varia	ble Ratio		Control of the second section of the period of the second			
	Make	<u> </u>		Saginaw Steerin	e Gear	-74	i white			
		Туре		Goneont Lu Coar	Karte Lato	concer	Ball Nut Secto	<u> </u>		
	Gear	Ratios	Gear	12.2 - 16.0 - 1	2.2		17.5	<u>.</u>		
Power		i i i i i i i i i i i i i i i i i i i	Overall	10.3 16.6	<del>0.</del> 3 2.0	16.8 2.	0	2/		
	Pump driv	en by		Belt						
	No. whee	l turns (sta	op to stop)	3.1			3.7			
	Туре		-	Parallel Dragli	nk					
Linkage	Location (front or rear of wheels, other)			Rear	· · ·					
	Drag link (trans. or longit.)			Transverse						
	Tie rods	one or two	)	Two						
	Inclinatio	n at cambe	r (deg.)	6 Degrees @ 0 I						
S	Bearings	Upper		Spherical Joints						
Steering Axis	(type)	Lower		Spherical Joints						
		Thrust		Spherical Joints						
Wh1. Align.				-1 Deg. to -2 Deg. (Exc. Auto Level)						
(range at	Camber (d	eg.)		Left +3/8 to -	1/8		Right +1/8 to +	+ 3/8		
preferred)	Toe-in (ou	tside tracl	(inches)	1/4 to 5/16						
Steering s	oindle & jo			Spherical Joint	8					
	Diameter	Inner bea	ring	1.348-1.343						
Whee!		Outer bed	oring .	.8430 8435	·					
Spindle	Thread si	<del></del>		3/4 - 20						
	Bearing ty	ρ <del>e</del>	<u> </u>	Tapered Roller			·			

'AKE	OF CAR	Cadillac "	MODEL Y	EAR 1969 DATE ISS	UED10-15-68 REVISED (+)				
			Std. (	Car					
AODE				Var					
USPEN	ISION – GENERA	<b>NL</b>	(	See Supplement page for details	on Air Suspension)				
Provisio	on for car leveling		Auto	Level Control Std. on	60 Special & 75 Limousine				
	on for brake dip cor			ont Suspension Design					
Provisio	on for acc. squat co	ontrol	In Fre	ont Suspension Design					
Special arjack	provisions for		Rumnet	r Type					
hock	Туре			t Action	-				
bsorbe	Make		Delco						
ront & ear	Piston dia.		1"						
Other sp	pecial features		Nylon Piston Ring Freon Envelope eliminates Aeration of oil.						
USPEN	ISION – FRONT								
ype an	d description		Indep	endent - Coil					
	Туре	7 4V	Coil						
	Material		9260	Steel					
pring	Size (coil design bar length x dia.	- u		0 X 157.7 X .680 (62 & X 165.7 X .690 (60 Sp	k 63) 10.44 X 4.00 X 163.50 X pec.) (75 Limo.)				
	Spring rate (lb. p	er in.)	335 (60 Spec)		425 (75 Limo.)				
	Rate at wheel (II	b. per in.)	89 (60 Spec)	86 (62 & 63)	120 (75 Limo.)				
tabilize	Type (link, link) er frameless)	ess,	Link						
	Material & bor di	ameter	1085 Steel X	25/32 (60-62-63)	.875 (75 Limousine)				
JSPEN	ISION - REAR	. • · ·							
ype an	d description		4 Lin	k Susp.					
rive an	d torque taken thro	ough	Links						
	Туре		Coil						
	Material		9260						
	Size (length x wid height & I.D.;bar	lth,coil design   !ength & dia.)		X 5.50 X 145.9 X .590 X 5.20 X 149.75 X .695	5 (75 Limo.)				
pring	Spring rate (lb. p	er in.)	95 (60 Spec.)		250 (75)				
	Rate at wheel (II		100 (60 Spec.		157 (75)				
	Mounting insulat	ion type	Rubbe						
		leaves		Available					
		e(comp.ortens.)		Available					
Stabilizer Type (link,linkless,frameless)				Available					
10011126									
	Material			Available Available					

MAKE OF CAR Cadi	MODEL YEAR 1969 DATE ISSUED 10-15-68 REVISED (6)							
		68069 68169	68247 68347	68249	68367		69723 & 33	
MODEL								
FRAME								
Type and description (Separa unitized frame, partially – uni	Perime	ter Fra	ine					
BODY - MISCELLANEOUS I	NFORMATIC	N	a marini prima prima di successiva di prima della di successiva di succe					
Drs.hinged Front doors		Fro	nt	<del></del>				
(front, rr.) Rear doors		Cen	ter			-		
Type of finish (lacquer, enam	el, other)	Acr	ylic					
Hood counterbalanced (yes, n	o)	Yes						
Hood release control (internal	, external)	Ext	ernal					
Vehicle Indent. No. location		Win	dshield	Lower,	Frame	Side -	Trans Engine	
Engine No. location		Rear Upper Portion of Cyl. Block - L. Side of Trans.						
Theft protection - type		Ign. Key Start - Strg. Col. Lock Ign. Warning Buzzer						
Vent window control method	Frent	Non	<b>e</b>	en e vajnase	e e e e e e e e e e e e e e e e e e e		and the second s	
(crank, friction pivot)	Rear	Non					·	
	Front		Zag Sp				Coil Spring (Brougham)	
Seat cushion type	Rear	Zig	Zag Sp	ring			Co11(60-61-75)	
	3rd seat							
	Front		Zag Sp				Coil Spring(60-61-75)	
Seat back type	Rear	7	Zag Sp	ring			Coil Spring(60-61-75)	
	3rd seat	<del> </del>			·			
Wind shield glass type (i.e., single curved - laminated plat	e)	Com	pound C	urve -	Laminat	ed		
Side glass type (i.e., curved tempered plate)		Laminated Side Window						
Backlight glass type (i.e., co curved - tempered plate, three piece)	-						• • •	
Windshield glass exposed sur	face area	1509.8 1434.6 1434.6 1434.6 1509.8 1509.8						
Side glass exposed surface ar	2498.2 2214.0 2348.8 2356.6 2300.8 2772.1							
Backlight glass exposed surfa	758.6 952.2 952.2 827.3 940.8 496.8							
Total glass exposed surface of	rea	4766.6	4600.8	4735.6	4618.5	4751.4	4778.7	
		<u> </u>						
•								
		<u> </u>						
		<b></b>						
		<b> </b>						
		H						

<sup>\* 69733</sup> Partition Glass Area 45.2 (Not in Total Glass Area)

MODEL			All Exc. Eldorado					
ONVENIENC	E EQUIPME	NT	(Indicate whether standard, optional or NA on each series)					
Sic	le windows		Std.					
Pawar	nt windows		None					
	eklight or tai	lgate	N. A.					
Power seats (s well as availab	pecify type a		2-Way Std. 60-61-63-75 N.A. on 62 Series 6-Way Power Opt. all Series					
Reclining front		-L or both)						
Front seat head			Std.					
Radios (specif			Delco Radio					
well as availab			AM/AM-FM FM Stereo Opt. All Series					
Rear seat spea			Std. With Radio Opt. (2 Frt 2 Rear With Stereo)					
Power antenna			Std. With Radio Opt.					
Cisck			Std.					
Air conditioner and availability			Auto Climate Control (Opt 60-61-62-63) (Std 75 Limo, Dual)					
Speed warning			N.A. (Std 75 Elmo. Dial)					
Speed control d			Opt.					
Ignitron lock to		The second second second	The second Na Agriculture and a second second second and a second					
Dome lamp			Std. (75) Rear Qtr. Std. Other Style					
Glove comparts	nent lamp		Std.					
Luggage compa	····		Std.					
Underhood lamp			N.A.					
Courtesy lamp			Std.					
Map lamp			Std.					
Auto, trans, qu	ad. lamp		Std.					
Cornering light	lamp		Std.					
Side Marker	cs		Std.					
AMP HEIGHT	AND SPAC	ING						
	<b>L</b>	Highest *	24.72					
Haiaha -kawa	Headlamp	Lowest						
Height above ground to	7	Highest	29.08					
center of bulb	Tail	Lowest						
9r mg-/er		Front	<u>ir</u> 11′					
	Siden arker	Rear	्र. वर्ष					
	<u> </u>	Inside	18.04					
	Headiamp	Outside *	54.15					
Distance from C/L of car to	Tool	Inside	34.84					
center of bulb	10.1	Outside						
		Front	311.84					
	Directional	L·						

Cadillac MAKE OF CAR\_

MODEL YEAR 1969

DATE ISSUED 10-15-68 REVISED (+)

### WEIGHTS


	CURB WEIGHT * POUNDS			% PASS, WEIGHT DISTRIBUTION				LIQUID WEIGHT	
	COKB	LIGHT	T		n Front		In Rear	LIGOID	MEIGHI
	Fron:	Rear	Total	Front	Rear	Front	Rear	Fuel	Coolant
**	1			1.0	7.001	1,1011.		-	<del></del>
Model 68069	2574	2340	4914		<del> </del>			158.6	44.4
	2597	2368	4965		<del> </del>			11	
68169	2397	2300	4903		<u> </u>	ļ		158.6	44.4
	2512	2244	4756		<del> </del>			+ 150 6	
68247		1	4780		<u> </u>	<u> </u>	<del> </del>	158.6	44.4
68249	2537	2243	4/80				<u> </u>	158.6	44.4
68347	2526	2271	4797					158.6	44.4
68349	2540	2298	4838		<del> </del>			158.6	44.4
	2340	2290	4030					158.6	44.4
68369	24.00	2276	4775			<u> </u>			
68367	2499	22/6	4//3		<u> </u>	<u> </u>		158.6	44.4
(0.702	-	ļ			<del> </del>			150 /	
69723	1	<del> </del>		<u> </u>	<u> </u>		<del> </del>	158.6	51.7
69733	1	<b> </b>	ļ	<u> </u>	<del>[</del>	<u> </u>	<u> </u>	158.6	51.7
	<u> </u>	ļ.,	ļ		ļ			<u> </u>	<b></b>
		· · · · · · · · · · · · · · · · · · ·							
		ļ	<u> </u>						
	<u> </u>	<b>_</b>	<u> </u>						
	<u> </u>								<u> </u>
	<u> </u>		<b></b>	<u> </u>	<u> </u>				
	<u> </u>	<u> </u>			<u> </u>				
	<u> </u>	ļ			<u> </u>				
								1	
	1	<u> </u>							:
Accessories & Equipment Differential Air Conditioning	Weights						Remarks		
	122.5	2.5	125.0						
Radio & Antenna & Speaker	11.0	4.2	15.2	AM					
	11.4		15.6	AM-F					
	14.5	5.0	19.5		M-Sterec	)			
Door Locks (Power)	8.0	3.8	11.8	Seda	ns			-	
	8.5	3.3	11.8	Coup	es				
6-Way Seat		6.2	17.6	Cala	is Only				
	7.7		11.9	DeVi	lle & 60	Specia	1		
Power Trunk	-	8.0	8.0						
Cruise Control	11.0	1.0	12.0						
Padded Roof	2.2	3.2	5.4	DeVi	lle				
	5.0	8.0	13.0	Limo	usine				
Auto Level Control	11.2	2.8	14.0						
	1	1				<del>, , , , , , , , , , , , , , , , , , , </del>			
		1					· · <u>.</u>		
	1								
						· · · · · · · · · · · · · · · · · · ·			
				<u> </u>					
				<del> </del>	***************************************			<u></u>	<del></del>
	1	<del>                                     </del>	1	<del> </del>					<del></del>
	4			<u> </u>	<del></del>				

<sup>\*</sup>Reference - SAE Aerospace-Automotive drawing standards, Section E 1.02 (d).


Page 25


# CAR AND BODY DIMENSIONS KEY SHEET

### EXTERIOR CAR AND BODY DIMENSIONS



#### INTERIOR CAR AND BODY DIMENSIONS





### CAR AND BODY DIMENSIONS

#### KEY SHEET

#### DIMENSION DEFINITIONS

EXTERIOR WIDTH DIMENSIONS

WIOI WHEEL TREAD - FRONT. Measured at centerline of tires, with nominal camber, at ground.
WIO2 WHEEL TREAD - REAR. Measured at centerline of

wills will a second to the sec

WIIT MAXIMUM BODY WIDTH AT #2 PILLAR. Measured across body at #2 pillar, excluding hardware and applied

EXTERIOR LENGTH DIMENSIONS

L 30 VERTICAL ZERO LINE TO ACTUAL FRONT OF DASH. If actual Front of Dash is to the rear of Body Zero Line, it is identified by a minus (-) sign.

L101 WHEELBASE.

L103 OVERALL LENGTH. Include bumper guards if standard

equipment.

L104 OVERHANG — FRONT. Measured from C/L of front wheels to front of car, including bumper guards if standard equipment.

L105 OVERHANG — REAR. Measured from C/L of rear wheels to rear of car, including bumper guards if standard

to rear of car, including bumper guards it standard equipment.

L123 BODY UPPER STRUCTURE LENGTH AT CAR CENTERLINE. The horizontal dimension from the Cowl Point to the Deck Point.

L127 VERTICAL ZERO LINE TO CENTERLINE OF REAR WHEELS. A horizontal dimension.

L130 VERTICAL ZERO LINE TO WINDSHIELD COWL POINT. The horizontal dimension from the vertical zero line to the theoretical intersection of extended windshield glass plane and normal cowl surface.

EXTERIOR HEIGHT — DESIGN Measured with the

H101 OVERALL HEIGHT - DESIGN, Measured with the vehicle in Manufacturer's Design Weight attitude.
H114 COWL POINT TO GROUND, Measured at vehicle

terline.

K POINT TO GROUND. Measured at vehicle

H112 ROCKER PANEL TO GROUND - FRONT. The vertical dimension from ground to bottom of rocker panel, exclud-ing flanges. Measured to the outside of sheet metal at

foremost point of rocker panel.
H111 ROCKER PANEL TO GROUND - REAR. The vertical dimension from ground to bottom of rocker panel, ex-cluding flanges. Measured to the outside of sheet metal at front of rear wheel opening.

H122 WINDSHIELD SLOPE ANGLE. The angle between a vertical line and the windshield surface at car center-line. On compound-curved windshields the chord of the arc is used and limited to that section of the windshield comprehended by an 18-inch chord.

**GROUND CLEARANCE DIMENSIONS** 

H102 BUMPER TO GROUND - FRONT, Minimum dimension, includes bumper guards.

H104 BUMPER TO GROUND - REAR, Minimum dimension, includes bumper guards.

H106 ANGLE OF APPROACH. The angle between ground and a line tangent to the front tire static loaded radius arc and the first point of interference, i.e., bumper, guard, gravel deflector, fender or other component, excluding license plate. This dimension may be determined graphically for reporting purposes.

mined graphically for reporting purposes.

H107 ANGLE OF DEPARTURE. The angle between ground and a line tangent to the rear tire static loaded radius arc and the first point of interference, i.e., bumper, guard, gravel deflector, tail pipe, fender or other component, excluding license plate. This dimension may be determined graphically for reporting purposes.

H147 RAMP BREAKOVER ANGLE. The supplement of included ramp angle (180° minus included ramp angle) over which car can pass without interference; measured with car sitting on a level surface, using lines tangent to arcs of front and rear static loaded radii and intersecting at point on underside of car which defines the smallest angle.

H156 MINIMUM RUNNING GROUND CLEARANCE. Location of measurement on the car is to be clearly recorded.

H156 MINIMUM RUNNING GROUND CLEARANCE. Location of measurement on the car is to be clearly recorded. FRONT COMPARTMENT DIMENSIONS
H 61 EFFECTIVE HEAD ROOM - FRONT. The dimension from H Point to the headlining, plus a constant of 4.0 inches, measured along a line 8° to rear of vertical.
L 34 MAXIMUM EFFECTIVE LEG ROOM - ACCELERATOR.

L 34 MAXIMUM EFFECTIVE LEG ROOM - ACCELERATOR.

Measured along a diagonal line from the Manikin ankle
pivot center to the H Point plus a constant of 10.0
inches. For treadle type accelerator pedals, the leg
room is measured with the Manikin's right toot on the
accelerator pedal and the Manikin heel Point at Accelerator Heel Point. All other types of accelerator pedals
will be measured with the Manikin foot angle set at 87and the shoe touching the pedal.

H 30 H POINT TO HEEL POINT - FRONT. The vertical
dimension from the H Point to the Accelerator Heel
Paint.

L 17 H POINT TRAVEL. The horizontal dimension between the H Point in the most forward and rearward seat

FRONT COMPARTMENT DIMENSIONS (Cont.)

W 3 SHOULDER ROOM - FRONT. The minimum lateral dimensions between the door garnish moldings or nearest interference, measured at the H Point station.

W 5 HIP ROOM - FRONT. The lateral dimension through the H Point to trimmed body surfaces. Depress loose side wall cloth to trim foundation or other obstruction if such construction exists.

H 50 UPPER BODY OPENING TO GROUND - FRONT. The vertical dimension from a point on the trimmed body opening to the ground, measured at the H Point station.

REAR COMPARTMENT DIMENSIONS

L 50 H POINT COUPLE DISTANCE. The herizontal dimensions

EAR COMPARTMENT DIMENSIONS
L 50 H POINT COUPLE DISTANCE. The horizontal dimension from the front seat H Point to the rear seat H Point.
H 63 EFFECTIVE HEAD ROOM — REAR. The dimension from the H Point to the headlining, plus a constant of 4.0 inches, measured along a line 8° to rear of vertical.
L 51 MINIMUM EFFECTIVE LEG ROOM — REAR. Measured along a diagonal line from the ankle pivot center to the H Point plus a constant of 10.0 inches, with the foot positioned to the nearest interference between the seat structure and the instance lower lear

H 31 H POINT TO HEEL POINT - REAR. The vertical dimension from the H Point to the Manikin Heel Point on the depressed floor covering.

L 48 MINIMUM KNEE ROOM — REAR. The minimum dimension from the Manikin knee pivot center to the back of

the front seat back.

2 3 REAR COMPARTMENT ROOM, The horizontal dimension from the back of front seat to front of rear seat back at height tangent to the top of rear seat cushion.

SHOULDER ROOM — REAR. The minimum lateral dimension between the door garnish molding or nearest interference. Measured at H Point station.

6 HIP ROOM — REAR. The lateral dimension through H Point to trimmed body surfaces. Depress loose side wall cloth to trim foundation or other obstruction when such construction exists.

H 51 UPPER BODY OPENING TO GROUND - REAR. The vertical dimension from a point on the trimmed body opening to the ground, measured 13.0 inches forward of the H Point.

LUGGAGE COMPARTMENT DIMENSIONS

1 LUGGAGE CAPACITY - USABLE. The total luggage compartment luggage capacity in cubic feet with the tire and tools in place.

H195 LIFTOVER HEIGHT. Vertical dimension from the highest point on the luggage compartment lower opening to ground, excluding corner radii.

ground, excluding corner radii.

STATION WAGON - THIRD SEAT DIMENSIONS

W 85 SHOULDER ROOM - THIRD SEAT, The minimum lateral dimension between the door garnish moldings or nearest interference. Measured at H Point station.

W 86 HIP ROOM - THIRD SEAT, The lateral dimension

through H Point to trimmed surfaces.

L 86 EFFECTIVE LEG ROOM - THIRD SEAT. Measured along a diagonal line from ankle pivot center to H Point plus a constant of 10.0 inches. With rear-facing third seat, foot is positioned in foot well or to nearest interference with rear end or rear closure.

H 86 EFFECTIVE HEAD ROOM - THIRD SEAT, The dimension from H Point to the headlining, plus a constant of 4.0 inches. Measured along a line 8° to rear of vertical.

STATION WAGON - CARGO SPACE DIMENSIONS

L202 CARGO LENGTH AT FLOOR — FRONT SEAT. The horizontal dimension, measured at the floor level from the rear of the front seat back to the normal inside limiting interference on the tailgate, on the car center-

L204 CARGO LENGTH AT BELT - FRONT SEAT. L204 CARGO LENGTH AT BELT - FRONT SEAT. The horizontal dimension measured from the tap rear of front seat back to a vertical extension line from the normal inside limiting interference at the top of the tailgate, on the car centerline.

W201 CARGO WIDTH - WHEELHOUSE. The minimum horizontal dimension, measured between wheelhousings at floor level.

tal dimension, measured between wheelhousings at floor level.

W204 OPENING WIDTH AT BELT. The minimum horizontal dimension, measured between the nearest normal inside limiting interferences of the rear opening at the top of the tailgate.

H201 MAXIMUM CARGO HEIGHT. The maximum vertical dimension, measured from the top of the floor covering to the headlining, on the car centerline.

H202 REAR OPENING HEIGHT. The vertical dimension measured from the top of the floor covering to the normal inside limiting interference at the top of the rear opening, on the car centerline, with both tail-and lift-gates fully open.

V 2 CARGO VOLUME INDEX BEHIND FRONT SEAT. The total volume in cubic feet above the normal load floor

total volume in cubic feet above the normal load floor and behind the front seat with the liftgate and tailgate closed.

W4xL204xH201 172R

## AMA Specifications—Passenger Car

### INDEX

SUBJECT	PAGE NO.	SUBJECT	PAGE NO
Automatic Transmission		Kingpin (Steering Axis)	20
Axis, Steering	20	Lamp height and spacing	
Axle, Rear	17	Legroom	
Battery	12	Lengths — Car and Body	••••••
Bearings, Engine	5, 6, 7	Lifters, valve Linings - Clutch, Brake	••••••••
Belts - Fan, Generator, Water Pump		Lubrication	7. 8. 14. 15 16 1
Brakes - Parking, Service Power	18, 19	Luggage Compartment	
Camber		Motor, Starting	
Camshaft	6	Muffler	•••••••••••••••••••••••••••••••••••••••
Capacities			
Cooling System	11	Overdrive	
Fuel Tank	10	Piston Pins & Rings	4. 5
Lubricants		Pistons	
Engine Crankcase	8	Power Brakes	
Transmission and Overdrive		Power Steering	20
Regr Axle	17	Power Teams	3
Car and Body Dimensions	•	Propeller Shaft, Universal Joints	16, 17
Width		Pumps - Oil, Fuel	8, 10
Length		Water	11
Height		Radiator, Hoses	
Front Compartment		Ratios - Axle	
Rear Compartment		Compression	
Luggage Compartment		Steering	
Station Wagon - Third Seat		Transmission	
Station Wagon - Cargo Space		Rear Axle	
Carburetor		Regulator - Generator	
Caster		Rims	
Choke, Automatic		Rings, Piston	
Clutch - Pedal Operated		Rods - Connecting	5
Coil, Ignition		Shock Absorbers, Front & Rear	
Connecting Rods		Spark Plugs	13
Convenience Equipment		Speedometer	14
Cooling System		Springs - Front & Rear Suspension	21
Crankcase Ventilation System		Valve, Engine	
Cylinders and Cylinder Head	4	Stabilizer (Sway Bar) — Front & Rear .	
		Starting System	
Dimension Definitions Key Sheet	25	Steering	
Exterior & Interior	26	Supply System	
Distributor - Ignition	13	Suspension - Front & Regr	
<del>-</del>		•	
Electrical System	12, 13, 14	Tail Pipe	
Engine		Thermostat, Cooling	
Bore, Stroke, Displacement, Type		Timing, Engine & Valve	
Compression Ratio		Tires	
Firing Order, Cylinder Numbering General Information, H.P. & Torque		Torque Converter	14
Lubrication		Torque - Engine, Rated	7 4
Power Teams		Transmission - Types	3. 10. 15. 16
Exhaust Emission Control		Automatic	3, 10, 15, 16
Exhaust System		Manual & Overdrive	
Equipment Availability		Ratios	
Fan, Cooling		Track	
Filters - Engine Oil, Fuel System		Trunk Luggage Capacity	
Frame		Turning Diameter	
Front Suspension		Unitized Construction	22
Fuel, Fuel Pump, Fuel System	4 10	Universal Joints, Propeller Shaft	
Fuel Injection		Valves - Intake & Exhaust	
· · · · · · · · ·		Vibration Damper	
Generator and Regulator		Voltage Regulator	12
Glass			
Height (Lamps)	14	Water Pump	
Headroom - Body	2	Weights	
Heights - Car and Body		Wheel Alignment	1
Horns		Wheels & Tires	18
Horsepower - Brake	3, 4	Wheel Spindle	20
Ignition System	13	Widths - Car and Body	
Inflation - Tires		Windshield	
Instruments		Windshield Wiper	14