MINI CITY E SPECIFICATION ENCORE: 4-cyllode; transverse; ri hick unit with chiefly granboy and final drive. Bury 6-6 Sterry, smale It 20mm; Capacity 990c; SSI type FMS carbinomic,

63 h.h.p. at 1,000 ren'minf manimum compa 6.90 at 2,700 neuriminf compression rates 81.50. \*DIN 70000.

\*ON 7000. CLUTCH Duphings spring 8-4cm diameter Hydraulically operated.

Ration from 3.647, second 2.001, third 1.423, fourth 1.000, reseme 1.6674.

FPNAL DRIVE. From what drive with prelabricated universals on open shafes basic 1954 STEEDING. But a more Technologies.

WHEELS is TYRES. Present and disc 145 SR-80 radial-ph tyres. BRAKES: Dual-law, hydraulically operated. (There

inching and midding at their SALPHYSECH individual at their SALPHYSECH indispersions all resint. Clear subber-garing and relevance before the graing and relevance before the purpose lever in the hard of anomalies Medium purpose lever in the hard of anomalies of their purpose lever in the hard of anomalies of their controls have, beatlarup Belevi, the owners and self-caused frequency orders are in the hard of desiring softeness are not of their self-cause. Lever on right hand of desiring softeness courses from their self-cause.

wipe facility. Hazard warring lengs, Fresh-air bein denister and continued spation visation switch incurporating seeing column lock. DSTHUMENTS: Speedorester, Fael gauge. Warring lamps to show Barbero-Franch larged

warrang hunga to show Harbert Inamed Sarpes working, beallasts high-beam, brake line fakure, low oil pressure and no charge. COACHTORK 4 marc 2 door Salson of all-in

Enterior door recurred regrets Back / white hounds both check cloth ware waveing surfaces. For of face surpet Facesy-litted receive and fruor and belo. OPTIONAL EXTRAS. Automatic transmission. Heared may surplose.

Publication No. 3070. Lichographed by Nurfield Press Liveted, Careley Oxford, England. MPSTRESPECIFICATION

NCINE 4 cylinder transverse of the trans with arth, gendron and final drive Board Street, and 76 Dates Street, and

consumer to Johnson, Capacity Select Sci. 1994 Test on Surveyed Sci. Ship as 30 Direct many Compensation to 50 Hayn at 1,700 pre-many Compensation 1900 500.

CLUT CH. Disphragm syring, 814cm diameter. Hydrashcally operand.

CEABLOS, 4-yeaped, all synchromesh on forward.

gaze, remote control cotton-floor goar change lever floors, from 1647, second 28th, third 1425, from 1600, revenus 1677.4 PNAL DRYE, from wheel-drive with prehabitizated universals on one-shofts, factor 2351.

FINAL DRIVE: Frost-wheel-drive with prelatinizated universals on open shafts. Ratio 2,954. STEERING: Rack & prison Four-spoke staving wheel.

WHEELS in TYRES. Pressed-steel disc set SR-80 redial-ply tyres.

BRAKES: Dual-line, hydraulically operated. ITACH diameter discus all neural. Two leading alloes at from, leading and marker are and marker as the pressed of the plants of the plants.

SLETP CHICKY Independent of locard Connember prings and decopies (hydralic disease). BLEATTECH, it will be interpolated to BLEATTECH, it will be interpolated by a support of locard on the hazed of control colorisms controls from, beadings hazed only and the result of reliable to the support of locard on the hazed of control colorisms which are supported from the support of locard colorisms which are supported by the support of locard colorisms which are supported by the support of locard colorisms which the support of locard colorisms which is supported by the support of locard colorisms which is supported by the support of locard colorisms which is supported by the support of locard colorisms which is supported by the support of locard colorisms which successful purpose.

column took, Revening langu.
PNSTRIMENTS: Speedoments: Fuel and water
temperature gauges. Warring langua to show
flashers/luxuell farsps working, houdlamp highhours; husted new working to take her fallare, lowall remount most no deeper.

COACHWORK, 3-door 4 - source rakeon of all-soul unitary contraction. Which down door windows, Hoggel area quanter windows, lateritie was view among Directs extracts done-mounted arrow. Studiow check down set from globe-missating from sour-fixed floor cappe. Boor roac Familitain grows assessment processing from 1 should be all grows years are processing from 1 should color home. Cauching, Sacony-direct termin sed from our bells. Wheat trans. Face floor from 1 sed from our bells.

OPTIONAL EXTRAS. Automatic transmission. Black paint fresh. Metallic paint fresh.



Motro HLE origine specially adapted for the E-type Minte.

The Control of Section 2015 And 2015 An

Information on to the mands of officially approved team of all can tested a smiddle for incorporate by constraint or any proportion when them can are depleted by a constraint or any proportion when them can are depleted and any attention of the problems, the suggested production of its any approved the problems, obeging and production of its any approved to the problems, and the production of its owner offers in small to produce up on their learnman, the limited specification, nor the constitute of the constraint, among approximation, nor the constitute or mobile size of any problems.



Depositors has been consent to prevent an empositional confineation of advocatings for all fill motorous. Supernovery was a creation leader when first learning in MTL and it's quite may be see why trust in.

1. Pm-delensy shock before the car is deleved.

2. Full parts and labour warrants with authentical minings for our time.

for one year.

3. How AA makes summers.

3. How AA makes summers.

4. All false seems (or the marked of Great Binner).

3. All the remeterability burstles of behaviors or the AA.

The option to paratises Supercome Play semestion for the sourced or second and third years of encountry.



THE MEST INCHESION PRESENT A CAR EVERTAD.
An opposed heap regions presented people, in To-mose control forming power of small. II, Can, a consequence of small, III, Can, a consequence within A carbon Sequencer Parameters and if now within beings from the Europe course, and offer some within beings from the Europe course, and offers for conservery protection for the emistal and an object of the control of the second control of the control

Major Composed Hauseum
 Major AA madeals assource
 AB Reby GA madeals assource
 AB Reby service (on the majohand of Coop Brase).
 AB the reamburshop benefits of belonging to the Ai
 Contine committee.

Separative Plan has an loss to the morber or relate of classes and like Separative in the five year, in fully yearshookle to any new owner from of charge a breath has can consultably enhance the moule value of your value.

International House Rickershill Lane Reminishan Rev 2404. AUSTIN



O-60 IN ONE GALLON FLAT. Comprehensive sound insulation means they're quieter inside. And a new range of colours, including clear coat metallic pains with extra shire and longer wearing properties – available on the HLE – are another way in which Mini has benefited from Metro technology.

The Mini is also the first car to have Dunlop's new fuel efficient tyres fitted as standard. Their low-rolling resistance actually reduces fuel consumption without loss of tyre efficiency, and helps make the E-Types the most economical <sup>40</sup>

Minis ever So why wait for the price of petrol to take another increase?

There couldn't be a better time to own a Mini.



## ONE FULL YEAR BETWEEN SERVICES.

